




ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EMT1 1" Emt Conduit *Republic Con-Nucor Tube*

Catalog Number	EMT1
Manufacturer	Republic Con-Nucor Tube
Description	Emt Conduit, 1 In Trade Size, 0.65 LB/FT
Weight per unit	0.6500 (lbs/ft)
Product Category	Emt Conduit

Dimensions and Weight

Length	120
--------	-----

Descriptions

Also Known As...	Emt
	Thinwall Conduit
Description	1" EMT CONDUIT
extra long description	NSP B00025 EMT 1 COND

Manufacturer Information

GTIN	00980010020031
UPC	980010020031

Taxonomies, Classifications, and Categories

Category Description	EMT Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging

Carton	100
Package	3000
Weight Per foot	0.65



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EMT2 2" Emt Conduit *Republic Con-Nucor Tube*

Catalog Number	EMT2
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metallic Tube, Communications Wiring;Computer Power Circuits and Any Other Designated System;Data Transmission;Health Care Dedicated Circuits;Trace Fire Alarm Application, 2.067 In;52.50 MM Conduit Inner Diameter, 2.197 In;55.80 MM Conduit Outer Diameter, Electro Galvanized Finish, 10 FT Length, Made In Usa, Flat Rolled Steel Material, 30 CT Package Quantity, Corrosion Resistant Special Features, Ansi Nema Standard;File #E7465;UI 797;UI Standard Standards Met, 2 In;53 MM Trade Size, 1.399 LB/FT
Weight per unit	1.4 (lbs/ft)
Product Category	Emt Conduit

Descriptions

Also Known As...	Emt Thinwall Conduit
Description	2" EMT CONDUIT

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	EMT Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging

Carton	10
Package	1200
Weight Per foot	1.3999



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EMT3 3" Emt Conduit

Republic Con-Nucor Tube

Catalog Number	EMT3
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metallic Tube, Communications Wiring;Computer Power Circuits and Any Other Designated System;Data Transmission;Health Care Dedicated Circuits;Trace Fire Alarm Application, 3.356 In;85.24 MM Conduit Inner Diameter, 3.500 In;88.90 MM Conduit Outer Diameter, Electro Galvanized Finish, 10 FT Length, Made In Usa, Flat Rolled Steel Material, 10 CT Package Quantity, Corrosion Resistant Special Features, Ansi Nema Standard;File #E7465;UI 797;UI Standard Standards Met, 3 In;78 MM Trade Size, 2.5999 LB/FT
Weight per unit	2.6 (lbs/ft)
Product Category	Emt Conduit

Descriptions

Also Known As...	Emt Thinwall Conduit
Description	3" EMT CONDUIT

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	EMT Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging

Carton	10
Package	510
Weight Per foot	2.5999



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EMT4 4" Emt Conduit

Republic Con-Nucor Tube

Catalog Number	EMT4
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metallic Tube, Communications Wiring;Computer Power Circuits and Any Other Designated System;Data Transmission;Health Care Dedicated Circuits;Trace Fire Alarm Application, 110.08 MM;4.334 In Conduit Inner Diameter, 114.3 MM;4.500 In Conduit Outer Diameter, Electro Galvanized Finish, 10 FT Length, Made In Usa, Flat Rolled Steel Material, 10 CT Package Quantity, Corrosion Resistant Special Features, Ansi Nema Standard;File #E7465;UI 797;UI Standard Standards Met, 103 MM;4 In Trade Size, 3.9 LB/FT
Weight per unit	3.9 (lbs/ft)
Product Category	Emt Conduit

Descriptions

Also Known As...	Emt Thinwall Conduit
Description	4" EMT CONDUIT

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	EMT Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	10
Package	300
Weight Per foot	3.9



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EMT12 1/2" Emt Conduit

Republic Con-Nucor Tube

Catalog Number	EMT12
Manufacturer	Republic Con-Nucor Tube
Description	Emt Conduit, 1/2 In Trade Size, 0.29 LB/FT
Weight per unit	0.2900 (lbs/ft)
Product Category	Emt Conduit

Dimensions and Weight

Length	120
--------	-----

Descriptions

Also Known As...	Emt
	Thinwall Conduit
Description	1/2" EMT CONDUIT
extra long description	NSP B00023 EMT 1/2 COND

Manufacturer Information

GTIN	00980010020017
UPC	980010020017

Taxonomies, Classifications, and Categories

Category Description	EMT Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	100
Package	7000
Weight Per foot	0.29



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EMT34 3/4" Emt Conduit

Republic Con-Nucor Tube

Catalog Number	EMT34
Manufacturer	Republic Con-Nucor Tube
Description	Emt Conduit, 3/4 In Trade Size, 0.45 LB/FT
Weight per unit	0.4500 (lbs/ft)
Product Category	Emt Conduit

Dimensions and Weight

Length	120
--------	-----

Descriptions

Also Known As...	Emt
	Thinwall Conduit
Description	3/4" EMT CONDUIT
extra long description	NSP B00024 EMT 3/4 COND

Manufacturer Information

GTIN	00980010020024
UPC	980010020024

Taxonomies, Classifications, and Categories

Category Description	EMT Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging

Carton	10
Package	5000
Weight Per foot	0.45

EMT112 - 1-1/2" Emt Conduit

Conduit

\$31.20 (Per 10 Feet)

\$3.12 (Per Foot)


\$31.20 (Per 10 Feet)

\$312.01 (Per 100 Feet)

\$4,680.15 (Per 1,500 Feet)

In-Stock: 1,650 available locally (Nacogdoches, TX) (change location)

QTY: Feet



[EES Spec Sheet](#)

[MFR Spec Sheet](#)

[Suggest Changes](#)

Overview

Specifications

[Help Improve Our Data](#)

Features

Material

Flat Rolled Steel

Material, Color, and Finish

Finish

Electro Galvanized

Color

Black (Tape)

Dimensions and Weight

Length

10 ft

Descriptions

Product Type

Electrical Metallic Tube

Long Description

Electrical Metallic Tube, Communications Wiring;Computer Power Circuits and any other Designated System;Data Transmission;Health Care Dedicated Circuits;Trace Fire Alarm Application, Black (Tape) Color, 1.610 in;40.89 mm Conduit Inner Diameter, 1.740 in;44.20 mm Conduit Outer Diameter, Electro Galvanized Finish, 10 ft Length, Made in USA, Flat Rolled Steel Material, 10 CT Package Quantity, Corrosion Resistant Special Features, ANSI NEMA Standard;File #E7465;UL 797;UL Standard Standards Met, 1-1/2 in;41 mm

Features

Republic Conduit's EMT is the most bendable electrical conduit currently available in the marketplace. It is manufactured from high-quality, flat-rolled steel, uniquely formulated for its high malleability and is produced using Republic Conduit's exclusive electrogalvanizing process. Using Republic Conduit Color EMT is the safest and most effective way to quickly identify and trace fire alarm, health care dedicated circuits, data transmission, communications wiring, computer power circuits, and any other

Short Description

Electrical Metallic Tube, 1-1/2 in, 10 ft, Flat Rolled Steel, 10 CT

Special Features

Corrosion Resistant

Description

1-1/2" EMT CONDUIT

Also Known As...

Emt

Thinwall Conduit

Additional Information

Conduit Outer Diameter

1.740 in;44.20 mm

Conduit Inner Diameter

1.610 in;40.89 mm

Standards Met

UL Standard;UL 797;File #E7465;ANSI NEMA Standard

package quantity

10 CT

Made in USA

yes

Manufacturer Information

Brand

Conduit

Manufacturers Part Number

EMT112

Taxonomies, Classifications, and Categories

Category Description

EMT Conduit

Trade Size

Trade Size

1-1/2 in;41 mm

Availability

minimum qty

10

Packaging

Weight

1.11 lb/ft

Weight per foot

1.11

Carton

10

Package

1500

Uses, Certifications, and Standards

Application

Trace Fire Alarm;Health Care Dedicated Circuits;Data Transmission;Communications Wiring;Computer Power Circuits and any other Designated System

 Help Improve Our Data

Current Stock

Add-On Items


* All prices subject to change.



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EMT114 1-1/4" Emt Conduit

Republic Con-Nucor Tube

Catalog Number	EMT114
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metallic Tube, Communications Wiring;Computer Power Circuits and Any Other Designated System;Data Transmission;Health Care Dedicated Circuits;Trace Fire Alarm Application, Red (Tape) Color, 1.380 In;35.05 MM Conduit Inner Diameter, 1.510 In;38.35 MM Conduit Outer Diameter, Electro Galvanized Finish, 10 FT Length, Made In Usa, Flat Rolled Steel Material, 50 CT Package Quantity, Corrosion Resistant Special Features, Ansi Nema Standard;File #E7465;UI 797;UI Standard Standards Met, 1-1/4 In;35 MM TR
Weight per unit	0.9600 (lbs/ft)
Product Category	Emt Conduit

Descriptions

Also Known As...	Emt Thinwall Conduit
Description	1-1/4" EMT CONDUIT

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	EMT Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging

Carton	50
Package	2000
Weight Per foot	0.96



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EMT212 2-1/2" Emt Conduit

Republic Con-Nucor Tube

Catalog Number	EMT212
Manufacturer	Republic Con-Nucor Tube
Description	
Weight per unit	2.2 (lbs/ft)
Product Category	Conduit & Raceways

Descriptions

Also Known As...	Emt
	Thinwall Conduit
Description	2-1/2" EMT CONDUIT

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	EMT (Electrical Metallic Conduit)
----------------------	-----------------------------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	10
Package	610
Weight Per foot	2.15



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EMT312 3-1/2" Emt Conduit

Republic Con-Nucor Tube

Catalog Number	EMT312
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metallic Tube, Communications Wiring;Computer Power Circuits and Any Other Designated System;Data Transmission;Health Care Dedicated Circuits;Trace Fire Alarm Application, 3.834 In;97.38 MM Conduit Inner Diameter, 101.6 MM;4.000 In Conduit Outer Diameter, Electro Galvanized Finish, 10 FT Length, Made In Usa, Flat Rolled Steel Material, 10 CT Package Quantity, Corrosion Resistant Special Features, Ansi Nema Standard;File #E7465;UI 797;UI Standard Standards Met, 3-1/2 In;91 MM Trade Size, 3.25 LB/
Weight per unit	3.3 (lbs/ft)
Product Category	Emt Conduit

Descriptions

Also Known As...	Emt Thinwall Conduit
Description	3-1/2" EMT CONDUIT

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	EMT Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging

Carton	10
Package	370
Weight Per foot	3.25

GAL1 - 1" Rigid Conduit

Conduit

\$44.57 (Per 10 Feet)

\$4.46 (Per Foot)

\$44.57 (Per 10 Feet)



\$222.86 (Per 50 Feet)

\$445.71 (Per 100 Feet)

\$5,571.38 (Per 1,250 Feet)

In-Stock: 170 available locally (Nacogdoches, TX) (change location)

QTY:
Feet



 [EES Spec Sheet](#)

 [MFR Spec Sheet](#)

 [Suggest Changes](#)

Overview

Specifications

 [Help Improve Our Data](#)

Features

Material

Steel

Material, Color, and Finish

Finish

Hot Dip Galvanized

Color

Blue (Cap)

Dimensions and Weight

Length

9 ft 11 in

Descriptions

Product Type

Electrical Metal Conduit

Long Description

Electrical Metal Conduit, Electrical Raceway System Application, Blue (Cap) Color, 1.049 in;26.64 mm Conduit Inner Diameter, 1.315 in;33.4 mm Conduit Outer Diameter, Hot Dip Galvanized Finish, 9 ft 11 in Length, Made in USA, Steel Material, 50 CT Package Quantity, Superior Protection, Strength, Safety and Ductility for your Most Demanding Wiring Job Special Features, ANSI/NEMA Standard;File #E79211;UL 1242;UL Standard Standards Met, 1 in;27 mm Trade Size, 1.65 lb/ft Weight

Features

Designed to offer superior protection, strength, safety and ductility for your most demanding wiring jobs, Republic Conduit's hot-dip galvanizing process ensures Galvite will last longer, provide thorough protection for your entire electrical raceway system, and deliver greater value for your installation dollar.

Short Description

Electrical Metal Conduit, 1 in, 9 ft 11 in, Steel, 50 CT

Special Features

Superior Protection, Strength, Safety and Ductility for your Most Demanding Wiring Job

Description

1" RIGID CONDUIT

Additional Information

Conduit Outer Diameter

1.315 in;33.4 mm

Conduit Inner Diameter

1.049 in;26.64 mm

Standards Met

UL Standard;UL 1242;File #E79211;ANSI/NEMA Standard

package quantity

50 CT

Made in USA

yes

Manufacturer Information

Brand

Conduit

Manufacturers Part Number

GAL1

Taxonomies, Classifications, and Categories

Category Description

GRC Conduit

Trade Size

Trade Size

1 in;27 mm

Availability

minimum qty

10

Packaging

Weight

1.65 lb/ft

Weight per foot

1.65

Carton

50

Package

1250

Uses, Certifications, and Standards

Application

Electrical Raceway System

 Help Improve Our Data

Current Stock

Alternate Items

Add-On Items


* All prices subject to change.



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



GAL2 2" Rigid Conduit *Republic Con-Nucor Tube*

Catalog Number	GAL2
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metal Conduit, Electrical Raceway System Application, Blue (Cap) Color, 2.067 In;52.50 MM Conduit Inner Diameter, 2.375 In;60.33 MM Conduit Outer Diameter, Hot Dip Galvanized Finish, 9 FT 11 In Length, Made In Usa, Steel Material, 10 CT Package Quantity, Superior Protection, Strength, Safety and Ductility For Your Most Demanding Wiring Job Special Features, Ansi/Nema Standard;File #E79211;UI 1242;UI Standard Standards Met, 2 In;53 MM Trade Size, 3.52 LB/FT Weight
Weight per unit	3.5 (lbs/ft)
Product Category	GRC Conduit

Descriptions

Description	2" RIGID CONDUIT
-------------	------------------

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	GRC Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	10
Package	600
Weight Per foot	3.52



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



GAL3 3" Rigid Conduit *Republic Con-Nucor Tube*

Catalog Number	GAL3
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metal Conduit, Electrical Raceway System Application, Blue (Cap) Color, 3.068 In;77.93 MM Conduit Inner Diameter, 3.500 In;88.90 MM Conduit Outer Diameter, Hot Dip Galvanized Finish, 9 FT 10-1/2 In Length, Made In Usa, Steel Material, 10 CT Package Quantity, Superior Protection, Strength, Safety and Ductility For Your Most Demanding Wiring Job Special Features, Ansi/Nema Standard;File #E79211;UI 1242;UI Standard Standards Met, 3 In;78 MM Trade Size, 7.1399 LB/FT Weight
Weight per unit	7.1 (lbs/ft)
Product Category	GRC Conduit

Descriptions

Description	3" RIGID CONDUIT
-------------	------------------

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	GRC Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	10
Package	300
Weight Per foot	7.1399



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



GAL4 4" Rigid Conduit *Republic Con-Nucor Tube*

Catalog Number	GAL4
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metal Conduit, Electrical Raceway System Application, Blue (Cap) Color, 102.26 MM;4.026 In Conduit Inner Diameter, 114.3 MM;4.500 In Conduit Outer Diameter, Hot Dip Galvanized Finish, 9 FT 10-1/4 In Length, Made In Usa, Steel Material, 10 CT Package Quantity, Superior Protection, Strength, Safety and Ductility For Your Most Demanding Wiring Job Special Features, Ansi/Nema Standard;File #E79211;UI 1242;UI Standard Standards Met, 103 MM;4 In Trade Size, 10.3 LB/FT Weight
Weight per unit	10.3 (lbs/ft)
Product Category	GRC Conduit

Descriptions

Description	4" RIGID CONDUIT
-------------	------------------

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	GRC Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	10
Package	200
Weight Per foot	10.3



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



GAL12 1/2" Rigid Conduit *Republic Con-Nucor Tube*

Catalog Number	GAL12
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metal Conduit, Electrical Raceway System Application, Black (Cap) Color, 0.622 In;15.80 MM Conduit Inner Diameter, 0.840 In;21.34 MM Conduit Outer Diameter, Hot Dip Galvanized Finish, 9 FT 11-1/4 In Length, Made In Usa, Steel Material, 100 CT Package Quantity, Superior Protection, Strength, Safety and Ductility For Your Most Demanding Wiring Job Special Features, Ansi/Nema Standard;File #E79211;UI 1242;UI Standard Standards Met, 1/2 In;16 MM Trade Size, 0.8 LB/FT Weight
Weight per unit	0.8000 (lbs/ft)
Product Category	GRC Conduit

Descriptions

Description	1/2" RIGID CONDUIT
-------------	--------------------

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	GRC Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging

Carton	100
Package	2500
Weight Per foot	0.8



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



GAL34 3/4" Rigid Conduit *Republic Con-Nucor Tube*

Catalog Number	GAL34
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metal Conduit, Electrical Raceway System Application, Red (Cap) Color, 0.824 In;20.93 MM Conduit Inner Diameter, 1.050 In;26.67 MM Conduit Outer Diameter, Hot Dip Galvanized Finish, 9 FT 11-1/4 In Length, Made In Usa, Steel Material, 50 CT Package Quantity, Superior Protection, Strength, Safety and Ductility For Your Most Demanding Wiring Job Special Features, Ansi/Nema Standard;File #E79211;UI 1242;UI Standard Standards Met, 21 MM;3/4 In Trade Size, 1.075 LB/FT Weight
Weight per unit	1.1 (lbs/ft)
Product Category	GRC Conduit

Descriptions

Description	3/4" RIGID CONDUIT
-------------	--------------------

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	GRC Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	50
Package	2000
Weight Per foot	1.075



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



GAL112 1-1/2" Rigid Conduit *Republic Con-Nucor Tube*

Catalog Number	GAL112
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metal Conduit, Electrical Raceway System Application, Black (Cap) Color, 1.610 In;40.89 MM Conduit Inner Diameter, 1.900 In;48.26 MM Conduit Outer Diameter, Hot Dip Galvanized Finish, 9 FT 11 In Length, Made In Usa, Steel Material, 30 CT Package Quantity, Superior Protection, Strength, Safety and Ductility For Your Most Demanding Wiring Job Special Features, Ansi/Nema Standard;File #E79211;UI 1242;UI Standard Standards Met, 1-1/2 In;41 MM Trade Size, 2.58 LB/FT Weight
Weight per unit	2.6 (lbs/ft)
Product Category	GRC Conduit

Descriptions

Description	1-1/2" RIGID CONDUIT
-------------	----------------------

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	GRC Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	30
Package	800
Weight Per foot	2.58



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



GAL114 1-1/4" Rigid Conduit *Republic Con-Nucor Tube*

Catalog Number	GAL114
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metal Conduit, Electrical Raceway System Application, Red (Cap) Color, 1.380 In;35.05 MM Conduit Inner Diameter, 1.660 In;42.16 MM Conduit Outer Diameter, Hot Dip Galvanized Finish, 9 FT 11 In Length, Made In Usa, Steel Material, 30 CT Package Quantity, Superior Protection, Strength, Safety and Ductility For Your Most Demanding Wiring Job Special Features, Ansi/Nema Standard;File #E79211;UI 1242;UI Standard Standards Met, 1-1/4 In;35 MM Trade Size, 2.15 LB/FT Weight
Weight per unit	2.2 (lbs/ft)
Product Category	GRC Conduit

Descriptions

Description	1-1/4" RIGID CONDUIT
-------------	----------------------

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	GRC Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	10
Package	900
Weight Per foot	2.15



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



GAL212 2-1/2" Rigid Conduit *Republic Con-Nucor Tube*

Catalog Number	GAL212
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metal Conduit, Electrical Raceway System Application, Black (Cap) Color, 2.469 In;62.71 MM Conduit Inner Diameter, 2.875 In;73.03 MM Conduit Outer Diameter, Hot Dip Galvanized Finish, 9 FT 10-1/2 In Length, Made In Usa, Steel Material, 10 CT Package Quantity, Superior Protection, Strength, Safety and Ductility For Your Most Demanding Wiring Job Special Features, Ansi/Nema Standard;File #E79211;UI 1242;UI Standard Standards Met, 2-1/2 In;63 MM Trade Size, 5.6699 LB/FT Weight
Weight per unit	5.7 (lbs/ft)
Product Category	GRC Conduit

Descriptions

Description	2-1/2" RIGID CONDUIT
-------------	----------------------

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	GRC Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging

Carton	10
Package	370
Weight Per foot	5.6699

IMC1 - 1" Imc Conduit

Conduit

\$27.47 (Per 10 Feet)

\$2.75 (Per Foot)


\$27.47 (Per 10 Feet)

\$274.73 (Per 100 Feet)

\$4,670.41 (Per 1,700 Feet)

In-Stock: 310 available locally (Nacogdoches, TX) (change location)

QTY:
Feet



[EES Spec Sheet](#)

[MFR Spec Sheet](#)

[Suggest Changes](#)

Overview

Specifications

[Help Improve Our Data](#)

Features

Material

Flat Rolled Steel

Material, Color, and Finish

Finish

Electro Galvanized

Color

Orange (Cap)

Dimensions and Weight

Length

9 ft 11 in

Descriptions

Product Type

Intermediate Metal Conduit

Long Description

Intermediate Metal Conduit, Grounded Electrical Wiring System Application, Orange (Cap) Color, 1.285 to 1.295 in;32.64 to 32.89 mm Conduit Outer Diameter, Electro Galvanized Finish, 9 ft 11 in Length, Made in USA, Flat Rolled Steel Material, 50 CT Package Quantity, Corrosion Resistant;Electric Resistant Special Features, ANSI/NEMA Standard;File #E79211;UL 1242;UL Standard Standards Met, 1 in;27 mm Trade Size, 0.085 to 0.100 in;2.16 to 2.54 mm Wall Thickness, 1.1599 lb/ft Weight

Features

Republic Conduit's IMC is made from high-quality flat-rolled steel and produced using an electric resistance welding process followed by electro-galvanizing. The finished pipe is uniform in outside diameter size, wall thickness, and ductility. A great and lighter alternative to our heavier Galvite (R) Rigid Steel Conduit, Republic Conduit's IMC can be utilized to install a magnetically shielded and grounded electrical wiring system quickly and cost-effectively. Republic Conduit's IMC meets the same corrosion

Short Description

Intermediate Metal Conduit, 1 in, 9 ft 11 in, Flat Rolled Steel, 50 CT

Special Features

Electric Resistant;Corrosion Resistant

Description

1" IMC CONDUIT

Additional Information

package quantity

50 CT

Made in USA

yes

Conduit Outer Diameter

1.285 to 1.295 in;32.64 to 32.89 mm

Wall Thickness

0.085 to 0.100 in;2.16 to 2.54 mm

Standards Met

UL Standard;UL 1242;File #E79211;ANSI/NEMA Standard

Manufacturer Information

Brand

Conduit

Manufacturers Part Number

IMC1

Taxonomies, Classifications, and Categories

Category Description

IMC Conduit

Trade Size

Trade Size

1 in;27 mm

Availability

minimum qty

10

Packaging

Weight

1.1599 lb/ft

Weight per foot

1.1599

Carton

10

Package

1700

Uses, Certifications, and Standards

Application

Grounded Electrical Wiring System

 Help Improve Our Data

Current Stock

Alternate Items

Add-On Items


* All prices subject to change.



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



IMC3 3" Imc Conduit

Republic Con-Nucor Tube

Catalog Number	IMC3
Manufacturer	Republic Con-Nucor Tube
Description	Intermediate Metal Conduit, Grounded Electrical Wiring System Application, Orange (Cap) Color, 3.466 to 3.486 In;88.04 to 88.54 MM Conduit Outer Diameter, Electro Galvanized Finish, 9 FT 10-1/2 In Length, Made In Usa, Flat Rolled Steel Material, 10 CT Package Quantity, Corrosion Resistant;Electric Resistant Special Features, Ansi/Nema Standard;File #E79211;UI 1242;UI Standard Standards Met, 3 In;78 MM Trade Size, 0.140 to 0.160 In;3.56 to 4.06 MM Wall Thickness, 5.26 LB/FT Weight
Weight per unit	5.3 (lbs/ft)
Product Category	Conduit & Raceways

Descriptions

Description	3" IMC CONDUIT
-------------	----------------

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	Conduit & Raceways
	IMC Conduit

Availability

minimum qty	10
-------------	----

Packaging


Carton	10
Package	300
Weight Per foot	5.26



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



IMC4 4" Imc Conduit

Republic Con-Nucor Tube

Catalog Number	IMC4
Manufacturer	Republic Con-Nucor Tube
Description	Intermediate Metal Conduit, Grounded Electrical Wiring System Application, Orange (Cap) Color, 113.2 to 113.69 MM;4.456 to 4.476 In Conduit Outer Diameter, Electro Galvanized Finish, 9 FT 10-1/4 In Length, Made In Usa, Flat Rolled Steel Material, 10 CT Package Quantity, Corrosion Resistant;Electric Resistant Special Features, Ansi/Nema Standard;File #E79211;UI 1242;UI Standard Standards Met, 103 MM;4 In Trade Size, 0.140 to 0.160 In;3.56 to 4.06 MM Wall Thickness, 6.82 LB/FT Weight
Weight per unit	6.8 (lbs/ft)
Product Category	Imc Conduit

Descriptions

Description	4" IMC CONDUIT
-------------	----------------

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	IMC Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	10
Package	240
Weight Per foot	6.82



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



IMC12 1/2" Imc Conduit

Republic Con-Nucor Tube

Catalog Number	IMC12
Manufacturer	Republic Con-Nucor Tube
Description	Intermediate Metal Conduit, Grounded Electrical Wiring System Application, Yellow (Cap) Color, 0.810 to 0.820 In;20.57 to 20.83 MM Conduit Outer Diameter, Electro Galvanized Finish, 9 FT 11-1/4 In Length, Made In Usa, Flat Rolled Steel Material, 100 CT Package Quantity, Corrosion Resistant;Electric Resistant Special Features, Ansi/Nema Standard;File #E79211;UI 1242;UI Standard Standards Met, 1/2 In;16 MM Trade Size, 0.070 to 0.085 In;1.78 to 2.16 MM Wall Thickness, 0.6 LB/FT Weight
Weight per unit	0.6000 (lbs/ft)
Product Category	Imc Conduit

Descriptions

Description	1/2" IMC CONDUIT
-------------	------------------

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	IMC Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	100
Package	3500
Weight Per foot	0.6



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



IMC34 3/4" Imc Conduit

Republic Con-Nucor Tube

Catalog Number	IMC34
Manufacturer	Republic Con-Nucor Tube
Description	Intermediate Metal Conduit, Grounded Electrical Wiring System Application, Green (Cap) Color, 1.024 to 1.034 In;26.01 to 26.26 MM Conduit Outer Diameter, Electro Galvanized Finish, 9 FT 11-1/4 In Length, Made In Usa, Flat Rolled Steel Material, 50 CT Package Quantity, Corrosion Resistant;Electric Resistant Special Features, Ansi/Nema Standard;File #E79211;UI 1242;UI Standard Standards Met, 21 MM;3/4 In Trade Size, 0.075 to 0.090 In;1.91 to 2.29 MM Wall Thickness, 0.82 LB/FT Weight
Weight per unit	0.8200 (lbs/ft)
Product Category	Imc Conduit

Descriptions

Description	3/4" IMC CONDUIT
-------------	------------------

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	IMC Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	50
Package	2500
Weight Per foot	0.82



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



IMC112 1-1/2" Imc Conduit

Republic Con-Nucor Tube

Catalog Number	IMC112
Manufacturer	Republic Con-Nucor Tube
Description	Intermediate Metal Conduit, Grounded Electrical Wiring System Application, Yellow (Cap) Color, 1.875 to 1.890 In;47.63 to 48.01 MM Conduit Outer Diameter, Electro Galvanized Finish, 9 FT 11 In Length, Made In Usa, Flat Rolled Steel Material, 10 CT Package Quantity, Corrosion Resistant;Electric Resistant Special Features, Ansi/Nema Standard;File #E79211;UI 1242;UI Standard Standards Met, 1-1/2 In;41 MM Trade Size, 0.090 to 0.105 In;2.29 to 2.67 MM Wall Thickness, 1.82 LB/FT Weight
Weight per unit	1.8 (lbs/ft)
Product Category	Imc Conduit

Descriptions

Description	1-1/2" IMC CONDUIT
-------------	--------------------

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	IMC Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	10
Package	1100
Weight Per foot	1.82



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



IMC114 1-1/4" Imc Conduit

Republic Con-Nucor Tube

Catalog Number	IMC114
Manufacturer	Republic Con-Nucor Tube
Description	Intermediate Metal Conduit, Grounded Electrical Wiring System Application, Green (Cap) Color, 1.630 to 1.645 In;41.4 to 41.78 MM Conduit Outer Diameter, Electro Galvanized Finish, 9 FT 11 In Length, Made In Usa, Flat Rolled Steel Material, 10 CT Package Quantity, Corrosion Resistant;Electric Resistant Special Features, Ansi/Nema Standard;File #E79211;UI 1242;UI Standard Standards Met, 1-1/4 In;35 MM Trade Size, 0.085 to 0.100 In;2.16 to 2.54 MM Wall Thickness, 1.5 LB/FT Weight
Weight per unit	1.5 (lbs/ft)
Product Category	Imc Conduit

Descriptions

Description	1-1/4" IMC CONDUIT
-------------	--------------------

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	IMC Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	10
Package	1350
Weight Per foot	1.5



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



IMC212 2-1/2" Imc Conduit

Republic Con-Nucor Tube

Catalog Number	IMC212
Manufacturer	Republic Con-Nucor Tube
Description	Intermediate Metal Conduit, Grounded Electrical Wiring System Application, Yellow (Cap) Color, 2.847 to 2.867 In;72.31 to 72.82 MM Conduit Outer Diameter, Electro Galvanized Finish, 9 FT 10-1/2 In Length, Made In Usa, Flat Rolled Steel Material, 10 CT Package Quantity, Corrosion Resistant;Electric Resistant Special Features, Ansi/Nema Standard;File #E79211;UI 1242;UI Standard Standards Met, 2-1/2 In;63 MM Trade Size, 0.140 to 0.160 In;3.56 to 4.06 MM Wall Thickness, 4.2799 LB/FT Weight
Weight per unit	4.3 (lbs/ft)
Product Category	Imc Conduit

Descriptions

Description	2-1/2" IMC CONDUIT
-------------	--------------------

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	IMC Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	10
Package	370
Weight Per foot	4.2799



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EMT1 1" Emt Conduit

Republic Con-Nucor Tube

Catalog Number	EMT1
Manufacturer	Republic Con-Nucor Tube
Description	Emt Conduit, 1 In Trade Size, 0.65 LB/FT
Weight per unit	0.6500 (lbs/ft)
Product Category	Emt Conduit

Dimensions and Weight

Length	120
--------	-----

Descriptions

Also Known As...	Emt
	Thinwall Conduit
Description	1" EMT CONDUIT
extra long description	NSP B00025 EMT 1 COND

Manufacturer Information

GTIN	00980010020031
UPC	980010020031

Taxonomies, Classifications, and Categories

Category Description	EMT Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging

Carton	100
Package	3000
Weight Per foot	0.65



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EMT2 2" Emt Conduit

Republic Con-Nucor Tube

Catalog Number	EMT2
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metallic Tube, Communications Wiring;Computer Power Circuits and Any Other Designated System;Data Transmission;Health Care Dedicated Circuits;Trace Fire Alarm Application, 2.067 In;52.50 MM Conduit Inner Diameter, 2.197 In;55.80 MM Conduit Outer Diameter, Electro Galvanized Finish, 10 FT Length, Made In Usa, Flat Rolled Steel Material, 30 CT Package Quantity, Corrosion Resistant Special Features, Ansi Nema Standard;File #E7465;UI 797;UI Standard Standards Met, 2 In;53 MM Trade Size, 1.399 LB/FT
Weight per unit	1.4 (lbs/ft)
Product Category	Emt Conduit

Descriptions

Also Known As...	Emt Thinwall Conduit
Description	2" EMT CONDUIT

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	EMT Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging

Carton	10
Package	1200
Weight Per foot	1.3999



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EMT3 3" Emt Conduit

Republic Con-Nucor Tube

Catalog Number	EMT3
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metallic Tube, Communications Wiring;Computer Power Circuits and Any Other Designated System;Data Transmission;Health Care Dedicated Circuits;Trace Fire Alarm Application, 3.356 In;85.24 MM Conduit Inner Diameter, 3.500 In;88.90 MM Conduit Outer Diameter, Electro Galvanized Finish, 10 FT Length, Made In Usa, Flat Rolled Steel Material, 10 CT Package Quantity, Corrosion Resistant Special Features, Ansi Nema Standard;File #E7465;UI 797;UI Standard Standards Met, 3 In;78 MM Trade Size, 2.5999 LB/FT
Weight per unit	2.6 (lbs/ft)
Product Category	Emt Conduit

Descriptions

Also Known As...	Emt Thinwall Conduit
Description	3" EMT CONDUIT

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	EMT Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging

Carton	10
Package	510
Weight Per foot	2.5999



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EMT4 4" Emt Conduit

Republic Con-Nucor Tube

Catalog Number	EMT4
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metallic Tube, Communications Wiring;Computer Power Circuits and Any Other Designated System;Data Transmission;Health Care Dedicated Circuits;Trace Fire Alarm Application, 110.08 MM;4.334 In Conduit Inner Diameter, 114.3 MM;4.500 In Conduit Outer Diameter, Electro Galvanized Finish, 10 FT Length, Made In Usa, Flat Rolled Steel Material, 10 CT Package Quantity, Corrosion Resistant Special Features, Ansi Nema Standard;File #E7465;UI 797;UI Standard Standards Met, 103 MM;4 In Trade Size, 3.9 LB/FT
Weight per unit	3.9 (lbs/ft)
Product Category	Emt Conduit

Descriptions

Also Known As...	Emt Thinwall Conduit
Description	4" EMT CONDUIT

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	EMT Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	10
Package	300
Weight Per foot	3.9



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EMT12 1/2" Emt Conduit

Republic Con-Nucor Tube

Catalog Number	EMT12
Manufacturer	Republic Con-Nucor Tube
Description	Emt Conduit, 1/2 In Trade Size, 0.29 LB/FT
Weight per unit	0.2900 (lbs/ft)
Product Category	Emt Conduit

Dimensions and Weight

Length	120
--------	-----

Descriptions

Also Known As...	Emt
	Thinwall Conduit
Description	1/2" EMT CONDUIT
extra long description	NSP B00023 EMT 1/2 COND

Manufacturer Information

GTIN	00980010020017
UPC	980010020017

Taxonomies, Classifications, and Categories

Category Description	EMT Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	100
Package	7000
Weight Per foot	0.29



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EMT34 3/4" Emt Conduit

Republic Con-Nucor Tube

Catalog Number	EMT34
Manufacturer	Republic Con-Nucor Tube
Description	Emt Conduit, 3/4 In Trade Size, 0.45 LB/FT
Weight per unit	0.4500 (lbs/ft)
Product Category	Emt Conduit

Dimensions and Weight

Length	120
--------	-----

Descriptions

Also Known As...	Emt
	Thinwall Conduit
Description	3/4" EMT CONDUIT
extra long description	NSP B00024 EMT 3/4 COND

Manufacturer Information

GTIN	00980010020024
UPC	980010020024

Taxonomies, Classifications, and Categories

Category Description	EMT Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging

Carton	10
Package	5000
Weight Per foot	0.45

EMT112 - 1-1/2" Emt Conduit

Conduit

\$31.20 (Per 10 Feet)

\$3.12 (Per Foot)


\$31.20 (Per 10 Feet)

\$312.01 (Per 100 Feet)

\$4,680.15 (Per 1,500 Feet)

In-Stock: 1,650 available locally (Nacogdoches, TX) (change location)

QTY:
Feet



[EES Spec Sheet](#)

[MFR Spec Sheet](#)

[Suggest Changes](#)

Overview

Specifications

[Help Improve Our Data](#)

Features

Material

Flat Rolled Steel

Material, Color, and Finish

Finish

Electro Galvanized

Color

Black (Tape)

Dimensions and Weight

Length

10 ft

Descriptions

Product Type

Electrical Metallic Tube

Long Description

Electrical Metallic Tube, Communications Wiring;Computer Power Circuits and any other Designated System;Data Transmission;Health Care Dedicated Circuits;Trace Fire Alarm Application, Black (Tape) Color, 1.610 in;40.89 mm Conduit Inner Diameter, 1.740 in;44.20 mm Conduit Outer Diameter, Electro Galvanized Finish, 10 ft Length, Made in USA, Flat Rolled Steel Material, 10 CT Package Quantity, Corrosion Resistant Special Features, ANSI NEMA Standard;File #E7465;UL 797;UL Standard Standards Met, 1-1/2 in;41 mm

Features

Republic Conduit's EMT is the most bendable electrical conduit currently available in the marketplace. It is manufactured from high-quality, flat-rolled steel, uniquely formulated for its high malleability and is produced using Republic Conduit's exclusive electrogalvanizing process. Using Republic Conduit Color EMT is the safest and most effective way to quickly identify and trace fire alarm, health care dedicated circuits, data transmission, communications wiring, computer power circuits, and any other

Short Description

Electrical Metallic Tube, 1-1/2 in, 10 ft, Flat Rolled Steel, 10 CT

Special Features

Corrosion Resistant

Description

1-1/2" EMT CONDUIT

Also Known As...

Emt

Thinwall Conduit

Additional Information

Conduit Outer Diameter

1.740 in;44.20 mm

Conduit Inner Diameter

1.610 in;40.89 mm

Standards Met

UL Standard;UL 797;File #E7465;ANSI NEMA Standard

package quantity

10 CT

Made in USA

yes

Manufacturer Information**Brand**

Conduit

Manufacturers Part Number

EMT112

Taxonomies, Classifications, and Categories**Category Description**

EMT Conduit

Trade Size**Trade Size**

1-1/2 in;41 mm

Availability**minimum qty**

10

Packaging**Weight**

1.11 lb/ft

Weight per foot

1.11

Carton

10

Package

1500

Uses, Certifications, and Standards

Application

Trace Fire Alarm;Health Care Dedicated Circuits;Data Transmission;Communications Wiring;Computer Power Circuits and any other Designated System

 Help Improve Our Data

Current Stock

Add-On Items


* All prices subject to change.



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EMT114 1-1/4" Emt Conduit

Republic Con-Nucor Tube

Catalog Number	EMT114
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metallic Tube, Communications Wiring;Computer Power Circuits and Any Other Designated System;Data Transmission;Health Care Dedicated Circuits;Trace Fire Alarm Application, Red (Tape) Color, 1.380 In;35.05 MM Conduit Inner Diameter, 1.510 In;38.35 MM Conduit Outer Diameter, Electro Galvanized Finish, 10 FT Length, Made In Usa, Flat Rolled Steel Material, 50 CT Package Quantity, Corrosion Resistant Special Features, Ansi Nema Standard;File #E7465;UI 797;UI Standard Standards Met, 1-1/4 In;35 MM TR
Weight per unit	0.9600 (lbs/ft)
Product Category	Emt Conduit

Descriptions

Also Known As...	Emt Thinwall Conduit
Description	1-1/4" EMT CONDUIT

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	EMT Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	50
Package	2000
Weight Per foot	0.96



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EMT212 2-1/2" Emt Conduit

Republic Con-Nucor Tube

Catalog Number	EMT212
Manufacturer	Republic Con-Nucor Tube
Description	
Weight per unit	2.2 (lbs/ft)
Product Category	Conduit & Raceways

Descriptions

Also Known As...	Emt
	Thinwall Conduit
Description	2-1/2" EMT CONDUIT

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	EMT (Electrical Metallic Conduit)
----------------------	-----------------------------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	10
Package	610
Weight Per foot	2.15



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EMT312 3-1/2" Emt Conduit

Republic Con-Nucor Tube

Catalog Number	EMT312
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metallic Tube, Communications Wiring;Computer Power Circuits and Any Other Designated System;Data Transmission;Health Care Dedicated Circuits;Trace Fire Alarm Application, 3.834 In;97.38 MM Conduit Inner Diameter, 101.6 MM;4.000 In Conduit Outer Diameter, Electro Galvanized Finish, 10 FT Length, Made In Usa, Flat Rolled Steel Material, 10 CT Package Quantity, Corrosion Resistant Special Features, Ansi Nema Standard;File #E7465;UI 797;UI Standard Standards Met, 3-1/2 In;91 MM Trade Size, 3.25 LB/
Weight per unit	3.3 (lbs/ft)
Product Category	Emt Conduit

Descriptions

Also Known As...	Emt Thinwall Conduit
Description	3-1/2" EMT CONDUIT

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	EMT Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging

Carton	10
Package	370
Weight Per foot	3.25

GAL1 - 1" Rigid Conduit

Conduit

\$44.57 (Per 10 Feet)

\$4.46 (Per Foot)

\$44.57 (Per 10 Feet)



\$222.86 (Per 50 Feet)

\$445.71 (Per 100 Feet)

\$5,571.38 (Per 1,250 Feet)

In-Stock: 170 available locally (Nacogdoches, TX) (change location)

QTY:
Feet



 [EES Spec Sheet](#)

 [MFR Spec Sheet](#)

 [Suggest Changes](#)

Overview

Specifications

 [Help Improve Our Data](#)

Features

Material

Steel

Material, Color, and Finish

Finish

Hot Dip Galvanized

Color

Blue (Cap)

Dimensions and Weight

Length

9 ft 11 in

Descriptions

Product Type

Electrical Metal Conduit

Long Description

Electrical Metal Conduit, Electrical Raceway System Application, Blue (Cap) Color, 1.049 in;26.64 mm Conduit Inner Diameter, 1.315 in;33.4 mm Conduit Outer Diameter, Hot Dip Galvanized Finish, 9 ft 11 in Length, Made in USA, Steel Material, 50 CT Package Quantity, Superior Protection, Strength, Safety and Ductility for your Most Demanding Wiring Job Special Features, ANSI/NEMA Standard;File #E79211;UL 1242;UL Standard Standards Met, 1 in;27 mm Trade Size, 1.65 lb/ft Weight

Features

Designed to offer superior protection, strength, safety and ductility for your most demanding wiring jobs, Republic Conduit's hot-dip galvanizing process ensures Galvite will last longer, provide thorough protection for your entire electrical raceway system, and deliver greater value for your installation dollar.

Short Description

Electrical Metal Conduit, 1 in, 9 ft 11 in, Steel, 50 CT

Special Features

Superior Protection, Strength, Safety and Ductility for your Most Demanding Wiring Job

Description

1" RIGID CONDUIT

Additional Information

Conduit Outer Diameter

1.315 in;33.4 mm

Conduit Inner Diameter

1.049 in;26.64 mm

Standards Met

UL Standard;UL 1242;File #E79211;ANSI/NEMA Standard

package quantity

50 CT

Made in USA

yes

Manufacturer Information

Brand

Conduit

Manufacturers Part Number

GAL1

Taxonomies, Classifications, and Categories

Category Description

GRC Conduit

Trade Size

Trade Size

1 in;27 mm

Availability

minimum qty

10

Packaging

Weight

1.65 lb/ft

Weight per foot

1.65

Carton

50

Package

1250

Uses, Certifications, and Standards

Application

Electrical Raceway System

 Help Improve Our Data

Current Stock
Alternate Items
Add-On Items


* All prices subject to change.



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



GAL2 2" Rigid Conduit *Republic Con-Nucor Tube*

Catalog Number	GAL2
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metal Conduit, Electrical Raceway System Application, Blue (Cap) Color, 2.067 In;52.50 MM Conduit Inner Diameter, 2.375 In;60.33 MM Conduit Outer Diameter, Hot Dip Galvanized Finish, 9 FT 11 In Length, Made In Usa, Steel Material, 10 CT Package Quantity, Superior Protection, Strength, Safety and Ductility For Your Most Demanding Wiring Job Special Features, Ansi/Nema Standard;File #E79211;UI 1242;UI Standard Standards Met, 2 In;53 MM Trade Size, 3.52 LB/FT Weight
Weight per unit	3.5 (lbs/ft)
Product Category	GRC Conduit

Descriptions

Description	2" RIGID CONDUIT
-------------	------------------

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	GRC Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	10
Package	600
Weight Per foot	3.52



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



GAL3 3" Rigid Conduit *Republic Con-Nucor Tube*

Catalog Number	GAL3
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metal Conduit, Electrical Raceway System Application, Blue (Cap) Color, 3.068 In;77.93 MM Conduit Inner Diameter, 3.500 In;88.90 MM Conduit Outer Diameter, Hot Dip Galvanized Finish, 9 FT 10-1/2 In Length, Made In Usa, Steel Material, 10 CT Package Quantity, Superior Protection, Strength, Safety and Ductility For Your Most Demanding Wiring Job Special Features, Ansi/Nema Standard;File #E79211;UI 1242;UI Standard Standards Met, 3 In;78 MM Trade Size, 7.1399 LB/FT Weight
Weight per unit	7.1 (lbs/ft)
Product Category	GRC Conduit

Descriptions

Description	3" RIGID CONDUIT
-------------	------------------

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	GRC Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging


Carton	10
Package	300
Weight Per foot	7.1399



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



GAL4 4" Rigid Conduit *Republic Con-Nucor Tube*

Catalog Number	GAL4
Manufacturer	Republic Con-Nucor Tube
Description	Electrical Metal Conduit, Electrical Raceway System Application, Blue (Cap) Color, 102.26 MM;4.026 In Conduit Inner Diameter, 114.3 MM;4.500 In Conduit Outer Diameter, Hot Dip Galvanized Finish, 9 FT 10-1/4 In Length, Made In Usa, Steel Material, 10 CT Package Quantity, Superior Protection, Strength, Safety and Ductility For Your Most Demanding Wiring Job Special Features, Ansi/Nema Standard;File #E79211;UI 1242;UI Standard Standards Met, 103 MM;4 In Trade Size, 10.3 LB/FT Weight
Weight per unit	10.3 (lbs/ft)
Product Category	GRC Conduit

Descriptions

Description	4" RIGID CONDUIT
-------------	------------------

Manufacturer Information

Brand	Conduit
-------	---------

Taxonomies, Classifications, and Categories

Category Description	GRC Conduit
----------------------	-------------

Availability

minimum qty	10
-------------	----

Packaging

Carton	10
Package	200
Weight Per foot	10.3