





ONE PIECE STEEL SURFACE RACEWAY




- Rugged steel raceway. Provides superior strength for any dry location installation.
- Low-profile, unobtrusive appearance. Blends with any decor or setting. Excellent for low-voltage wiring.
- Base and cover are a preassembled one-piece unit. Facilitates easy installation and provides excellent security. ScuffCoat finish. Tough, durable, scratch-resistant finish which can be overpainted with latex paint.
- Surface mounting. Eliminates disturbing the building structure or wall finish to make renovations easy.
- Full line of fittings. Provides unlimited wiring solutions and interconnection between raceway systems.
- More choice of colors. 700 Series Raceway and Fittings are available in ivory and white.
- Fittings have removable covers. Allows easy access to wiring for changes and additions.
- Raceway cutters with replaceable blades. Cuts raceway cleanly, reduces labor, and installation time.
- Datacom connectivity options. Accepts industry standard and proprietary devices from a wide range of manufacturers to provide a seamless and aesthetically pleasing interface for voice, data, audio, and video applications at the point of use.
- UL5 and ADA compliant. Raceway and fittings meet UL5 specifications and can be installed in conformance with ADA requirements.

Vendor Code: **WIR**

Catalog Number	Capacity	Price per 100 pcs.
V500	(2) #6 - (10) #14	182.16
V700	(2) #6 - (11) #14	201.67

Available in Ivory Only


FITTINGS FOR WIREMOLD V500 & V700



V517 or V717




V506 or V706



V518 or V718




V504 or V704




V5711LH or V5711RH



V5715



V511 or V711



V5703

Vendor Code: **WIR**


Catalog Number	Description	Price per 100 pcs.
V504	1 or 2 Hole Strap	49.11
V506	Connector Cover	74.52
V511	90° Flat Elbow	258.35
V517	Internal Elbow	321.66
V518	External Elbow	296.63
V704	1 or 2 Hole Strap	77.95
V706	Connection Cover	83.64
V711	90° Flat Elbow	273.34
V717	Internal Elbow	371.66
V718	External Elbow	338.33
V5703	Supporting Clip	71.20
V5711LH	Internal Twisted Elbow	516.66
V5711RH	Internal Twisted Elbow	516.66
V5715	Tee Fitting	619.99

Available in Ivory Only
V57 Fits V500 and V700

BOXES FOR WIREMOLD V500 & V700



V5719




V5735



V5737, V5738, V5738A or V5739A




V5744 or V57442




V5745



V5747 or V57472



V5748 or V5748S



V5751 or V57513

Vendor Code: **WIR**

Catalog Number	Description	Price per 100 pcs.
V5719	Corner Box	2323.33
V5735	Distribution Box	1945.02
V5737	Extension Box	1783.33
V5738	Fixture Box	1663.33
V5738A	Fixture Box - 1"	1691.67
V5739A	Extension Box - 2-3/4"	2143.32
V5744	SW & Recept. Box - 2-3/4"	2660.00
V57442*	SW & Recept. Box - 2-3/4"	3346.69
V5745	SW & Recept. Box - 1-3/4"	1136.66
V5747	SW & Recept. Box - 1-3/8"	925.00
V57472	SW & Recept. Box - 1-3/8"	1798.33
V5748	SW & Recept. Box - 1-3/4"	1118.32
V5748S	SW & Recept. Box - 1-15/16"	965.00
V5751	Flush Type Adapter	1000.00

Available in Ivory Only
*2 Gang Box

B
Wiring Devices






One Piece Latching Non-Metallic Raceway · Surface Raceway Boxes and Fittings

Wiring Devices **B**

**ONE PIECE LATCHING
NON-METALLIC SURFACE RACEWAY
(300 VOLT RATED)**



Vendor Code: **WIR**

Catalog Number	A	B
PN03L08FW	1/2"	13/16"
PN05L08FW	5/8"	1-1/8"
PN10L08FW	13/16"	1-11/16"


- Easy to align. All base and fittings have unique alignment guides built in to help avoid unsightly gaps and uneven installations. All fitting covers have 1/4" overlap to hide uneven cuts of raceway.
- Ceiling fitting clips over suspended ceiling grid. Saves time and labor by eliminating the need to cut metal ceiling grid.
- Pre-punched mounting holes. Faster and easier installation.
- Ratings: 600V
- Datacom Connectivity Options. Accepts industry standard and proprietary devices from a wide range of manufacturers to provide a seamless and aesthetically pleasing interface for voice, data, audio, and video applications at the point of use.

Vendor Code: **WIR**


Catalog Number	Description	Price per Foot
PN03L08FW	Capacity: (7) #12 - (8) #14	2.49
PN05L08FW	Capacity: (14) #12 - (16) #14	2.90
PN10L08FW	Capacity: (19) #10 - (20) #12 - (22) #14	3.95

Sold in Eight Foot Lengths

**NON-METALLIC SURFACE RACEWAY BOXES
(300 VOLT RATED)**



PSB1FW



PSB2FW

PSB1 - Accepts all standard single-gang NEMA faceplates and keystone jacks. Twistouts on all four sides for PN03, PN05, and PN10 series Raceways. Designed for use with Ortronics® WiJack™ Wireless Access Point.

PSB2 - Accepts all standard two-gang NEMA faceplates and keystone jacks. Twistouts on all four sides for PN03, PN05, and PN10 series Raceways. Has 1/2" and 3/4" concentric trade size KOs, as well as rectangular KO for wall box mounting. Designed for use with Ortronics® WiJack™ Wireless Access Point.

Vendor Code: **WIR**


Catalog Number	Description	Price Each
PSB1FW	One Gang Device Box	7.78
PSB2FW	Two Gang Device Box	12.49

The Catalog Numbers Listed Above are Fog White (FW). Replace FW with V for Ivory or WH for White.

**NON-METALLIC SURFACE
RACEWAY FITTINGS
(300 VOLT RATED)**



Cover Clip



Blank End Fitting



90° Flat Elbow



Tee



Internal Elbow



External Elbow



Entrance End Fitting

Vendor Code: **WIR**


Catalog Number	Description	Price Each
FITTINGS FOR PN03 SERIES		
PN03F06FW	Cover Clip	1.39
PN03F20FW	Blank End Fitting	1.93
PN03F11FW	90° Flat Elbow	1.94
PN03F15FW	Tee	2.77
PN03F17FW	Internal Elbow	1.93
PN03F18FW	External Elbow	1.94
PN10F21FW*	Entrance End Fitting	5.34

Catalog Number	Description	Price Each
FITTINGS FOR PN05 SERIES		
PN05F06FW	Cover Clip	1.78
PN05F20FW	Blank End Fitting	2.05
PN05F11FW	90° Flat Elbow	2.06
PN05F15FW	Tee	2.90
PN05F17FW	Internal Elbow	2.06
PN05F18FW	External Elbow	2.06
PN10F21FW*	Entrance End Fitting	5.34

Catalog Number	Description	Price Each
FITTINGS FOR PN10 SERIES		
PN10F06FW	Cover Clip	3.55
PN10F11FW	90° Flat Elbow	2.30
PN10F15FW	Tee	3.16
PN10F17FW	Internal Elbow	2.29
PN10F18FW	External Elbow	2.30
PN10F21FW	Entrance End Fitting	5.34

*Includes Reducer Adaptor for Use with PN03 and PN05 Series Raceway






B Wiring Devices



STEEL TWO PIECE RACEWAY




Vendor Code: **WIR**

Catalog Number	Color	Price per Foot
V2000BC	Ivory	3.73

Catalog Numbers Listed Above are Ivory. Replace V with G for Gray. Includes Base and Cover.

PLUGMOLD 2000 WIRED SECTIONS




Vendor Code: **WIR**

Catalog Number	Length	Outlets Ctr.	Qty.	Price Each
3-WIRE, 1-CIRCUIT				
V20GB306	3'	6"	6	49.35
V20GB506	5'	10"	6	74.30
V20GB512	5'	12"	5	57.67
V20GB606	6'	6"	12	84.91
V20GB612	6'	12"	6	63.72
V20GB618	6'	18"	4	57.98

Catalog Numbers Listed Above are Ivory. Replace V with G for Gray.

2000 SERIES STEEL RACEWAY FITTINGS



Vendor Code: **WIR**

Catalog Number	Description	Diagram	Price per 100 pcs.
V2010B	Blank End	A	126.83
V2051H	Flush Plate Adap	B	1460.01
V2006	Cover Clip	C	170.00
V2017TC	Internal Corner Coupling	D	318.32
V2015	Tee	E	2058.35
V20482	Two-Gang Box	F	3211.69
V2018C	External Elbow	G	620.00
V2048	Single Gang Box	H	1401.66
V2011	90° Flat Elbow	I	785.01
V2089	Side Reducing Connector	K	1961.67
V5748	Single Gang Box 500 Series	L	1118.32
V2010A2	*Entrance End Ivory 1/2"	M	921.67
V2010A3	**Entrance End 3/4"	N	2221.67
V2089E	End Reducing Connector	O	654.96
2000WC	Wire Clip Coupling	N/A	81.66
V2003	Support Clip	N/A	213.33
2009	Ground Clamp	N/A	780.02


Catalog Numbers Listed Above are Ivory. Replace V with G for Gray.
 *1/2" Trade Size KO's on All Sides
 **3/4" Trade Size KO's on Bottom and Rear, 1/2" on Other Sides



Two Piece Raceway · Pancake Overfloor Raceway · Fittings · Tele-Power Poles

Wiring Devices

**TWO PIECE RACEWAY
G3000**




Vendor Code: **WIR**

Catalog Number	Description	Color	Price per 100 pcs.
G3000B	10' Base	Gray	489.98
G3000CE	5' Cover	Gray	253.34

Catalog Numbers Listed Above are Gray (G). Replace G with I for Ivory.

FITTINGS FOR G4000






Vendor Code: **WIR**

Catalog Number	Description	Price per 100 pcs.
G4000WC	Wire Clip (Plated)	318.57
4001A	Steel Coupling Fittings	772.30
G4010B	Blank End (Has Two 1/2" Trade Size KO's.)	935.69
G4011	Gray Flat Elbow Fitting	3667.33
G4017	Internal Elbow	2558.46
G4018	External Elbow	5838.34



**STEEL PANCAKE®
OVERFLOOR RACEWAY
AND FITTINGS**



Pancake Overfloor Steel Raceway is ideal for open space wiring of workstations and desk areas in high traffic sites. Both the 1500 and 2600 Series Raceways mount directly to the floor and provide safe load bearing strength for normal office use.


Both raceway models offer a full complement of fittings and device boxes for power and communication wiring. Pancake Overfloor Raceway comes unpainted with a paintable galvanized finish.

Vendor Code: **WIR**

Catalog Number	Description	Price per 100 pcs.
150010	Capacity (2)#8-(10)#14	350.77
1500 ACCESSORIES		
1500WC	Wire Clip	121.67
2600WC	Wire Clip	111.65
1511	90° Flat Elbow	959.99
1542D	Junction Box	1708.35
1546B	Duplex Receptacle Box	2541.68
1585	Combination Connector	1195.01
656	Cover Removal Tool	3098.33

Unpainted Galvanized Steel Finish

TELE-POWER POLES




Vendor Code: **WIR**

Catalog Number	Length	Number and Type of Outlets	Price Each
POWER POLES			
25DTP4	10' 5"	2 Duplex	226.34
25DTP412	12' 5"	2 Duplex	284.58
25DTP415	15' 15"	2 Duplex	366.08

Only Available in Ivory
Duplex Receptacles are 20A and 125V

**FLEXIBLE PANCAKE
OVERFLOOR CABLE
PROTECTION SYSTEM**



Vendor Code: **WIR**

Catalog Number	Color	Length	Price per 100 pcs.
BK140010	Black	10'	270.77
BR140010	Brown	10'	270.77

Replace the Catalog Numbers in Black with **BE** for Beige or **GR** for Gray.



C
Lighting & Lighting Controls

SECTION



Lighting & Lighting Controls

Lighting & Lighting Controls
Cooper Lighting Solutions Fixtures

LED Lay-ins, Flat Panels, Strip Lights, Wrap	
Arounds.....	C4
LED Vaportite.....	C4
LED Surface Mount, Disk Lights.....	C5
LED Recessed Trims, Gimbals.....	C5
LED Recessed Housings.....	C6
Traditional Recessed Housings & Trims.....	C6-C7
LED Floodlights.....	C8
LED High Bays.....	C8
LED Wall Packs.....	C8
LED Wall Lights, Area Lights, Security Floods.....	C9
LED Emergency Lighting.....	C10
LED Undercabinet.....	C10
LED Bluetooth Shoplight.....	C10
Traditional Troffers, Strip Lights, Wrap	
Arounds.....	C11
Traditional Vaportight.....	C11
Traditional High Bays.....	C11
Traditional Undercabinet.....	C11

Lithonia Lighting Fixtures

LED Lay-ins, Flat Panels, Strip Lights, Wrap	
Arounds.....	C12
LED Vaportite.....	C13
LED Shoplight.....	C13
LED High Bays.....	C13
LED Downlights.....	C14
LED Undercabinet.....	C14
LED Emergency Lighting.....	C14
LED Vaporproof.....	C14
LED Wall Packs.....	C15
LED Floodlights.....	C15
LED Area Lights.....	C15
Traditional Troffers, Strip Lights, Wrap Arounds.....	C16
Traditional High Bays.....	C16

RAB Products

LED Floodlights, Area Lights.....	C17
Poles.....	C17
LED High Bays.....	C18
LED Wall Packs, Garage Lights.....	C18
LED Washdowns.....	C18
Traditional Wall Packs.....	C18
LED Compact Floodlights, Spotlights.....	C19
LED Wrap Arounds.....	C19
LED Vaporproof.....	C19
Mighty Posts.....	C19
LED Lamps.....	C20

Lamp Accessories

Lamp Accessories.....	C21
Temporary Lighting.....	C21

GE Lamps

LED Tubes.....	C22
LED A-Line, PAR, Reflector.....	C22
LED HID Replacements.....	C23
LED CFL Plug-in Replacements.....	C23
LED Decorative.....	C23
LED Compact PAR.....	C24
LED Directional.....	C24
LED Candle, Vintage.....	C24
Traditional A-Line, PAR, Reflector.....	C25
Traditional Exit Sign, Quartz, Appliance.....	C25
Traditional Halogen.....	C25
Traditional Tubes.....	C26

GE Lamps (Continued)

Metal Halide.....	C27
High Pressure Sodium.....	C27
Biax.....	C27

Sylvania Lamps

LED A-Line, PAR.....	C28
LED Tubes.....	C28
LED Reflector, MR16.....	C29
LED Filament, Vintage.....	C29
LED HID Replacements.....	C30
LED U-Shaped, TT5, Pin Base.....	C30
Traditional: A-Line, PAR, Reflector.....	C31
Traditional: Halogen, Decorative.....	C31
Traditional Tubes.....	C31
Metal Halide.....	C32
High Pressure Sodium.....	C32
Biax.....	C32
Traditional U-shaped, Circline, T5.....	C32

Keystone Products

LED Tubes.....	C33
LED Strips.....	C33
LED HID Replacement.....	C34
LED PLL, CFL Replacement.....	C34
LED High Bay Replacement.....	C34
LED A-Line, PAR, Reflector, MR16.....	C35
LED Decorative.....	C35

Tape Lights

LED Tape Lights.....	C36
----------------------	-----

Ballasts & Drivers

Ballasts.....	C37
Programmable Drivers.....	C37

Satco Lamps

LED HID Replacements.....	C38
LED Filament.....	C38
LED PAR, Reflector.....	C38
LED Miniature Lamps.....	C38

Lutron Products

Dimmers, Fan Controls.....	C39
Sensors.....	C40
Vive Hubs.....	C40
Radio Powr Wireless Sensors.....	C40
RF Receptacles.....	C40
Maestro Wireless, Powpak Controls.....	C41
Remote Controlled Shades.....	C41
Vive Wireless.....	C41
Ra2 Products.....	C42
Caseta Wireless.....	C42

Tork Products

Photocontrols.....	C43
Time Clocks.....	C44

Builder Products

Fan Units.....	C45
Chime Kits.....	C45
Smoke Alarms.....	C46
Area Heaters.....	C46
Vinyl Ducting.....	C46



Lighting Showroom



C Lighting & Lighting Controls

In the Lighting Showroom, we have some of the most knowledgeable lighting specialists in East Texas, and no one can beat our total value of service and price. Located in Nacogdoches, Texas, we offer the highest level of service and appreciation for every sale from a simple lightbulb to a large lighting project.

With our up-to-date lighting knowledge, the Lighting Showroom can help you find the right light for any space. Our mission is to provide customers of Elliott Electric Supply the best buying experience as well as the latest information in lighting and lighting products.

What We Offer

The Lighting Showroom offers the widest array of lighting options in the area and we are ready to help with all of your lighting needs, whether it's a remodel or new construction. Come in or contact us today to learn how we can help you save!

- Free lighting design and consultations
- Free delivery based on your location.
- Discount prices for building contractors and whole home orders

Online Showroom



Contact Us

Elliott Electric Supply
Lighting Showroom
2310 N. Stallings Dr.
Nacogdoches, TX
75964


(936) 569-7941



LED Products (Lay-Ins · Flat Panels · Strip Lights · Wrap Arounds)

Lighting & Lighting Controls

LED LAY-INS



The GR Series is a recessed lensed LED troffer optimal performance and energy efficiency compatible with all of today's popular ceiling systems and is available with a number of shielding options and accessories.

The RTC lensed troffer series provides performance, reliability and flexibility with a housing optimized for shallow plenums. These center illuminated troffers provide numerous options for color, lumens, controls and sensing.

The SkyRidge™ Series offers an aesthetically pleasing, yet affordable LED alternative to fluorescent fixtures. WaveStream™ technology provides unmatched optical performance, efficiency and unique visual style.

Vendor Code: **ETL**

Catalog Number	Lumens	Kelvin	Watts	Size	Price Each
GR SERIES					
22GR3240D	3,200	4,000K	33	2' x 2'	111.18
24GR4240D	4,200	4,000K	37	2' x 4'	144.64
RTC					
22RTC3440	3,523	4,000K	29	2' x 2'	158.40
24RTC4840	4,775	4,000K	38	2' x 4'	106.54
SKYRIDGE					
22SRLD229CUNVL84	2,900	4,000K	23.4	2' x 2'	277.16
24SRLD248CUNVL84	4,800	4,000K	38.2	2' x 4'	287.01

Other Color Temperatures are Available. Replace the Black Numbers with **35** for 3,500K or **40** for 4,000K.

LED FLAT PANELS
FPANEL LED PANEL SERIES




FPANEL LED panel series provide premium performance and pleasing aesthetics. The luminaire is optimized for shallow plenum grid ceilings but may also be surface or suspension mounted. These panels are ideal for both new construction and renovation of existing fluorescent troffers. The panel's refined visual optics and integrated grid retention clips provide the features needed for installation, speed and flexibility. LED FPANELS are an excellent lighting solution for commercial office spaces, schools, healthcare facilities and retail merchandising areas.

Vendor Code: **ETL**

Catalog Number	Lumens	Color	Watts	Size	Price Each
22FP3240C*	3,560	4,000K	30	2' x 2'	49.15
24FP4740C*	4,858	4,000K	40	2' x 4'	76.90
FLAT PANEL SURFACE MOUNTING KITS					
FPSURF22	2' x 2' Mounting Kit				35.69
FPSURF24	2' x 4' Mounting Kit				45.55

*Replace 40 with **35** for 3,500K or **50** for 5,000K.

LED STRIP LIGHTS
ST2 STRIP SERIES




Vendor Code: **ETL**

Catalog Number	Length	Lumens	Color	LPW	Price Each
2ST2L2040R	2'	2,298	4,000K	121	60.00
4ST2L4040R	4'	4,433	4,000K	114	85.97

Only Available in 4,000K

LED CLASSIC WRAP AROUNDS
WNLED SERIES



Vendor Code: **ETL**

Catalog Number	Length	Lumens	Color	LPW	Price Each
4WNLEDL440SLFUN	4'	4,062	4,000K	113	174.21

2' Lengths Also Available.
Also Available in 3,000K, 3,500K and 5,000K.


LED WRAP AROUNDS
CWPLD SERIES



Vendor Code: **ETL**

Catalog Number	Length	Lumens	Color	LPW	Price Each
4CWPLD4040C	4'	4,200	4,000K	92	117.48

VAPORTITE LED SERIES



Vendor Code: **ETL**

Catalog Number	Length	Lumens	Color	LPW	Price Each
4VT2LD46DRUNVL84	4'	6,000	4,000K	105	229.50

Other Color Temperatures are Available. Replace the Black Number with **3** for 3,000K and **5** for 5,000K.





LED Products (Surface Mount · Ultra Thin Downlights · Retrofit Adjustable Gimbals)

LED SURFACE MOUNT
BLD SERIES




Vendor Code: ETL

Catalog Number	Size	CRI	Color	Lumens	LPW	Price Each
BLD606930WHR	6"	90	3,000K	700	85	20.95
BLD406930WHR	4"	90	3,000K	690	84	30.28

Other Color Temperatures are Available. Replace the Two Black Numbers with 27 for 2,700K, 40 for 4,000K, or 50 for 5,000K.

LED DISK LIGHT




Vendor Code: ETL

Catalog Number	Size	Watts	Color	Lumens	CRI	Price Each
HL60699301EWH12X	6"	15	3,000K	900	92	10.72
HL40799301EWH12X	4"	15	3,000K	750	92	10.72


Also Available in 4,000K and 5,000K.

ULTRA THIN LED DOWNLIGHT
FIELD SELECTABLE CCT



HLB and Connector (Round) HLB and Connector (Square) New Construction Mounting Frames

The SeleCCTable technology puts flexibility at your fingertips. By using the switch located on the driver junction box, the user can choose from a range of five color temperatures 2,700K - 5,000K.



Vendor Code: ETL

Catalog Number	Size	CRI	Color	Lumens	LPW	Price Each
ROUND						
HLB6099FS1EMWR	6"	90	2,700K-5,000K	1,061	66	28.00
HLB4069FS1EMWR	4"	90	2,700K-5,000K	723	60	28.00
SQUARE						
HLB6099FS1EMWR	6"	90	2,700K-5,000K	975	71	27.64
HLB4069FS1EMWR	4"	90	2,700K-5,000K	696	69	38.99
MOUNTING FRAMES TO RESERVE SPACE						
HL6RSMF	6" New Construction Mounting Frame					4.61
HL4RSMF	4" New Construction Mounting Frame					4.61

Lumens and LPW Data is Based on 3,000K Selection
Direct Mount - Does Not Require Recessed Housing or Junction Box

LED RECESSED RETROFIT TRIMS
DIMMABLE LED MODULES




Vendor Code: ETL

Catalog Number	CRI	Color	Lumens	LPW	Price Each
4" LED RETROFIT DOWNLIGHT					
LT460WH6930R	90	3,000K	554	69.25	13.19
5" OR 6" LED RETROFIT DOWNLIGHT					
LT560WH6930R	90	3,000K	683	68.3	11.59

Other Color Temperatures are Available. Replace the Two Black Numbers with 27 for 2,700K, 30 for 3,000K, 40 for 4,000K, or 50 for 5,000K.

LED RETROFIT ADJUSTABLE GIMBALS




Vendor Code: ETL

Catalog Number	CRI	Color	Lumens	LPW	Price Each
4" LED RETROFIT ADJUSTABLE GIMBAL					
LA4069301EWH	90	3,000K	613	71	35.52
RA4069S1EWHR	90	2,700K - 5,000K	615	88	43.92
5 OR 6" LED RETROFIT ADJUSTABLE GIMBAL					
LA56069301EWH	90	3,000K	637	73	35.52
RA56069S1EWHR	90	2,700K - 5,000K	670	90	40.54

*Field Selectable Color Temperatures are 2,700K, 3,000K, 3,500K, 4,000K, or 5,000K. Specs listed are based on 3,000K.

120V LED SURFACE MOUNT



Vendor Code: ETL

Catalog Number	Shape	Size	CRI	Color	Lumens	LPW	Price Each
INSTALLS IN RECESSED HOUSINGS OR JUNCTION BOX							
SMD6R6930WH	Round	6"	92	3,000K	758	79	30.58
SMD6S6930WH	Square	6"	92	3,000K	790	80	31.27
SMD4R6930WH	Round	4"	93	3,000K	700	72	30.58
SMD4S6930WH	Square	4"	92	3,000K	790	80	31.27
DIRECT MOUNT W/CLIPS (NO HOUSING OR JUNCTION BOX REQUIRED)							
SMD6R6930WHDM	Round	6"	92	3,000K	758	79	36.65
SMD6S6930WHDM	Square	6"	92	3,000K	790	80	36.65
SMD4R6930WHDM	Round	4"	93	3,000K	700	72	36.65
SMD4S6930WHDM	Square	4"	92	3,000K	790	80	36.65

Other Color Temperatures are Available. Replace the Two Black Numbers with 27 for 2,700K, 40 for 4,000K, or 50 for 5,000K.
Junction Box Must be 2-1/8" Deep.


Lighting & Lighting Controls



LED Recessed Housings · Shallow Downlight Housings · Recessed Trims

Lighting & Lighting Controls


LED 6" RECESSED HOUSINGS



Vendor Code: **ETL**

Catalog Number	Description	Price Each
E750ICAT	20W Max, Airtight Insulation Contact	13.28
REMODEL HOUSINGS		
E750RICAT	20W Max, Airtight Insulation Contact	14.12


LED 4" RECESSED HOUSINGS



Vendor Code: **ETL**

Catalog Number	Description	Price Each
H995ICAT	15W Max, Airtight Insulation Contact	25.20
REMODEL HOUSINGS		
H995RICAT	15W Max, Airtight Insulation Contact	25.71

4" HOUSINGS AND TRIMS FOR LED MR16 LAMPS



Vendor Code: **ETL**

Catalog Number	Description	Price Each
E44MR16ICAT	10W Max, Airtight Insulation Contact	43.84
REMODEL HOUSINGS		
E44MR16RICAT	10W Max, Airtight Insulation Contact	46.51
4" TRIMS FOR LED MR16 HOUSINGS		
1431WBWF	Conical Baffle, White Trim Ring with White Baffle	25.50
1432MWWF	Angle Cut Reflector with Lens Wall Wash, White	25.50
1433MWWF	Conical Reflector with Diffuse Lens, White	25.50

6" RECESSED INCANDESCENT OR LED




Vendor Code: **ETL**

Catalog Number	Description	Carton Quantity	Price Each
E77TAT	150W Max., Airtight No Insulation Contact	6	17.66
E77ICAT	90W Max, Airtight Insulation Contact	6	14.95
REMODEL HOUSINGS			
E77RTAT	150W Max., Airtight No Insulation Contact	6	17.66
E77RICAT	90W Max., Airtight Insulation Contact	6	19.71

Popular Fixtures Indicated in **Bold**.


6" SHALLOW DOWNLIGHT HOUSINGS



Vendor Code: **ETL**

Catalog Number	Description	Carton Quantity	Price Each
E27TAT	100W Max., Airtight No Insulation Contact	6	26.94
E27ICAT	75W Max., Airtight Insulation Contact	6	25.81
REMODEL HOUSINGS			
E27RTAT	75W Max., Airtight No Insulation Contact	6	18.17
E27RICAT	75W Max., Airtight Insulation Contact	6	18.17

6" RECESSED TRIMS



Vendor Code: **ETL**


Catalog Number	Description	Price Each
70PS	Alcalite Lens Shower Light, White Trim	30.42
300P	Open, White Trim, Socket Bracket	8.65
301P	White Open Trim	7.75
6100BB	White Trim with Black Metal Baffle	7.51
6100WB	White Metal Trim Ring and White Baffle	7.16
401P	White Open Trim	9.33
6101BB	Black Metal Baffle with White Trim (Narrow and Wide)	7.97
6101WB	White Metal Baffle with White Trim (Narrow and Wide)	7.51
6103BB	Black Metal Baffle with White Trim	7.36
6103WB	White Metal Baffle with White Trim	5.36
6106SC	White Self-Flange Trim, Clear Specular Reflector	16.95
6110WB	White Perflex Baffle, White Self-Flange Trim	5.80

Popular Fixtures Indicated in **Bold**.



Recessed Housings - Low Voltage Downlight Housings

6" RECESSED HOUSINGS AND TRIMS NO SOCKET BRACKET




Vendor Code: **ETL**

Catalog Number	Description	Price Each
E71CATNB	90W Max., Airtight Insulation Contact	17.34
SOCKET SUPPORTING TRIMS FOR HOUSINGS		
6130WH	White Adjustable Eyeball	15.76
6125BB	White Self-Flange Trim Ring and Black Baffle	10.63
6125WB	White Self-Flange Trim Ring and White Baffle	10.03
6150WH	Frost Dome Lens Shower Light, White Trim	18.45

Popular Fixtures Indicated In Bold.

4" DOWNLIGHT HOUSINGS AND TRIMS




Vendor Code: **ETL**

Catalog Number	Description	Price Each
5-1/2" NEW CONSTRUCTION		
E4TATSB	50W Max., Airtight No Insulation Contact	16.71
5-1/2" REMODEL HOUSINGS		
E4RTATSB	50W Max., Airtight No Insulation Contact	17.48
5-7/8" HOUSINGS		
E4ICATSB	50W Max., Airtight Insulation Contact	25.86
TRIMS FOR 4-1/2" HOUSINGS		
4001BB	Plastic Step Baffle, White Trim Ring with Black Baffle	12.43
4001WB	Plastic Step Baffle, White Trim Ring with White Baffle	11.09
4002WH	Eyeball - 30° Tilt, White Trim Ring with White Eyeball	29.27

Popular Fixtures Indicated In Bold.

SLOPED CEILING RECESSED INCANDESCENT DOWNLIGHT HOUSINGS AND TRIMS




Vendor Code: **ETL**

Catalog Number	Description	Price Each
HOUSINGS 6-1/2" DIAMETER, 7-3/8" DEPTH		
H645IC	AIR-TITE™ Sealed, 2/12-12/12 Pitch	98.83
TRIMS FOR H645IC		
456W	White Trim with White Collex Baffle	56.50
456P	White Trim with Black Collex Baffle	75.30
HOUSINGS 5-1/4" DIAMETER, 6-1/2" - 8-3/4" ADJUSTABLE DEPTH		
H47ICAT	AIR-TITE™ Insulation Contact, 2/12-12/12 Pitch	77.15
TRIMS FOR H47ICAT		
498P	White Trim with Black Baffle	42.69
78P	Eyeball - 30° Tilt, White Trim with White Eyeball	27.95
170PS	White Trim with Frosted Albalite Lens	35.93

Popular Fixtures Indicated in Bold.

4" LOW VOLTAGE DOWNLIGHT HOUSINGS WITH INTEGRAL TRANSFORMER



Vendor Code: **ETL**

Catalog Number	Description	Price Each
4-1/2" DIAMETER, 7-1/4" DEEP, NEW CONSTRUCTION HOUSINGS		
H1499ICAT	Airtight Insulation Contact	103.54
4-1/2" DIAMETER, 7-1/4" DEEP, REMODEL HOUSINGS		
H1499RTAT	Airtight, No Insulation Contact	69.23
TRIMS FOR LOW VOLTAGE HOUSINGS		
1420P	White Trim, Adjustable Slot Aperture, 35° Tilt	55.62
1421C	White Trim w/Clear Specular Reflector, 35° Tilt	64.10
1493W	White Trim w/Black Follex Baffle, 35° Tilt	30.94


Lighting & Lighting Controls





LED Products (Floodlights · High Bay Luminaires · Round High Bays · Wall Packs)

LED FLOODLIGHTS
NIGHT FALCON™




Night Falcon - Small Knuckle Mount Night Falcon Slipfitter Mount Night Falcon - Large Trunnion Mount

Whether the project is lighting a sign, building facade or parking lot, the Night Falcon™ LED floodlight series makes the choice easy. Combining value and performance in a robust design, the Night Falcon LED floodlight series offers two distributions that deliver superior uniformity and excellent illumination to the targeted application. With lumen packages ranging from 2,700 to 33,100 lumens, the Night Falcon LED floodlights are the ideal solution for replacing legacy metal halide solutions ranging from 70 to 1000 watts.

Vendor Code: **ETL**

Catalog Number	Mounting	Lumens	Color	Watts	Price Each
NIGHT FALCON - SMALL					
NFFLDSC15TUNV	Trunnion	5,900	4,000K	51	303.33
NFFLDSC15KNCUNV	Knuckle	5,900	4,000K	51	303.33
NIGHT FALCON					
NFFLDC25S	Slipfitter	10,530	4,000K	85	482.16
NFFLDC40S	Slipfitter	16,932	4,000K	128	586.00
NFFLDC25T	Trunnion	10,530	4,000K	85	463.33
NFFLDC40T	Trunnion	16,932	4,000K	128	569.73
NIGHT FALCON - LARGE					
NFFLDLC100S	Slipfitter	33,900	4,000K	252	1244.10
NFFLDLC100T	Trunnion	33,900	4,000K	252	1209.40
NIGHT FALCON - ACCESSORY					
RABBZ	Right Angle Wall Mount Bracket for Slipfitter				156.65

LED HIGH BAY LUMINAIRE



HBLED Series


VHBLD Series

Vendor Code: **ETL**

Catalog Number	Watts	Lumens	Color	LPW	Price Each
HBLED SERIES					
HBLEDLD512SEWUNV	75	11,456	5,000K	153	349.17
HBLEDLD524SEWUNV	149.5	22,339	5,000K	149	488.67
VHBLD SERIES*					
VHBLDLD112WUNV	100	13,009	5,000K	130	110.78
VHBLDLD118WUNV	160	19,263	5,000K	120	141.53
VHBLDLD124WUNV	213	24,000	5,000K	112	173.06

*Accessories Also Available Including an Installed 180° or 360° Motion Sensor and LumaWatt Wireless Sensor System. Ask Your Sales Representative for More Details.

LED ROUND HIGH BAYS



Vendor Code: **ETL**

Catalog Number	Watts	Voltage	Lumens	Price Each
FIXTURES				
RHB12UNVL850CDU	114	120-277	12,000	245.00
RHB18UNVL850CDU	154	120-278	18,000	280.00
RHB24UNVL850CDU	194	120-279	24,000	350.67

Vendor Code: **ETL**

Catalog Number	Description	Price Each
REFLECTORS/LENS		
RHBFRR	16" Frosted Reflector	54.17
RHBCLR	16" Clear Reflector	41.67
RHBALR	16" Aluminum Reflector	41.67
RHBCGL	16" Clear Glass Shield	41.67

INDUSTRIAL ACCESSORIES

Vendor Code: **ETL**

Catalog Number	Description	Price Each
FH1	Fixture Hook (2-1/2")	14.25
SHK	Fixture Hook with Safety Screw (2-1/2")	21.70
FL1	Fixture Loop (2-1/2")	22.59

LED WALL PACKS



XTOR Crosstour™ XTOR Crosstour™ Maxx Wal-Pak

Vendor Code: **ETL**

Catalog Number	Watts	Lumens	LPW	Price Each
XTOR CROSSTOUR™ LED				
XTOR1B	12	1,418	118	131.12
XTOR2B	18	2,135	119	157.98
XTOR3B	26	2,751	106	225.09
XTOR4B	38	4,269	112	239.55
XTOR CROSSTOUR™ MAXX LED WITH REFRACTIVE LENS				
XTOR6BRL	58	6,225	107	283.66
XTOR8BRL	81	8,635	107	398.60
WAL-PAK WITH REFRACTIVE LENS				
WPL3B	27	3,333	123	335.93
WPL4B	32	4,199	131	351.94
WPL6B	46	5,883	128	407.03




Lighting & Lighting Controls



LED Products (Outdoor Area Lighting · Security Flood Lighting)

ALL-PRO™ LED AREA WALL LIGHT




Vendor Code: **ETL**

Catalog Number	Watts	Lumens	Color	HID Equivalent	Price Each
AL3050LPCGY*	34	3,300	5,000K	175W	127.53
EA24	24" Mounting Arm for Pole Mount				22.43

*Comes Standard with 12,000 Cycle Rated Integrated Photocontrol.
*Catalog Number Listed has a Gray (GY) Finish. For a Bronze Finish, Change the GY to **BR**.

LED AREA LIGHT CARETAKER™



Vendor Code: **ETL**

Catalog Number	Watts	Lumens	Color	HID Equivalent	Price Each
CTKRV1B	29	4,515	4,000K	100-150W	151.94
SRCARETAKER	Small Acrylic Refractor				32.73

CTKRV1A Comes Standard with NEMA 3-Pin Twistlock Photocontrol for Dusk-to-Dawn Operation.

REVOLVE™ LED DUSK TO DAWN




The patents-pending Revolve™ LED outdoor security product line by All-Pro™ combines advanced LED technology and industry-leading optic design to bring you a low-profile fixture with uncompromising performance. An integral photo control provides nighttime ON, daytime OFF functionality. Refractive optics eliminate the need for bulky reflectors, while allowing you to easily aim the light precisely where you need it by simply rotating the optic. The end result is a sleek, aesthetically appealing LED fixture that remains virtually unnoticeable when not in use.

Vendor Code: **ETL**

Catalog Number	Watts	Lumens	Color	Price Each
DOUBLE HEAD WITH 180° MOTION RANGE				
REV21850M	27	2,150	5,000K	152.98
TRIPLE HEAD WITH 270° MOTION RANGE				
REV32750M	32	2,400	5,000K	165.79

White Finish
For a Bronze Finish, Remove the **W** from the End of the Catalog Number.

HALO HOME SMART LED SECURITY FLOODS



The HALO Home smart LED motion sensor flood incorporates Bluetooth® Mesh technology into a durable, twin head design for an advanced outdoor lighting solution built for high performance. The MST20C does not require a hub and can be wirelessly controlled directly from any compatible smart device utilizing the HALO Home app, or any HALO Home wireless switch or dimmer.


The HALO Home smart LED floodlight incorporates Bluetooth® Mesh technology into a durable, twin head design for an advanced outdoor lighting solution built for high performance. The FTS20C does not require a hub and can be wirelessly controlled directly from any compatible smart device utilizing the Halo Home app, or any Halo Home wireless switch or dimmer.

Vendor Code: **ETL**

Catalog Number	Finish	Lumens	Color	Price Each
TWIN HEAD SQUARE FLOOD WITH 180° MOTION SENSOR				
MST20C18B	Bronze	2,034	3,000K - 5,000K	171.53
TWIN HEAD SQUARE FLOOD (NO SENSOR)				
FTS20CB	Bronze	2,034	3,000K - 5,000K	160.33

For a White Finish, Replace the **B** with a **W** at the End of the Catalog Number.

ALL-PRO™ LED SECURITY FLOODS



The All-Pro™ LED Twin Head Round Motion Fixtures as well as the All-Pro™ LED Twin Head Round Flood Fixtures utilize the latest in LED technology for maximum light output in a low-profile, compact housing. This design is ideal as a direct replacement for traditional styles, producing the equivalent of a 150W incandescent fixture. Available in white or bronze, they can be wall or eave mounted for a wide range of applications.

Vendor Code: **ETL**

Catalog Number	Finish	Delivered Lumens	Color Temp.	Price Each
TWIN HEAD ROUND FLOOD W/ 180° MOTION SENSOR				
MST18R17L	Bronze	1,600	5,000K	129.92
TWIN HEAD ROUND FLOOD (NO SENSOR)				
FTR1740L*	Bronze	1,600	5,000K	122.20


For a White Finish, Add **W** to the End of the Catalog Number.
*For Integrated Photocell, Add **PC** to the End of the Catalog Number. For Integrated Photocell and White Finish Add **PCW** to the End of Catalog Number.



Lighting & Lighting Controls

LED Products (Emergency Lighting · Bluetooth Shoplight · Undercabinet Lighting)

LED EMERGENCY LIGHTING




Vendor Code: **ETL**

Catalog Number	Description	Price Each
APEL	Two Long Life LED Emergency Heads	24.50
SEL17	LED Emergency Light with 17" Coverage	51.68
SELW25*	Sure-Lites Wet Location Emergency Light	121.88

120/277V
 *Catalog Number Listed Above is Silver in Color. Add Suffix **BK** for Black, **BZ** for Bronze, or **WH** for White.


LED EMERGENCY BATTERY PACKS



Vendor Code: **ETL**

Catalog Number	Description	Price Each
EBPLED14W	LED Emergency Battery Pack with 14W Output	224.40

LED EMERGENCY EXIT LIGHTS




Vendor Code: **ETL**

Catalog Number	Description	Price Each
APX7R	Self-Powered LED, Red Letters, Universal Mounting, 120/277V	29.20
APC7R	Self-Powered Dual LED Heads, Red Letters, 120/277V	56.92

Add **BK** at the End of the Catalog Number for Black Housing, Change **R** to **G** for Green Lettering.

LED BLUETOOTH SHOPLIGHT




The SHP BTS is a fully integrated LED shoplight with Bluetooth wireless speakers. The SHP BTS speakers provide clear, balanced sound that can fill an entire workspace. Easily listen to your favorite music or podcast wirelessly in your home or workshop. This rugged, lightweight, portable and slim profile shoplight combines a polycarbonate housing body and lens with LEDs rated for 50,000 hours of life. Typical applications include workshops, garages, sheds and utility rooms.

Vendor Code: **ETL**

Catalog Number	Length	Lumens	Color	LPW	Price Each
4SHP3240BTS	4'	3,782	4,000K	122	91.58

Only Available in 4,000K


HU10 LED UNDERCABINET LIGHTS



HU1018D930P



HU103P



HU109P

Ideal for task, accent, office, cove, utility, under and above cabinet lighting display, the Halo Undercabinet low-profile design delivers maximum energy savings and life with easy installation. The integrated driver allowing 120V direct to the fixture for easy installation. Fixtures are available in 9, 18, 24, 36, or 48 inch lengths, the Halo system can be configured to fit almost anywhere. Smooth dimming down to 5% using a standard dimmer. Connector cables in a variety of different lengths make it easy to link one unit to another. Each unit has an integrated on-off switch.

Vendor Code: **ETL**

Catalog Number	Description	Price Each
HALO INTEGRATED DRIVER UNDERCABINET		
HU1018D930P*	18" Dimmable Fixture, 90 CRI, 3,000K, White Finish	84.27
HU1024D930P*	24" Dimmable Fixture, 90 CRI, 3,000K, White Finish	85.90
HU1036D930P*	36" Dimmable Fixture, 90 CRI, 3,000K, White Finish	115.58
CONNECTORS		
HU103P*	24" Daisy Chain Connector, White Finish	32.88
HU109P*	Splice Box, White Finish	41.79

Replace **P** with **MB** for **Matte Black**.





Fluorescent Products (Lay-In Lensed Troffers · Strip Lights · Undercabinet Lighting)

ALL PRO FLUORESCENT LENSED TROFFERS



Vendor Code: **ETL**

Catalog Number	Number of Lamps	Lamp Type	Length	Price Each
APT2U6T8	2	F32T8U	2' x 4'	117.53
APT332L735	3	F32T841K*	2' x 4'	106.20
APT432L741	4	F32T841K*	2' x 4'	149.70
REPLACEMENT LENS				
A12100242GU	-	-	-	23.48

120/277V

*Lamps Included.

ALL PRO FLUORESCENT STRIP LIGHTS



Vendor Code: **ETL**

Catalog Number	Number of Lamps	Lamp Type	Length	Price Each
STANDARD BODY 120-277V				
SSF232UNVEB81U	2	F32T8	4'	72.97
APS8WS232	4	F32T8	8'	86.45
HIGH OUTPUT 120V				
SSF296H0120VEB21**	2	F96T12H0	8'	258.77
WIRE GUARD				
WGSSF4FTB	-	-	4'	23.05

*120V Only.

** Low Power Factor Ballast

ALL PRO FLUORESCENT WRAP AROUND FIXTURES




Vendor Code: **ETL**

Catalog Number	Number of Lamps	Lamp Type	Length	Price Each
APWGPW232	2	F32T8	4'	62.53
APWGPW432	4	F32T8	4'	79.86

120/277V



FLUORESCENT INDUSTRIAL VAPORTIGHT



The VT3 Series is a contemporary looking energy efficient industrial Vaportite fixture that features rugged and durable construction. The VT3 incorporates a full metal gear tray inside a reinforced fiberglass housing with a high impact diffuser. This Vaportite series is suitable for interior and exterior applications and can be surface or chain mounted. The VT3 Series has been designed for maximum operation in commercial institutional and industrial environments where weathering, high temperature, humidity and dust or corrosive fumes are present.

Vendor Code: **ETL**

Catalog Number	Number of Lamps	Lamp Type	Length	Price Each
VT3232DRUNVEB81W	2	F32T8	4'	171.75

120/277V

FLUORESCENT HIGH BAY (F-BAYS)



APHL series is ideal for industrial or retail applications. Optical designs provide ideal performance from either T5 or T8 lamps. Uplight component produces excellent ceiling uniformity. APHL's high lumen package allows the benefits of fluorescent to be applied at high mounting heights that were traditionally exclusive to H.I.D. Benefits include exceptional color rendering, high system efficacy, long lamp life, instant on/instant re-strike, and uniform APHL applications include retail, shopping malls, light industrial and recreational environments.


Vendor Code: **ETL**

Catalog Number	Description	Price Each
APHL654SNUPLL850	2' x 4', 6-54W T5H0 with 5,000K Lamps	343.26

Popular Fixtures Indicated in Bold.

120/208/240/277V

FLUORESCENT UNDERCABINET LIGHTS



Vendor Code: **ETL**

Catalog Number	Length	Number of Lamps	Lamp Type	Price Each
UC12T518LP41	12"	1	T5	30.00
UC18T8115LP41	18"	1	T8	38.98
UC24T8117LP41	24"	1	T8	45.58
UC36T8125LP41	36"	1	T8	60.45


Lighting & Lighting Controls



LED Products (Lay-Ins · Flat Panels · Strip Lights · Wrap Arounds)


Lighting & Lighting Controls

**LED LAY-INS
BLT SERIES**



The BLT Series offers a clean design, shallow fixture-depth for easy installation, plug-n-play or wireless control options. An extensive selection of configurations and options make the BLT the perfect choice for many lighting applications including schools, offices and other commercial spaces, retail, hospitals and healthcare facilities. The low profile BLT design (2-3/8") also makes it an excellent choice for renovation projects.

GTL SERIES



The GTL Series LED recessed troffer's economical, solid-state lighting is ideal for new construction, renovation and retrofit opportunities. It is ideal for the broad range of applications where general-purpose fluorescent lighting currently prevails including offices, schools and commercial general-ambient applications.

Vendor Code: **LIT**

Catalog Number	Size	Watts	Lumens	LPW	Kelvin	Price Each
BLT SERIES						
2BLT233LADPLP840*	2' x 2'	30	3,313	111	4,000K	108.54
2BLT446LADPLP840*	2' x 4'	38	4,620	120	4,000K	196.79
GTL SERIES						
2GTL2120LP840	2' x 2'	18	2,223	124	4,000K	111.02
2GTL4120LP840	2' x 4'	29	3,980	137	4,000K	111.98

*BLT Series Catalog Numbers Listed Above are 4,000K (40). Replace 40 with 30 for 3,000K, 35 for 3,500K, and 50 for 5,000K.

LED FLAT PANELS



The EPANL is a visually stunning, low profile, easy to install luminaire. The fully luminous lens provides a glare free solution creating a very comfortable environment. With a depth of only two inches, restricted plenum space is no longer a concern. The EPANL is available in two lumen packages and three sizes with multiple configurations for a versatile solution that is DLC qualified (Standard and Premium) and eligible for utility rebates.

Vendor Code: **LIT**

Catalog Number	Size	Watts	Lumens	LPW	Kelvin	Price Each
EPANL2440L40K	2' x 4'	39	4,351	112	4,000K	110.99
EPANL2234L40K	2' x 2'	31	3,479	112	4,000K	100.87

**LED STRIP LIGHTS
MNSL SERIES**




The basic, non-dimming, damp location MNSL strip lights mount individually or in continuous rows to the ceiling or wall, both horizontally or vertically.

- Diffuse acrylic lens providing a single smooth line of light shaped to resemble a fluorescent tube
- Quick and simple to install with the snap-lock tool-less channel cover
- Ideal choice for commercial task lighting, restrooms, under/over cabinet, storage closets and displays


Vendor Code: **LIT**

Catalog Number	Size	Watts	Lumens	LPW	Kelvin	Price Each
MNSLL482LLMVOLT4	4'	50	4,500	90	4,000K	75.90
MNSLL962LLMVOLT4	8'	90	8,200	91	4,000K	133.09

LED WRAP AROUNDS



SBL Series



FMLWL Series

The SBL LED wrap around provides a digital lighting platform to deliver general ambient lighting for surface-mount applications. The LED system delivers long life and excellent color to ensure a quality, low-maintenance lighting installation. Ideal for closets, storage rooms, hallways, and offices.

The FMLWL Series LED Linear Flush Mount provides up to 50,000 hours of energy-saving LED lighting. Low-profile, linear fixture with decorative plastic end caps and white, acrylic diffuser for wide spread, uniform illumination.

Vendor Code: **LIT**

Catalog Number	Size	Watts	Lumens	LPW	Kelvin	Price Each
SBL SERIES						
SBL2LP840	2'	17	1,967	116	4,000K	113.85
SBL4LP840	4'	32	3,994	125	4,000K	111.77
FMLWL SERIES						
FMLWL24840**	2'	20	1,200	60	4,000K	69.10
FMLWL48840**	4'	40	2,380	60	4,000K	76.98

*Available in 3,000K and 4,000K

**Available in 2,700K, 3,000K, 3,500K, 4,000K



An Acuity Brands Company



LED Products (Wet Location Lighting · Shoplights · High Bays)

LED WET LOCATION VAPOR TIGHT XVML



These fully-gasketed, wet-location, and code-compliant vapor-tights are DLC® listed and IP65 and IP66 rated. They can be surface mounted on the ceiling or wall and are designed for continuous row mounting. The XVML vapor-tights are ideal for outdoor venues, canopies and locker rooms.


- The fully gasketed, polycarbonate housing with ten polycarbonate captive latches provides a water-tight seal and stands up to dust and dirt with its IP65 and IP66 ratings
- Provides the performance you need with the UV-stabilized, high-impact, frosted polycarbonate lens for uniform light output and high impact-resistance
- Quick and simple to install with the snap-lock tool-less access

Vendor Code: **LJT**

Catalog Number	Size	Watts	Lumens	Color	Price Each
XVMLL483500LMMV	4'	33	3,558	4,000K	124.59
XVMLL485000LMMVO	4'	49	5,000	4,000K	149.83

Also Available in 5,000K

LED SHOPLIGHT



The stylish LED Shoplight provides general illumination and is constructed of a metal housing with decorative end caps and a rocker switch for easy on/off operation. It is ideal for workshops, game rooms, utility rooms and garages.

- The white polycarbonate lens provides even illumination on surfaces where tasks are performed
- LEDs have a 35,000 hour L70 rated life
- Provides a cool color temperature of 4,000K with a CRI of 80
- Switch is located on the end


Vendor Code: **LJT**

Catalog Number	Size	Watts	Lumens	Color	Price Each
SHLP48IN40K80CRI	4'	36	3,200	4,000K	27.38



An **Acuity** Brands Company

LED HIGH BAYS I-BEAM IBE SERIES



The right selection for your basic, affordable warehouse lighting - the I-BEAM® IBE LED luminaire gives budget-conscious customers a reliable LED solution featuring 6kV surge protection standard. The I-BEAM® IBE LED is designed to meet the challenges of warehouse and light industrial applications.


- Robust 6kV surge protection standard, meeting the ANSI standard for Industrial Environments
- UL listed to 45°C ambient with a thermal management system allowing for safe operation during times when temperatures rise up to 55°C*
- Save up to 60% in energy and maintenance costs over traditional sources
- Compact 2' housing

Vendor Code: **LJT**

Catalog Number	Watts	Lumens	Color	Price Each
IBE12LMMVOLT40K	83	12,000	4,000K	174.39
IBE18LMMVOLT40K	136	18,000	4,000K	235.85
IBE22LMMVOLT40K	165	22,000	4,000K	263.03

Catalog Numbers Listed are 4,000K (40). Replace 40 with 50 for 5,000K.

LED ROUND HIGH BAYS JEBL SERIES



The JEBL is built to last with 6kV surge protection standard, 55°C ambient temperature rating, and IP65 rated for elimination of dust, moisture and airborne contaminants. The unique, quick-connect driver-to-optical assembly interface allows for quick and easy maintenance for applications including warehousing, gymnasiums, manufacturing and outdoor canopies.

- Robust 6kV surge protection standard, meeting the ANSI standard for Industrial environments
- Mounting heights up to 30 feet. It is listed for wet locations and IP65 rated to help protect against dust, and airborne contaminants from indoor and outdoor environments
- The removeable quick-disconnect driver housing that allows for easy field replacement of the LED driver, eliminating the need to replace the entire fixture

Vendor Code: **LJT**


Catalog Number	Watts	Lumens	Color	Price Each
JEBL12L50K80CRIW	92	13,190	5,000K	195.18
JEBL18L50K80CRIW	136	19,770	5,000K	241.19
JEBL24L50K80CRIW	191	26,189	5,000K	298.37

Catalog Numbers Listed are 5,000K (50). Replace 50 with 40 for 4,000K.

C Lighting & Lighting Controls



LED DOWNLIGHTS



The 4" and 6" Wafer™ LED Downlight with Switchable White provides high-quality light output and efficiency featuring a switch for easy color temperature adjustment - while eliminating the need for recessed housings. The innovative, slim design allows for easy retrofit, remodel or new construction installation from below the ceiling. The Wafer LED downlight is wet location listed – making it ideal for use in a breadth of outdoor residential, hospitality, commercial and multifamily applications.


Combining dependable performance, low cost and the energy-saving benefits of as much as 35,000 hour-life LED, E Series LED recessed modules offer an optimal value for a variety of residential and light commercial applications. With 4" to 6" coverage available in multiple color temperatures, the cost and flexibility of E Series makes it the perfect LED option for high-volume projects and everyday stock business.

Vendor Code: **LIT**

Catalog Number	Size	Watts	Lumens	Kelvin	Price Each
WAFER LED					
WF4LED30K40K50K9*	4"	10	810	3,000K-5,000K	27.97
WF6LED30K40K50K9*	6"	13	1,190	3,000K-5,000K	31.90
E SERIES LED RECESSED MODULES					
4BEMWLED40K90CRI**	4"	10	720	4,000K	16.01
6SBEMWLED40K90CRI**	6"	12	845	4,000K	16.01

*Lumen Output Based on 4,000K Selection.
 **Catalog Numbers Listed are 4,000K (40). Replace 40 with 27 for 2,700K, 30 for 3,000K, and 50 for 5,000K.

LED UNDERCABINET LIGHTS



LED undercabinet lighting can be used as a source of task or accent lighting in new construction and retrofit applications. Smooth illumination lenses make the UCCEL ideal for use under and over cabinets, display cases, task lighting, office lighting, cover and utility/ work areas in commercial, retail, hospitality and residential applications.


- Available in 12", 24" and 36" lengths.
- Produces 388 - 1,162 lumens.
- Features an on/off rocker switch

Vendor Code: **LIT**

Catalog Number	Size	Watts	Lumens	Kelvin	Price Each
UCCEL12IN30K90	12"	6	385	3,000K	57.23
UCCEL24IN30K90	24"	10	740	3,000K	86.15
UCCEL36IN30K90	36"	15	1,160	3,000K	115.23
UCCEL48IN30K90	48"	20	1,600	3,000K	152.08

Catalog Numbers Listed are 3,000K (30). Replace 30 with 35 for 3,500K, and 40 for 4,000K.

LED EMERGENCY LIGHTING



EU2LM12


EU2CM6

Vendor Code: **LIT**

Catalog Number	Description	Price Each
EU2LM12	Two .75W LED Heads	32.25
EU2CM6	Two 1W LED Heads, CA Certified	35.20

120/277V

LED EXIT LIGHTS



ECRLEDM6

EXRLEDELM6

Vendor Code: **LIT**

Catalog Number	Description	Price Each
ECRLEDM6	Dual Heads, Red Letters	75.29
ECBRLEDM6	Red Letters w/ Battery Backup	114.92

120/277V

LED VAPORPROOF FIXTURES



OLVTMM6

OLVTWMM6

Vendor Code: **LIT**

Catalog Number	Watts	Lumens	Kelvin	Price Each
OLVTMM6	15	600	4,000K	180.28
OLVTWMM6	15	600	4,000K	202.17


120/277V
50,000 Hours





LED Products (Wall Packs • Tall Packs • Flood Lights • Canopy Lights • Area Lights)

LED TRADITIONAL WALL PACKS



TWR1LEDAL050KMV




TWR2LEDAL050KMV0

Vendor Code: **LIT**

Catalog Number	Watts	Lumens	Color	HID Equivalent	Price Each
TWR1LEDAL050KMV	9-61	1,100-6,200	5,000K	70w-250w	157.99
TWR2LEDAL050KMV0	21-87	3,050-11,800	5,000K	150w-400w	305.38

Catalog Number Listed is 5,000K (50). Replace 50 with 40 for 4,000K.

LED TALL PACKS



TWSLEDP150KMV0LT

Vendor Code: **LIT**

Catalog Number	Watts	Lumens	Color	HID Equivalent	Price Each
TWSLEDP150KMV0LT	28	2,100	5,000K	100w	137.23

LED FLOOD LIGHTS



Knuckle Mounting




Slipfitter Mounting

Vendor Code: **LIT**


Catalog Number	Watts	Lumens	Color	Mounting	Price Each
0FL1LEDP150KMV	21	2,333	5,000K	Knuckle	179.99
0FL1LEDP250KMV0L	45	4,466	5,000K	Knuckle	233.33
0FL2LEDP250KMV0L	114	12,154	5,000K	Slipfitter	407.69
0FL2LEDP350KMV0L	151	16,281	5,000K	Slipfitter	423.08

Catalog Number Listed is 5,000K (50). Replace 50 with 40 for 4,000K

LED SECURITY FLOOD LIGHTS



OLF2RH40K120BZ




OLF2RH40K120M0BZ

Vendor Code: **LIT**

Catalog Number	Watts	Lumens	Color	Finish	Price Each
0LF2RH40K120BZ	25	2,160	4,000K	Bronze	95.60
0LF2RH40K120M0BZ	25	2,160	4,000K	Bronze	121.73

Replace BZ with WH for White Finish.
*Includes Motion Sensor

LED CANOPY




Vendor Code: **LIT**

Catalog Number	Watts	Lumens	Color	HID Equivalent	Price Each
CNYLEDP150KMV0LT	35	4,500	5,000K	150w	157.42

Catalog Number Listed is 5,000K (50). Replace 50 with 40 for 4,000K
Also Available with White Finish.

LED AREA LIGHT



TDD2LEDP150K120

Vendor Code: **LIT**

Catalog Number	Watts	Lumens	Color	HID Equivalent	Price Each
TDD2LEDP150K120	41	4,700	5,000k	175w	164.44

Catalog Number Listed is 5,000K (50). Replace 50 with 40 for 4,000K
Also Available with White Finish




C
Lighting & Lighting Controls



Fluorescent Products (Wrap Around Fixtures · Lensed Troffers · High Bays)

C Lighting & Lighting Controls

FLUORESCENT GENERAL-PURPOSE STRIP LIGHTS



TC232MV

Vendor Code: **LIT**


Catalog Number	Number of Lamps and Type	Length	Price Each
C232MV	2: F32T8	4'	66.54
C296T8MV	2: F96T8	8'	97.08
TC232MV	4: F32T8	8'	102.40

WIREGUARD

WGCUNNST	C & UN Series	4'	31.86
-----------------	---------------	----	-------

Lamps Not Included
Electronic, Instant Start Ballasts
Popular Fixtures Indicated In Bold.

FLUORESCENT SQUARE-BASKET WRAP AROUND FIXTURES




Vendor Code: **LIT**

Catalog Number	Number of Lamps and Type	Length	Price Each
SB232MV	2: F32T8	4'	80.92
SB432MV	4: F32T8	4'	128.90

Lamps Not Included
Electronic, Instant Start Ballasts
Popular Fixtures Indicated In Bold.

FLUORESCENT LENSED TROFFERS



GT2UMV

Vendor Code: **LIT**

Catalog Number	Number of Lamps and Type	Price Each
GT2MV	2: F32T8	98.00
GT3MV	3: F32T8	125.15
GT4MV	4: F32T8	135.90

Lamps Not Included
Electronic, Instant Start Ballasts

FLUORESCENT EMERGENCY BATTERY PACK



PSQ500QD

Factory - or field-installed inside or outside (field only) a fluorescent fixture to operate lamp(s) at an initial output of 10% to 95% of rated lamp lumens, providing optimum glare-free illumination for a minimum of 90 minutes upon interruption of normal power.

Vendor Code: **LIT**

Catalog Number	Description	Price Each
QUICK MOUNT BATTERY PACK		
PSQ500QDMVOLT	500 Lumen Output	155.92
PS1400QDM8	1,400 Lumen Output	226.54

FLUORESCENT HIGH BAYS



The IBZ fluorescent high bay is ideal for new construction and renovation projects. It is a one-for-one replacement of common metal halide high bay systems. The unique Cool Running Plus™ technology provides industry-leading, trouble-free operation in ambient temperatures up to 155°F (68°C). Applications include manufacturing, warehousing, commercial and industrial facilities. The IBZ fixture performs well at mounting heights from 15'-40'.

Vendor Code: **LIT**

Catalog Number	Description	Price Each
IBZ654L	2' x 4', 6-54W T5 Unv. with 4,100K Lamps	256.62


Electronic, Programmable Rapid Start Ballasts
Popular Fixtures Indicated in Bold.






LED Products (Floodlights · Area Lights · Poles · Pole Accessories)

LED FLOODLIGHTS FFLED™



FFLED18

FFLED39



FXLED78/FXLED150
Trunnion Mount


FXLED78/FXLED150
Slipfitter Mount

Vendor Code: **RAB**

Catalog Number	Watts	Lumens	Mount	Price Each
FFLED18	18	2,310	Swivel Arm	246.87
FFLED39	39	5,666	Swivel Arm	416.79
FXLED150SF	150	20,868	Slip Fitter	815.58
FXLED150T	150	20,868	Trunnion	786.03
FXLED300SF	300	45,171	Slip Fitter	1591.57
FXLED300T	300	45,171	Trunnion	1639.48


The Catalog Numbers Listed Above are 5,000K. Also Available in 3,000K and 4,000K.

LED SLIM FLOODLIGHTS X34



X3416L120

X3435L120



X3465L120

Vendor Code: **RAB**

Catalog Number	Watts	Lumens	Mount	Price Each
X3416L120	15	1,600	Knuckle	51.58
X3435L120	35	3,500	Knuckle	90.83
X3465L120	64	6,500	Knuckle	142.39

The Catalog Numbers Listed Above are 5,000K. Also Available in 3,000K.

LED ECONOMY FLOODLIGHTS PIP™




Vendor Code: **RAB**

Catalog Number	Watts	Lumens	Mount	Price Each
PIP15D10	15	2,091	Knuckle	120.66
PIP30D10	30	4,162	Knuckle	154.75
PIPXL70SFD10	70	10,601	Slip Fitter	327.36
PIPXL100SFD10	100	15,839	Slip Fitter	397.55

Bronze Finish
The Catalog Numbers Listed Above are 5,000K. Also Available in 3,000K and 4,000K. 70w and 100w Also Available with Trunnion Mount.

LED AREA LIGHTS ALED™




- Replaces up to 400W MH
- For use in parking lots, roadways, pathways and general area lighting.
- Mounts to 4" square steel poles at 15-25'.

Vendor Code: **RAB**

Catalog Number	Watts	Lumens	Distribution	Price Each
ALED2T105	105	13,213	Type II	1081.67
ALED3T150	150	16,839	Type III	1090.06
ALED4T150	150	18,464	Type IV	1090.06

The Catalog Numbers Listed Above are 5,000K. Also Available in 3,000K and 4,000K.

LED AREA LIGHTS YARDBLASTER



YBLED26


YBLED26ARM

Vendor Code: **RAB**

Catalog Number	Watts	Lumens	Price Each
YBLED26	26	3,685	207.69
YBLED26ARM*	26	3,685	232.33

*Includes Arm Mount

POLE ACCESSORIES




Bull4

MCB

Vendor Code: **RAB**

Catalog Number	Description	Price Each
BULL2	Two Light Bullhorn, Bronze	225.89
BULL2W	Two Light Bullhorn, Galvanized Steel	251.11
BULL3	Three Light Bullhorn, Bronze	335.16
BULL4	Four Light Bullhorn, Bronze	1025.00
BWC12	Angle Bracket for Wood, Galvanized Steel	175.70
MCB	Curved Wall Mount Bracket, Bronze	125.03
MAB	Right Angle Wall Mount Bracket, Bronze	113.47

POLES



PS41125WT

PS41125D2

Vendor Code: **RAB**

Catalog Number	Shaft	Gauge	Height	Price Each
TENON TOP POLES				
PS41115WT	4"	11	15'	1067.94
PS41120WT	4"	11	20'	1224.13
PS41125WT	4"	11	25'	1554.08
PS40725WT	4"	7	25'	1813.10
PS50725WT	5"	7	25'	2459.98
PS50730WT	5"	7	30'	2944.16
DRILLED POLES				
PS41115D2	4"	11	15'	1067.94
PS41120D2	4"	11	20'	1224.13
PS41125D2	4"	11	25'	1762.98
PS40725D2	4"	7	25'	2016.79
PS50725D2	5"	7	25'	3852.01
PS50730D2	5"	7	30'	3935.96

Lighting & Lighting Controls






LED Products (High Bays · Garage Lights · Washdowns · Wall Packs)

Lighting & Lighting Controls

LED HIGH BAYS
AEROBAY™




Vendor Code: **RAB**

Catalog Number	Watts	Lumens	LPW	Price Each
ARBAY290	90	11,812	134	187.72
ARBAY2125	125	17,462	136	221.81
ARBAY4175	175	23,960	136	285.99
ARBAY4260	260	36,224	137	393.75

White Finish
The Catalog Numbers Listed Above are 5,000K.
Add N to End of Catalog Number for 4,000K.

LED HIGH BAYS
HAYBAY™



Vendor Code: **RAB**


Catalog Number	Watts	Lumens	LPW	Price Each
HAYBAY150ND10	150	18,816	125	391.94
HAYBAY180ND10	180	21,242	118	412.03

White Finish
The Catalog Numbers Listed Above are 5,000K.
Also Available in 4,000K.

LED GARAGE LIGHTS



GLED52W




IVGT570L750ZU

Vendor Code: **RAB**

Catalog Number	Watts	Lumens	Color Temp.	Price Each
GLED52W*	52	4,975	5,100K	559.36
IVGT570L750ZU	69	7,000	5,000K	628.33


*White Color
Add Y to end of Catalog Number for 3,000K or N to End of Catalog Number for 4,000K.
For Catalog Number GLED52W, the Color Change Options are added before the letter

LED WALL PACKS
LPACK®



WPLED10

WPLED18



WPLED26

WPLED104

Vendor Code: **RAB**

Catalog Number	Watts	Lumens	Color Temp.	Price Each
WPLED10	10	1,208	5,000K	235.39
WPLED18*	18	2,508	5,000K	353.52
WPLED26*	26	3,475	5,000K	423.05
WPLED104	104	13,129	5,000K	706.16

*WPLED Models 13, 18, and 26 Include Two Mounting Options: Surface Plate and Junction Box. The Catalog Numbers Listed Above are 5,000K. Add Y to end of Catalog Number for 3,000K or N to End of Catalog Number for 4,000K.

Wattages	Can be Used as a Substitute for
18W	100-175W Metal Halide Wallpacks
26W	150 - 200W Metal Halide Wallpacks
52W	250W HID Wallpacks
104W	400W Metal Halide Wallpacks

LED WASHDOWNS
SHARK™




- SHARK™ is ideal for car washes, tunnels, stairwells and other hard-to-reach areas where relamping is difficult and costly.
- Two sizes and four power packages available: 50W (4 ft), 36W (4 ft), 25W (2 ft), 18W (2 ft)
- At up to 100 lm/W, SHARK provides an energy efficient replacement for fluorescent tubes, reducing energy consumption by over 40%.

Vendor Code: **RAB**

Catalog Number	Watts	Lumens	Price Each
4' LENGTH			
SHARK450WD10	50	5,161	273.85
8' LENGTH			
SHARK8100WD10	100	13,429	476.64


Catalog Numbers Listed are 5,000K.
Also Available in 3,000K, 3,500 or 4,000K.

WALL PACKS
TRADITIONAL



WP1LED30

WP2LED37




WP3LED55

Vendor Code: **RAB**

Catalog Number	Watts	Lumens	Color Temp.	Price Each
WP1LED30	30	3,060	5,000K	189.99
WP2LED37	37	4,329	5,000K	218.65
WP3LED55	55	6,645	5,000K	339.02
WP3LED65	65	7,559	5,000K	399.20
WP3LED82	82	9,280	5,000K	514.11
WP3LED110	110	15,113	5,000K	539.62


Bronze Color
The Catalog Numbers Listed Above are 5,000K. Add Y to End of Catalog Number for 3,000K or N to End of Catalog Number for 4,000K.

WALL PACKS
W34



W3430L

W3455L



W34150L

Vendor Code: **RAB**

Catalog Number	Watts	Lumens	Color Temp.	Price Each
W3430L	30	3,105	5,000K	117.82
W3455L	51	5,375	5,000K	135.15
W34150L	136	14,845	5,000K	344.44


The Catalog Numbers Listed Above are 5,000K. Add 830 to End of Catalog Number for 3,000K.





LED Products (Compact Floodlighting · Wrap Arounds)

LED ECONOMY COMPACT FLOODS
LESLIE




- LES13Y**
- Equivalent to 75W halogen BR30 wide flood
 - Wide 6H x 6V distribution
- LES2X13Y**
- Equivalent to two 75W halogen BR30 wide floods
 - Wide 6H x 6V distribution

Vendor Code: **RAB**

Catalog Number	Watts	Lumens	Finish	Price Each
SINGLE HEAD				
LES13Y	13	1,169	Bronze*	67.92
DUAL HEADS				
LES2X13Y	26	2,090	Bronze*	148.75

Catalog Numbers Listed Above are 3,000K. Change **Y** to **N** for 4,000K, Remove **Y** for 5,000K. *For Black Finish Add **B** at End, for Verde Green Add **VG**, for White Add **W**.

LED COMPACT FLOODS
LFLED




LFLED5A/LFLED8YA

Vendor Code: **RAB**

Catalog Number	Watts	Lumens	Color Temp.	Price Each
LFLED5A	5	299	5,000K	115.95
LFLED5YA	8	511	3,000K	115.95

Bronze Finish


LED SPOTLIGHT



Vendor Code: **RAB**

Catalog Number	Watts	Lumens	Price Each
HSLED13A	13	1,502	350.77

LED BULLET™ FLOODS



- BULLET12A**
- 12W LED equivalent to 75W BR30/halogen/wide flood
 - Mount as an uplight or downlight on a RAB Mighty Post or junction box
- HBLED13A**
- 80% energy savings vs. PAR floods
 - Mount on junction box or on RAB Mighty Post

- BULLETT2X12NA**
- Two adjustable 12W LED floodlights
 - Equivalent to 2x75W BR30/halogen/wide floods


- SMSBULLETT2X12NA**
- Two adjustable 12W LED floodlights
 - Sensor with 180° detection pattern at up to 30 ft.

Vendor Code: **RAB**

Catalog Number	Watts	Lumens	Price Each
SINGLE HEAD			
BULLET12A	12	1,240	109.14
HBLED13A	13	1,799	316.32
DUAL HEADS (2 X 12W)			
BULLETT2X12A	24	2,528	253.85
DUAL HEADS (2 X 12W) W/MOTION SENSOR			
SMSBULLETT2X12NA	24	2,528	336.92

Bronze Finish


FLOODLIGHT KITS AND SENSORS



Vendor Code: **RAB**

Catalog Number	Description	Price Each
FLOODLIGHTKITSW/OCCUPANCYSENSOR		
LU300	300W, 120V, Bronze	46.08
LU300W	300W, 120V, White	46.08
SENSORS ONLY		
LS300	Sensor for LU300	41.23
LS300W	Sensor for LU300W	41.23

LED WRAP AROUNDS
GUS



Vendor Code: **RAB**

Catalog Number	Watts	Lumens	Color Temp.	Price Each
2' LENGTH				
GUS225NWD10	25	2,757	4,000K	118.38
4' LENGTH				
GUS450NWD10	45	5,456	4,000K	161.86

The Catalog Numbers Listed Above are 4,000K, 3,000K, and 3,500K are Also Available.


LED VAPORPROOF FIXTURES



Vendor Code: **RAB**

Catalog Number	Watts	Lumens	Price Each
VXLED13DG	13	729	236.98
VXLED26DG	26	2,004	330.77

MIGHTY POSTS



Vendor Code: **RAB**

Catalog Number	Description	Price Each
MP19B	19" Black Mounting Post	47.85



Lighting & Lighting Controls



LED Lamps (A-Line · Reflector · PAR · MR16 · Decorative)

Lighting & Lighting Controls

LED A-LINE LAMPS




Vendor Code: **RAB**

Catalog Number	Watts	Color	Lumens	CRI	Price Each
DIMMABLE					
A196E26930DIM	6	3,000k	450	90	4.69
A199E26930DIM	9	3,000k	800	90	5.27
A1913E26830DIM	13	3,000k	1,100	80	6.69
NON-DIMMABLE					
A196E26830ND	6	3,000k	480	80	2.75
A199E26830ND	9	3,000k	800	80	3.00

Catalog Numbers Listed are 3,000k (30). Replace 30 with 27 for 2,700k or 50 for 5,000k.

LED REFLECTOR LAMPS



Vendor Code: **RAB**

Catalog Number	Watts	Color	Lumens	CRI	Price Each
R20					
R207830DIM	7	3,000k	525	80	6.15
BR30					
BR3010930DIM	10	3,000k	700	90	8.78
BR40					
BR4011930DIM	11	3,000k	900	90	10.52

Catalog Numbers Listed are 3,000k (30). Replace 30 with 27 for 2,700k, 40 for 4,000k, or 50 for 5,000k.

LED PAR LAMPS




Vendor Code: **RAB**

Catalog Number	Watts	Color	Lumens	CRI	Price Each
PAR20					
PAR20793040DDIM	7	3,000k	550	90	10.13
PAR30					
PAR30L1193035DDI	11	3,000k	900	90	12.50
PAR38					
PAR381583040DDIM	15	3,000k	1,050	80	14.19
PAR381583025DDIM	15	3,000k	1,050	80	14.19

Catalog Numbers Listed are 3,000k (30). Replace 30 with 27 for 2,700k, 40 for 4,000k, or 50 for 5,000k.

*40° Beam Angle
**25° Beam Angle

LED MR16 LAMPS




Vendor Code: **RAB**

Catalog Number	Watts	Color	Lumens	Beam Angle	Price Each
MR16683035DDIM	6.5	3,000k	450	35°	7.72
MR16993025DDIM	9	3,000k	565	25°	10.87
MR16993035DDIM	9	3,000k	565	35°	10.87

Catalog Numbers Listed are 3,000k (30). Replace 30 with 27 for 2,700k, 40 for 4,000k, or 50 for 5,000k.

LED DECORATIVE LAMPS



Vendor Code: **RAB**


Catalog Number	Watts	Color	Lumens	Base	Price Each
GLOBES					
G16.53E12927FC	3.8	2,700k	350	Candelabra	5.86
G253E26927FC	3.8	2,700k	350	Medium	5.86
STRAIGHT TIP B11					
B113E26927FC	3.3	2,700k	300	Medium	4.27
BENT TIP BA11					
BA115E12927FC	5.5	2,700k	500	Candelabra	5.64
EDISON					
ST193E26927FC	3.8	2,700k	350	Medium	6.16





Lighting Accessories (Lamp Sockets · Sockets · Lamp Guards · Toggle Switches)


LAMP SOCKETS



Vendor Code: **EWD**

Catalog Number	Description	Price per 100 pcs.
MEDIUM-BI-PIN, FLUORESCENT QUICKWIRE		
2509WB0X	White, Tall	291.46
2510WB0X	White, Short	299.02
SLIMLINE FLUORESCENT		
2507WB0X	Plunger End	559.16
2506WB0X	Fixed End	524.22
800 & 1500MA, 2 TERM (HO, SHO & VHO)		
2500WB0X	Fixed End	977.17
2501WB0X	Plunger End	1028.83

STRIP CONVERSION KITS



Vendor Code: **EPC**

Catalog Number	Converts To:	Price Each
14050	4 Lamp T8	20.25

*Lamps and Ballast Not Included, Converts from 8" to 4".

PLASTIC FLUORESCENT TUBE GUARDS



Vendor Code: **EPC**

Catalog Number	Description	Price per 100 pcs.
T12 TUBE GUARDS		
17060	4' Tube Guard	380.01
17090	8' Tube Guard	858.04
T8 TUBE GUARDS		
17000	4' Tube Guard	556.25
17030	8' Tube Guard	837.24

Includes Black Plastic End Caps

LAMP GUARDS



Vendor Code: **EPC (Engineered Prod. Co. - EPCO)**

Catalog Number	Description	Carton Quantity	Price per 100 pcs.
16100	Yellow Plastic	10	466.52

Vendor Code: **EWD (Eaton Wiring Devices)**

Catalog Number	Description	Carton Quantity	Price per 100 pcs.
469BB0X	Wire Guard	60	16.94

LIGHT RECEPTACLES



Vendor Code: **EPC**

Catalog Number	Description	Price per 100 pcs.
16502	Porcelain Lamp Holder: Pull Chain	536.09
16500	Porcelain Lamp Holder: Keyless	394.90
16512	Plastic Lamp Holder: Pull Chain	660.00
16510	Plastic Lamp Holder: Keyless	364.00

	Price Each	
16531	LED GU24: Keyless	29.87

Popular Fixtures Indicated in Bold.

TEMPORARY LIGHTING STRING



Vendor Code: **COR**

Catalog Number	Description	Price Each
7145SW	14/2, 100' String	127.84


BUTTON SWITCH



Vendor Code: **LCP**

Catalog Number	Description	Price Each
8410K1	Closest Door Switch	7.28

SOCKETS



Vendor Code: **EWD (Eaton Wiring Devices)**

Catalog Number	Description	Ctn. Qty.	Price Each
MEDIUM BASE			
969B0X	Porcelain	25	7.64
610B0X	Porcelain Sign Receptacle	25	5.04
145B0X	Weatherproof Rubber	25	5.68
SOCKET ADAPTERS			
1054B0X	Socket Extension	25	8.06
332B0X	Mogul to Medium	25	6.39

Vendor Code: **PAS (Pass and Seymour Legrand)**

Catalog Number	Description	Ctn. Qty.	Price per 100 pcs.
43308	Temporary Lighting Device	25	559.76

GENERAL DUTY TOGGLE SWITCHES



Vendor Code: **CHC**

Catalog Number	Amps	Poles	Position Types	Throw Type	Price Each
E10T115AS	15	Single	On/Off	Single	8.97
E10T106DS	6	Single	On/Off/On	Double	11.45
E10T115DS	15	Single	On/Off/On	Double	11.04
E10T106ES	6	Single	On/On	Double	10.47
E10T215DS	15	Double	On/Off/On	Double	12.71
E10T215ES	15	Double	On/On	Double	10.59




Lighting & Lighting Controls



LED Lamps (Replacement Tubes · PAR · A-Line · Reflector)

Lighting & Lighting Controls

LED REPLACEMENT TUBES
BALLAST COMPATIBLE



Vendor Code: GEL

Catalog Number	Watts	Size	Lumens	Kelvin	Rated Life (h)	Price Each
GLASS, ECONOMY LINEAR T8 (NON-DLC)						
LED15ET8840V6P	15	48"	1,800	4,000K	36,000	11.63
LED15ET8835V6P	15	48"	1,800	3,500K	36,000	11.63
LED15ET8850V6P	15	48"	1,800	5,000K	36,000	11.63
GLASS, LINEAR T8						
LED15ET8G4830	15	48"	1,800	3,000K	50,000	12.57
LED15ET8G4835	15	48"	1,800	3,500K	50,000	11.97
LED15ET8G4840	15	48"	1,800	4,000K	50,000	11.97
LED15ET8G4850	15	48"	1,800	5,000K	50,000	12.57
PLASTIC, U BEND T8						
LED13ET8U6835	13	22.5"	1,850	3,500K	50,000	20.83
LED13ET8U6840	13	22.5"	1,900	4,000K	50,000	20.31
LED13ET8U6850	13	22.5"	1,900	5,000K	50,000	20.83

80+ CRI

DOUBLE ENDED DIRECT WIRE 120-277V

Vendor Code: GEL

Catalog Number	Watts	Size	Lumens	Kelvin	Rated Life (h)	Price Each
LED14BDT8G4830	14	48"	1,700	3,000K	50,000	8.55
LED14BDT8G4835	14	48"	1,750	3,500K	50,000	8.55
LED14BDT8G4840	14	48"	1,800	4,000K	50,000	8.55
LED14BDT8G4850	14	48"	1,850	5,000K	50,000	8.55

LED PAR LAMPS



Vendor Code: GEL

Catalog Number	Watts	Lumens	Color	CRI	Rated Life (h)	Price Each
PAR30						
LED12DP30RW82740	12	1,000	2,700K	80	25,000	24.85
PAR 38						
LED18D380W383025	18	1,550	3,000K	81	25,000	29.24
LED18D380W383040	18	1,550	3,000K	81	25,000	29.24

LED A-LINE LAMPS



GE offers dimmable LED A-Line lamps as excellent replacements for standard 25-watt, 40-watt, 60-watt, 75-watt and 100-watt incandescent lamps.

- Energy efficiency and long life mean fewer lamp replacements versus standard incandescent or halogen light sources.
- Dims from 100% to as low as 10%.
- Available with a CRI of 78 - 84.

Vendor Code: GEL

Catalog Number	Watts	Lumens	Color	CRI	Rated Life (h)	Price Each
A19 40W REPLACEMENT						
LED6DA19827	6	480	2,700K	80	15,000	7.42
A19 60W REPLACEMENT						
LED10DA19827	10	800	2,700K	80	15,000	8.74
A21 75W REPLACEMENT						
LED12DA21827	12	1,100	2,700K	80	15,000	10.23
A21 100W REPLACEMENT						
LED15DA21827	15	1,600	2,700K	80	15,000	14.07

Catalog Numbers Listed are 2,700K (27). Replace 27 with 30 for 3,000K, 40 for 4,000K and 50 for 5,000K.

LED REFLECTOR LAMPS



Vendor Code: GEL

Catalog Number	Watts	Lumens	Color	CRI	Rated Life (h)	Price Each
R20						
LED7DR20827	7	470	2,700	80	25,000	9.51
BR30						
LED10DR303827W	10	700	2,700	80	25,000	7.46
BR40						
LED13DBR40827	13	1,070	2,700	80	25,000	16.19

Catalog Numbers Listed are 2,700K (27). Replace 27 with 30 for 3,000K, 40 for 4,000K and 50 for 5,000K.



Genuine GE Lamps



LED Lamps (Bright Stik™ · HID Replacements · CFL Plug-In Replacements · Decorative)

LED BRIGHT STIK™ BULBS



Vendor Code: **GEL**


Catalog Number	Watts	Lumens	Color	LPW	Typically Replaces	Price Each
LED9LS3827*	9	800	2,700K	89	60W	10.77
LED12LS2827**	12	1,100	2,700K	91	75W	14.54
LED15LS2827**	15	1,600	2,700K	107	100W	16.23

*Pack of Three

**Pack of Two

Other Color Temperatures are Available. Replace the Two Black Numbers with **27** for 2,700K, **28** for 2,850K, or **50** for 5,000K.

LED HID REPLACEMENT LAMPS



Vendor Code: **GEL**

Catalog Number	Watts	Lumens	Color	LPW	Typically Replaces	Price Each
BALLAST BYPASS 120-277V						
LED50ED23,5750	50	7,500	5,000K	150	100W	81.20
LED80ED23,5750	80	12,000	5,000K	150	175W	144.20
LED115ED28750	115	18,000	5,000K	156	250W	169.35
LED150ED28750	150	23,500	5,000K	140	400W	216.30
BALLAST BYPASS 277-480V						
LED270BT56750	270	40,000	5,000K	148	1,000W	480.43
LED450BT56750	450	65,000	5,000K	144	1,000W	524.11
BALLAST COMPATIBLE						
LED602M175750*	60	8,800	5,000K	147	175W	162.44
LED802M250750*	80	11,800	5,000K	148	250W	170.98
LED1302M400750*	130	18,500	5,000K	142	400W	209.99

Catalog Numbers Listed are 5,000K. Replace **50** with **40** for 4,000K. Open or Enclosed Rated. Fit ANSI Profile of Lamps Being Replaced.



Genuine GE Lamps

LED 4-PIN CFL REPLACEMENTS



Horizontal



Vertical

GE's LED plug-in lamps allow you to replace inefficient CFL 4 pin G24q/GX24 without tools or costly upgrades. Simply plug the replacement lamp into the existing ballast.

- Uses 50% less energy than CFL
- With LED CFL Replacements you can save over \$100 in energy costs vs. CFL over the rated life of the lamp (based on \$0.12 per kWh)
- 50,000 Hour Rated Life
- CFL could need replacement up to four times before you would have to replace a single LED Plug-In

Vendor Code: **GEL**

Catalog Number	Watts	Lumens	Color	LPW	Typically Replaces	Price Each
HORIZONTAL WITH ROTATABLE BASE						
LED9G24QH840*	9	1,200	4,000K	133	26W	16.22
LED19GX24QH840	18.5	1,950	4,000K	105	42W	27.03
VERTICAL						
LED9G24QV840*	9	1,200	4,000K	133	26W	17.03
LED19GX24QV840	18.5	1,950	4,000K	105	42W	27.03

Catalog Numbers Listed are 4,000K (**40**). Replace **40** with **27** for 2,700K, **30** for 3,000K, and **35** for 3,500K. *G24q/GX24q Base

LED DECORATIVE LAMPS GLOBES



GE LEDs offer outstanding energy efficiency, long-lasting performance and just-right brightness, all in one package. They're dimmable and illuminate your home with soft, warm light.

- 15,000 Hour Rated Life
- Available with a CRI of 80

Vendor Code: **GEL**

Catalog Number	Watts	Lumens	Color	LPW	Typically Replaces	Price Each
LED5DG25W3827	5	350	2,700K	70	40	8.60
LED7DG25W3827	7	500	2,700K	71	60	10.22

Catalog Numbers Listed are 2,700K (**27**). Replace **27** with **30** for 3,000K, and **35** for 3,500K.

Lighting & Lighting Controls



LED Lamps (Compact PAR20 · Dimmable Candle · Directional · Vintage/Filament Style)

Lighting & Lighting Controls

LED COMPACT PAR20 LAMPS



For hard-to-reach downlight application fixtures, GE's dimmable 7-watt LED PAR20 lamp is the ideal solution.

- For example, using only 7 watts of energy, save over \$236 in energy costs over the life of the lamp versus a standard 35-watt halogen lamp based on \$0.11 per kWh.
- Energy efficiency and long life mean fewer lamp replacements versus standard incandescent or halogen light sources.

Vendor Code: **GEL**

Catalog Number	Watts	Lumens	Color	CRI	Beam Angle	Price Each
NARROW FLOOD						
LED7DP203B83020	50	520	3,000K	80	20°	17.17
FLOOD						
LED7DP203W83035	50	520	3,000K	80	35°	17.17

B=Black Casing
W=White Casing
Catalog Numbers Listed are 3,000K (30). Replace 30 with 27 for 2,700K, 25,000 Hour Rated Life

LED DIMMABLE CANDLE LAMPS



For any decorative lighting application, GE's LED dimmable candle lamps are the perfect solution and offer a multitude of wattage options.

- For example, using only 2.2 watts of energy, save over \$21 in energy costs over the rated life of a lamp versus a standard 15-watt incandescent lamp based on \$0.11 per kWh.
- Energy efficiency and long life mean fewer lamp replacements versus standard incandescent and halogen light sources.

Vendor Code: **GEL**

Catalog Number	Base	Watts	Lumens	Color	CRI	Rated Life (h)	Price Each
40W INCANDESCENT EQUIVALENT							
LED4DCACC3827	Cand	4	300	2,700K	80	15,000	7.81
LED4DCAMC3827	Med	4	300	2,700K	80	15,000	7.81
60W INCANDESCENT EQUIVALENT							
LED7DCACC3827	Cand	7	500	2,700K	80	15,000	10.22
LED7DCAMC3827	Med	7	500	2,700K	80	15,000	10.22

Catalog Numbers Listed are 2,700K (27). Replace 27 with 50 for 5,000K.



Genuine GE Lamps

LED DIRECTIONAL LAMPS

MR16



LED7DMR1683015

For high-output in decorative lighting applications, GE's dimmable 7-watt LED MR16 lamp is the perfect solution.

- For example, using only 7 watts of energy, save over \$118 in energy costs over the rated life of a lamp versus a standard 50-watt halogen lamp based on \$0.11 per kWh.
- Energy efficiency and long life mean fewer lamp replacements versus halogen MR16/MRX16 light sources.
- Available in 15°, 25°, and 35° beam patterns

Vendor Code: **GEL**

Catalog Number	Watts	Lumens	Color	CRI	Beam Angle	Price Each
35W INCANDESCENT EQUIVALENT						
LED7DMR16S83015	7	460	3,000K	80	15°	15.54
50W INCANDESCENT EQUIVALENT						
LED7XDMRX1683025	7	520	3,000K	80	25°	17.97
LED7XDMRX1683035	7	520	3,000K	80	35°	17.97

25,000 Hour Rated Life
Catalog Numbers Listed are 3,000K (30). Replace 30 with 27 for 2,700K.

LED VINTAGE/FILAMENT STYLE



GE LED Vintage Style lamps combine the retro look of antique incandescent lamps with the benefits of LED. A warm, candlelight glow is provided by the LED filament, and the golden-tinted glass gives the lamp a vintage look. The long life and low energy of LED create savings on energy usage and maintenance costs versus incandescent.

- Common applications include pendants, sconces, chandeliers and other decorative fixtures.
- Perfect for creating an inviting atmosphere in restaurants and hotels, as well as adding vintage accents in retail and office locations.


Vendor Code: **GEL**

Catalog Number	Watts	Lumens	Color	Wattage Equivalent	Rated Life (h)	Price Each
LED3DST19V	3	200	2,500K	25W	15,000	9.97
LED3DCAMV120	3.5	300	2,500K	40W	15,000	9.97



Incandescent Lamps (A-Line · Reflector · PAR · Exit Sign Tubular · Quartz)

A-LINE LAMPS




Vendor Code: **GEL**

Catalog Number	Watts	Volts	Base	Color	Price Each
72AWH2PK120*	72	120	Medium	Soft White	13.44

Halogen Lamp

REFLECTOR LAMPS



Vendor Code: **GEL**

Catalog Number	Watts	Volts	Base	Shape	Price Each
45R20130VPR0130	45	130	Medium	R20	2.59
65BR30PR0130	65	130	Medium	BR30	2.90
65BR40FLPR0130	65	130	Medium	BR40	6.78

Popular Lamps Indicated in Bold

PAR LAMPS



Vendor Code: **GEL**

Catalog Number	Watts	Volts	Base	Type	Price Each
38PAR20HFL25	38	120	Medium	PAR20	9.58
38PAR30HFL25	38	120	Medium	PAR30	8.60
60PARH1500FL25TP	60	120	Medium	PAR38	12.10


Popular Lamps Indicated in Bold

NOTE: 130V lamps last 3 times as long as 120V lamps at the socket voltage.



Genuine GE Lamps

EXIT SIGN TUBULAR LAMPS



Vendor Code: **GEL**

Catalog Number	Watts	Volts	Base	Color	Price Each
25T6,5CLPRO	25	130	Intermediate	Clear	2.67

QUARTZ LAMPS



Vendor Code: **GEL**

Catalog Number	Watts	Volts	Length	Price Each
Q500T3CLPR0130	500	130	4-11/16"	3.71
Q1500T3CLPR0240	1,500	240	10-1/16"	9.76

Popular Lamps Indicated in Bold

APPLIANCE LAMPS



Vendor Code: **GEL**

Catalog Number	Watts	Volts	Base	Color	Price Each
40A15CLPR0130	40	130	Medium	Clear	0.96

Popular Lamps Indicated in Bold

HALOGEN PRECISE LAMPS



Vendor Code: **GEL**

Catalog Number	Watts	Volts	Type	Price Each
Q50MR16FL	50	12	Flood	3.67


C Lighting & Lighting Controls



Linear Fluorescent Lamps (T8 Tubes · T5 Tubes · U Shaped · T12 Tubes)

Lighting & Lighting Controls

T8 TUBES




Vendor Code: GEL

Catalog Number	Watts	Length	Lumens	Color	CRI	Rated Life (h)	Price Each
RAPID START							
F17T8SP41EC0	17	24"	1,260	4,100K	78	24,000	5.13
F25T8SP41EC0	25	36"	1,970	4,100K	78	24,000	5.51
F32T8SPX41EC02	32	48"	2,925	4,100K	80	30,000	4.80

Rated Life at 12 Hour Cycles
Popular Lamps Indicated in Bold

T5 TUBES




Vendor Code: GEL

Catalog Number	Watts	Length	Lumens	Color	CRI	Rated Life (h)	Price Each
HIGH OUTPUT							
F54WT5850EC0**	54	45.2"	4,600	5,000K	85	36,000	7.24

*Starter Required
**5/8" Diameter
Popular Lamps Indicated in Bold

U SHAPED FLUORESCENT LAMPS



Vendor Code: GEL


Catalog Number	Watts	Length	Lumens	Color	CRI	Rated Life (h)	Price Each
T8 - 6" SPACING							
F32T8SPX41U62	32	22.5"	2,630	4,100K	82	20,000	18.62

Popular Lamps Indicated in Bold



Genuine GE Lamps

T12 TUBES




Vendor Code: GEL

Catalog Number	Watts	Length	Lumens	Color	CRI	Rated Life (h)	Price Each
RAPID START							
F34CWCWMECO	34	48"	1,500	4,100K	87	15,000	3.63
F40DXECO	40	48"	1,740	6,500K	90	20,000	4.96

*Starter Required
Popular Lamps Indicated in Bold

INSTANT START




Vendor Code: GEL

Catalog Number	Watts	Length	Lumens	Color	CRI	Rated Life (h)	Price Each
F96T12CWCWM	60	96"	2,900	4,100K	90	12,000	9.99

Popular Lamps Indicated in Bold

T12 HIGH OUTPUT



Vendor Code: GEL


Catalog Number	Watts	Length	Lumens	Color	CRI	Rated Life (h)	Price Each
F48T12CWHO	60	48"	3,520	4,100K	60	12,000	12.75
F72T12CWHO	85	72"	5,520	4,100K	60	12,000	12.85
F96T12CWHOCT*	110	96"	7,740	4,100K	60	12,000	14.68
F96T12HL41H0WM	95	96"	7,920	4,100K	77	12,000	22.57

Popular Lamps Indicated in Bold
*For Cold Temperature Use



Metal Halide Lamps (Pulse Start · Probe Start) · Biax Lamps

PULSE START METAL HALIDE LAMPS



Vendor Code: **GEL**

Catalog Number	Watts	Base	Bulb Desc.	Light Output Initial/Mean	Rated Life (h)	Price Each
MVR320VBHU0PA	320	Mog.	Clear	31,000/18,000	20,000	41.25
MVR400UPA	400	Mog.	Clear	38,000/22,000	18,000	38.55

Light Output and Rated Life Based On Base Up Installation
Popular Lamps Indicated in Bold

PROBE START METAL HALIDE LAMPS




- Probe start lamps used with pulse start ballasts will damage the lamp and ballast.

Vendor Code: **GEL**

Catalog Number	Watts	Base	Bulb Desc.	Light Output Initial/Mean	Rated Life (h)	Price Each
MVR175UMED	175	Med.	Clear	13,600/8,800*	10,000	27.56
MVR175U	175	Mog.	Clear	13,600/8,800*	10,000	26.47
MVR250U	250	Mog.	Clear	20,800/13,500*	10,000	28.57
MVR400U	400	Mog.	Clear	36,000/23,500*	20,000	30.17
MVR1000U	1,000	Mog.	Clear	110,000/88,000*	15,000	52.11
MVR1500USP0RTS	1,500	Mog.	Clear	170,000/153,000*	3,000	72.49

*Light Output and Rated Life Based on Base Up Installation
Popular Lamps Indicated in Bold

HIGH PRESSURE SODIUM LAMPS



Vendor Code: **GEL**

Catalog Number	Watts	Base	Bulb Desc.	Light Output Initial/Mean	Rated Life (h)	Price Each
LU1505HEC0	150	Mog.	Clear	16,000/14,400	24,000+	20.60
LU250HEC0	250	Mog.	Clear	28,000/27,000	24,000+	21.17
LU400HEC0	400	Mog.	Clear	51,000/45,000	24,000+	30.78

Popular Lamps Indicated in Bold



Genuine GE Lamps

TRIPLE BIAX - 4 PIN FOR DIMMING AND ELECTRONIC BALLAST



GX24Q-3




GX24Q-4

Vendor Code: **GEL**

Catalog Number	Watts	Length	Base	Lumens	Color	Rated Life (h)	Price Each
F32TBX841AEC0	32	5.5"	G24Q-3	1,850	4,100K	12,000	13.51
F42TBX841AEC0	42	6.4"	G24Q-4	2,690	4,100K	12,000	13.92

Popular Lamps Indicated in Bold

DOUBLE BIAX - 2 PIN WITH STARTER IN LAMP BASE FOR MAGNETIC BALLAST



G24D-3

Vendor Code: **GEL**

Catalog Number	Watts	Length	Base	Lumens	Color	Rated Life (h)	Price Each
F26DBX835EC0	26	6.67"	G24D-3	1,460	3,500K	10,000	12.82

DOUBLE BIAX 4 PIN FOR DIMMING AND ELECTRONIC BALLAST



G24Q-1

Vendor Code: **GEL**

Catalog Number	Watts	Length	Base	Lumens	Color	Rated Life (h)	Price Each
F13DBX841EC04P	13	4.9"	G24Q-1	755	4,100K	17,000/20,000	11.93


Lighting & Lighting Controls



LED Lamps (A-Line • Dimmable • T8 Tubes • T5 HO Tubes • PAR)

Lighting & Lighting Controls

LED A-LINE LAMPS




Vendor Code: SYL

Catalog Number	Watts	Type	Color	Lumens	LPW	Rated Life (h)	Price Each
LED8.5A19F85010Y	8.5	A19	5,000K	800	94	11,000	2.69
LED14A19F85010YV	14	A19	5,000K	1,500	107	11,000	9.30

Non-Dimmable
Catalog Numbers Listed are 5,000K (50). Replace 50 with 27 for 2,700K, or 35 for 3,500K.

DIMMABLE LED A-LINE LAMPS




Vendor Code: SYL

Catalog Number	Watts	Type	Color	Lumens	LPW	Replaces	Price Each
LED9A19DIM0830UR	9	A19	3,000K	800	89	60W Incan.	2.80
LED16A21DIM0850	16	A21	5,000K	1,600	100	100W Incan.	6.97

Other Color Temperatures are Available. Replace the Two Black Numbers with 27 for 2,700K, 28 for 2,850K, or 50 for 5,000K.

LED T8 TUBES



Vendor Code: SYL

Catalog Number	Watts	Size	Color	Lumens	LPW	Rated Life (h)	Price Each
BALLAST COMPATIBLE							
LED17T8L48FGIS85	17	48"	5,000K	2,220	129	36,000	8.95
LED17T8L48FGIS84	18	48"	4,000K	2,220	129	36,000	8.95
120-277V (SINGLE OR DOUBLE ENDED)							
LED17T8L48850BF	17	48"	5,000K	2,220	129	50,000	13.61
LED17T8L48841BF	17	48"	4,100K	2,220	129	50,000	13.61

Frosted Glass
Other Color Temperatures are Available. Replace the Two Black Numbers with 30 for 3,000K, 35 for 3,500K, 41 for 4,100K or 50 for 5,000K.

SUBSTITUBE® LED T5HO LAMPS
REPLACEMENT FOR FLUORESCENT T5HO LAMPS




Vendor Code: SYL

Catalog Number	Watts	Size	Color	Lumens	LPW	Rated Life (h)	Price Each
LED25T5H0L48FG84	25	48"	4,000K	3,500	140	50,000	18.99

Frosted Glass
Other Color Temperatures are Available. Replace 5 with 3 for 3,000K, 35 for 3,500K, or 4 for 4,000K.

LED PAR LAMPS




Vendor Code: SYL

Catalog Number	Watts	Lumens	Color	CRI	Beam Spread	Rated Life (h)	Price Each
PAR 20							
LED6PAR20830FL45	6	425	3,000K	82	45°	11,000	7.85
PAR 30							
LED9PAR30LN830FL	9	650	3,000K	82	45°	11,000	6.09
PAR 38							
LED13PAR38830FL4	13	900	3,000K	82	45°	11,000	12.12

Medium Base
Non-Dimmable
PAR 38 also Available in 5,000K. Replace 30 with 50 for 5,000K.

DIMMABLE LED PAR LAMPS



Vendor Code: SYL

Catalog Number	Watts	Lumens	Color	CRI	Beam Spread	Replaces	Price Each
PAR 20							
LED7PAR20DIM830	7	525	3,000K	82	40°	50w Hal.	11.69
PAR 30							
LED12.5PAR30LN30	12.5	1,000	3,000K	91	40°	75w Hal.	15.90
PAR 38							
LED16PAR38DIM850	16	1,300	5,000K	82	40°	125w Hal.	11.81


Medium Base
Other Color Temperatures are Available. Replace the Two Black Numbers with 27 for 2,700K, 30 for 3,000K, or 50 for 5,000K.





LED Lamps (Dimmable · Reflector · MR16 · Filament · Vintage)

DIMMABLE LED REFLECTOR LAMPS CONTRACTOR SERIES




Rated up to 11,000 hours at 70% lumen maintenance, Contractor Series LED reflector lamps offer years of service and reduce energy and maintenance costs. Contractor Series LED reflector lamps are environmentally preferred products. They are RoHS compliant and contain no mercury, lead or other hazardous materials. They emit no UV or IR radiation.

Vendor Code: SYL

Catalog Number	Watts	Lumens	Color	CRI	Rated Life (h)	Price Each
R20						
LED5R20DIM82710Y	5	325	2,700K	80	11,000	6.09
BR30						
LED9BR30DIM82710	9	650	2,700K	80	11,000	8.18
BR40						
LED13BR40DIM8271	13	900	2,700K	80	11,000	13.54

Medium Base
Catalog Numbers Listed are 2,700K (27). Replace 27 with 35 for 3,500K or 50 for 5,000K.

DIMMABLE LED MR16 LAMPS




Long lasting, energy efficient, ULTRA LED MR16 lamps are now true halogen equivalent lamps when comparing lumen output and center beam candlepower. MR16 lamps are available in 6, 8 and 9W versions in 25° and 35° beam angles and are high-quality replacements for halogen 20W-50W MR16 lamps. These LED MR16 lamps are available in GU5.3 base configurations and dimmable down to 10%. Lamps boast a 25,000 hours life (L70) providing 12.5 times longer life than halogen MR16 lamps thereby reducing maintenance costs. Lamps have a 3,000K color temperature similar to halogen and 80+ CRI. These products are free of UV and IR radiation, minimizing discoloration and fading of materials.

Vendor Code: SYL

Catalog Number	Watts	Lumens	Color	Beam Angle	Rated Life (h)	Price Each
LED6MR16DIM830F	6	450	3,000K	35°	25,000	5.11
LED6MR16DIM830NF	6	450	3,000K	25°	25,000	8.70



DIMMABLE LED FILAMENT LAMPS




Rated up to 15,000 hours at 70% lumen maintenance, SYLVANIA ULTRA LED filament lamps offer years of service and reduce energy and maintenance costs. SYLVANIA ULTRA LED filament lamps are environmentally preferred products. They are RoHS compliant and contain no mercury, lead or other hazardous materials. They emit no UV or IR radiation. A CRI of 80 ensures good color definition and with warm white 2,700K color temperature, these lamps can be used in many applications in both homes and businesses.

Vendor Code: SYL

Catalog Number	Watts	Lumens	Color	CRI	Rated Life (h)	Price Each
LED5A15DIMCL927C	5	450	2,700K	90	15,000	5.18
LED5A19DIM0927CE	5	450	2,700K	90	15,000	5.40
LED4B10CBENTDIM9	4	320	2,700K	90	15,000	6.30
LED4.5G25CLDIM92	4.5	350	2,700K	90	15,000	7.78
LED5ST19DIM827CE	5	450	2,700K	90	15,000	7.18

*Medium Base Clear Finish
**Candelabra
Clear Finish

LED VINTAGE LAMPS



Rated up to 15,000 hours at 70% lumen maintenance, SYLVANIA LED Vintage lamps offer years of service and reduce energy and maintenance costs. They are RoHS compliant and contain no mercury, lead or other hazardous materials.

Vendor Code: SYL

Catalog Number	Watts	Lumens	Color	CRI	Rated Life (h)	Price Each
LED6.5A19DIM822V	6.5	650	2,175k	80	15,000	7.87
LED6.5ST19DIM822	6.5	650	2,200K	80	15,000	9.44
LED4B10CBENTDIM8	4	360	2,175k	80	15,000	7.22

Amber Finish


Lighting & Lighting Controls



LED Lamps (High Lumen · U Shaped · TT5 · Pin Base)

Lighting & Lighting Controls

**ULTRA LED™
HIGH LUMEN LAMPS**




The SYLVANIA ULTRA LED high lumen lamp is a self-ballasted medium base HID replacement lamp. The lamp is easy to install and is ideal for indoor high/low bay lighting and outdoor decorative post top fixtures in walkway lighting applications. This lamp provides excellent color rendering (82 CRI) in comparison with traditional high pressure sodium and metal halide lamps, and a selection of color temperatures (2,700K, 3,000K, 4,000K and 5,000K). The optical design efficiently directs light output in a 360° (horizontal) beam angle (or omnidirectional) with Type V distribution.

Vendor Code: SYL

Catalog Number	Watts	Color	Lumens	LPW	Rated Life (h)	Price Each
LED HID REPLACEMENTS, E26 BASE						
LEDHIDR5000850*	55	5,000K	5,000	100	50,000	170.98
LED80HIDR8000840**	80	4,000K	8,000	100	50,000	233.98
LED HID REPLACEMENT ACCESSORY						
LEDADAPTORMOGULB	Mogul Base Adaptor for E26 Base					8.94

*Catalog Number Listed above is 5,000K (50). Replace 50 with 30 for 3,000K and 40 for 4,000K.
**Catalog Number Listed above is 4,000K (40). Replace 40 with 30 for 3,000K.

**U SHAPED LED LAMPS
SUBSTITUBE® CURVALUME® IPS LED T8**



SYLVANIA SubstiTUBE CURVALUME IPS LED T8 lamps are an energy saving alternative, designed to replace traditional fluorescent T8 lamps. These shatter-resistant LED T8 lamps contain no mercury, provide instant light and a uniform light distribution.

Engineered to operate on existing instant start and select programmed rapid start electronic T8 ballasts, these lamps minimize labor and recycling costs. Because the SubstiTUBE CURVALUME IPS LED T8 is not affected by switching cycles, the use of occupancy or vacancy sensors can be installed with the existing instant start ballasts for optimal energy savings.


Install a new QHE Instant start ballast with the SubstiTUBE CURVALUME IPS LED T8 lamp for optimal performance and to take advantage of the QUICK 72SUB+ System warranty.

Vendor Code: SYL

Catalog Number	Watts	Color	Lumens	LPW	Rated Life (h)	Price Each
6" LEG SPACE						
LED15T8UFP835SUB	15	3,500K	2,100	147	50,000	23.65

Catalog Number Listed Above is 3,500K (35). Replace 35 with 30 for 3,000K, 41 for 4,100K and 50 for 5,000K.

**TT5 LED LAMPS
SUBSTITUBE® DULUX® L LED**




Energy efficient 50,000 hour LED TT5 lamps providing instant light and a uniform light distribution with an optimized glass design. These lamps contain no mercury, provide instant light and a uniform light distribution. They are engineered to operate on existing instant start electronic DL40 ballasts.

Vendor Code: SYL

Catalog Number	Watts	Color Temp.	Lumens (Mean)	LPW	Rated Life (h)	Price Each
LED17TT5DLFG841S	17	4,100K	2,200	130	50,000	25.20

Catalog Number Listed above is 4,100K (41). Replace 41 with 30 for 3,000K and 35 for 3,500K.
2G11 Four Pin Base

**PIN BASE LAMPS
SUBSTITUBE® DULUX® LED**



SubstiTUBE DULUX LED Pin Base lamps are direct replacements for compact fluorescent lamps. They can be directly installed without the need to bypass the existing CFL ballast. The lamps are available in GX23 and GX24Q/GX24Q bases and in magnetic or electronic ballast configurations.

The LED pin base lamps have all the features of your typical LEDs, such as low heat emission and high energy efficiency, and a long rated life of 50,000 hours.

Vendor Code: SYL

Catalog Number	Watts	Color	Lumens	LPW	Rated Life (h)	Price Each
VERTICAL						
LED9PBGX24QV841*	9	4,100K	900	100	50,000	19.47
HORIZONTAL						
LED9PBGX24QH841*	9	4,100K	900	100	50,000	19.47
LED9PBGX23H841**	9	4,100K	1,100	122	50,000	18.69


*GX24 Base
**GX23 Base
Catalog Number Listed above is 4,100K (41). Replace 41 with 35 for 3,500K for the part numbers: LED9PBGX24QV841 and LED9PBGX24QH841.
Replace 41 with 27 for 2,700K for the part number: LED9PBGX23H841.





"A" Lamps · Reflector · PAR Lamps · Halogen Lamps · Rapid Start Lamps

"A" LAMPS



Vendor Code: SYL

Catalog Number	Watts	Base	Color	Price Each
300MCL130V	300	Med	Clear	16.58
HALOGEN				
43AHALSSW4120V	43	Med	Soft White	3.19
72AHALSSW4120V	72	Med	Soft White	3.19

REFLECTOR LAMPS



Vendor Code: SYL

Catalog Number	Watts	Volts	Base	Shape	Price Each
45R20CVP130V	50	130	Med	R20	2.55
65BR30FLCVP130V	65	130	Med	BR30	3.56
65BRFL130V	65	130	Med	BR40	4.82
250BR401*	250	120	Med	BR40	11.18

*Infrared Heat Lamp

PAR LAMPS



Vendor Code: SYL

Catalog Number	Watts	Volts	Shape	Price Each
HALOGEN FLOODS WITH MEDIUM BASE				
39PAR20HALFL3013	39	130	PAR20	12.71
50PAR30HALSNFL25	50	120	PAR30	10.91
70PAR38HALSNFL25	70	120	PAR38	7.99

DECORATIVE LAMPS WITH A BENT TIP



Vendor Code: SYL

Catalog Number	Watts	Volts	Base	Color	Price Each
25B10CBL120V	25	120	Cand	Clear	1.98


HALOGEN LAMPS



Vendor Code: SYL

Catalog Number	Volts	Description	Beam Spread	Price Each
50MR16FL35CEXN	12	Reflector	35°	10.49

T8 RAPID START MEDIUM BI PIN G13



Vendor Code: SYL

Catalog Number	Watts	Length	Lumens	Color	CRI	Rated Life (h)	Price Each
F017741ECO	17	24"	1,170	4,100K	75	30,000	3.61
F025741ECO	25	36"	1,755	4,100K	75	30,000	3.99
F032V41ECO	32	48"	2,450	4,100K	90	22,500	6.39
F032865XPECO	32	48"	2,708	6,500K	85	40,000	11.28

Rated Life at 3 Hour Cycles

T5 HIGH OUTPUT RAPID START MINIATURE BI PIN G5



Vendor Code: SYL


Catalog Number	Watts	Length	Lumens	Color	CRI	Rated Life (h)	Price Each
FP54841HOECO	54	45.8"	4,650	4,100K	82	20,000	6.36

RAPID START MEDIUM BI PIN G13

Vendor Code: SYL

Catalog Number	Watts	Length	Lumens	Color	CRI	Rated Life (h)	Price Each
F34CWXSS	34	48"	1,656	4,100K	87	20,000	3.33


INSTANT START SINGLE PIN FA8



Vendor Code: SYL

Catalog Number	Watts	Length	Lumens	Color	CRI	Rated Life (h)	Price Each
F96T12CWX	75	96"	3,872	4,100K	87	12,000	15.10
F096841ECO	59	96"	5,428	4,100K	82	15,000	28.41

T12 HIGH OUTPUT RECESSED DOUBLE CONTACT R17D



Vendor Code: SYL

Catalog Number	Watts	Length	Lumens	Color	CRI	Rated Life (h)	Price Each
F48T12CWH0	60	48"	3,281	4,200K	60	12,000	11.20
F72T12CWH0	85	72"	5,063	4,200K	60	12,000	11.27
F96T12CWH0COLD*	110	96"	6,966	4,200K	60	12,000	11.42

*For Cold Temperature Use

Lighting & Lighting Controls



Traditional Lighting (Pulse Start Metal Halide · U Shaped Fluorescent Lamps · Circline)

Lighting & Lighting Controls

PULSE START METAL HALIDE




Vendor Code: SYL

Catalog Number	Watts	Base	Light Output Initial/Mean	Rated Life (h)	Price Each
CLEAR BULB					
MS320PSBUHORED28	320	Mog.	32,000/21,000*	20,000	75.98

*Light Output and Rated Life Based on Vertical Installation

PULSE START METAL HALIDE FOR OPEN RATED FIXTURES



Vendor Code: SYL

Catalog Number	Watts	Base	Bulb Desc.	Light Output Initial/Mean	Rated Life (h)	Price Each
MP100UMED	100	Med.	Clear	7,600/4,900	15,000	57.83

*Light Output and Rated Life Based on Base Up Installation
Popular Lamps Indicated in Bold

PROBE START METAL HALIDE



Vendor Code: SYL

Catalog Number	Watts	Base	Bulb Desc.	Light Output Initial/Mean	Rated Life (h)	Price Each
M175UMED	175	Med.	Clear	*14,000/9,750*	10,000	43.49
M250UED28	250	Mog.	Clear	*21,500/17,500*	10,000	38.05
M400UED37	400	Mog.	Clear	*36,000/28,800*	20,000	51.82
M400UED28	400	Mog.	Clear	*36,000/23,500*	20,000	50.83
M1000U	1,000	Mog.	Clear	*110,000/88,000*	12,000	67.35
M1000UBT37	1,000	Mog.	Clear	110,000/93,500	15,000	76.31

*Light Output and Rated Life Based on Base Up Installation
Popular Lamps Indicated in Bold

HIGH PRESSURE SODIUM




Vendor Code: SYL

Catalog Number	Watts	Base	Bulb Desc.	Light Output Initial/Mean	Rated Life (h)	Price Each
LU250ECO	250	Mog.	Clear	28,000/27,000	24,000+	38.36
LU400ECO	400	Mog.	Clear	51,000/45,000	24,000+	38.05

Popular Lamps Indicated in Bold

DOUBLE BIAx 2 PIN WITH STARTER IN LAMP BASE FOR MAGNETIC BALLAST




G24D-3

Vendor Code: SYL

Catalog Number	Watts	Length	Base	Lumens	Color	Rated Life (h)	Price Each
CF26DD841ECO	26	6.8"	G24D-3	1,548	4,100K	10,000	9.13


U SHAPED FLUORESCENT LAMPS AND CIRCLINE



Vendor Code: SYL

Catalog Number	Watts	Length	Lumens	Color	CRI	Rated Life (h)	Price Each
T8 - 6" SPACING							
FB0327416ECO	32	22.5"	2,475	4,100K	75	20,000	22.93
T12 - 6" SPACING							
FB40CWX6	40	22.6"	1,806	4,100K	87	18,000	18.92

DOUBLE BIAx 4 PIN FOR DIMMING AND ELECTRONIC BALLAST



G24Q-2



G24Q-3

Vendor Code: SYL

Catalog Number	Watts	Length	Base	Lumens	Color	Rated Life (h)	Price Each
CF18DDE835ECO	18	5.8"	G24Q-2	989	3,500K	12,000	8.77
CF26DDE835ECO	26	6.5"	G24Q-3	1,470	3,500K	12,000	8.77

Popular Lamps Indicated in Bold

TRIPLE BIAx 4 PIN FOR DIMMING AND ELECTRONIC BALLAST



GX24Q-3




GX24Q-4

Vendor Code: SYL

Catalog Number	Watts	Length	Base	Lumens	Color	Rated Life (h)	Price Each
CF32DTEIN835ECO	32	5.6"	GX24Q-3	2,002	3,500K	16,000	11.41
CF42DTEIN841ECO	42	6.5"	GX24Q-4	2,670	4,100K	12,000	12.14

Popular Lamps Indicated in Bold

T5 COMPACT FLUORESCENT LAMPS




Vendor Code: SYL

Catalog Number	Watts	Length	Base	Lumens	Color	Rated Life (h)	Price Each
FT40DL841RSECO	40	22.4"	2G11	2,709	4,100K	15,000	15.22



LED Lamps (Replacement Tubes · Sign Tubes · Tube Strip Fixtures)

LED REPLACEMENT TUBES DIRECT WIRE 120-277V



DirectDrive LED tubes eliminate the need for an external driver or ballast. For new construction installations, simply connect the 120-277V line voltage directly to the sockets. For retrofit installations, bypass the existing ballast by cutting the wires and connecting the 120-277V line voltage directly to the sockets. No ballast or driver is required.

- May be connected on one or each end.

Vendor Code: **KST**

Catalog Number	Watts	Color	Length	Lumens	Rated Life (h)	Price Each
SHATTERPROOF COATED GLASS - SINGLE OR DOUBLE-ENDED WIRING						
L7T824GC840DX2	7	4,000K	24"	950	50,000	10.90
L15T848GC840DX2G	15	4,000K	48"	1,900	50,000	9.79
PLASTIC - SINGLE ENDED WIRING						
LED36T896P850D**	36	5,000K	96"	4,000	50,000	44.72

*ETL Sanitation Listed NSF/ANSI Standard 2 - Food Equipment Catalog Numbers Listed are 4,000K (40). Replace 40 with 30 for 3,000K, 35 for 3,500K and 50 for 5,000K.
 **Catalog Number Listed is 5,000K (50). Replace 50 with 40 for 4,000K.

BALLAST COMPATIBLE


- Compatible with Most Instant and Program Start Electronic T8 Ballasts. Check Ballast Compatibility List
- Direct Replacement for the Following Fluorescent Lamps: F32T8/32W, F32T8/30W, F32T8/28W, F32T8/25W

Vendor Code: **KST**

Catalog Number	Watts	Color	Length	Lumens	Rated Life (h)	Price Each
SHATTERPROOF COATED GLASS						
LED15T848GC840S	15	4,000K	48"	2,200	50,000	12.32

ETL Sanitation Listed NSF/ANSI Standard 2 - Food Equipment Catalog Numbers Listed are 4,000K (40). Replace 40 with 30 for 3,000K, 35 for 3,500K and 50 for 5,000K.

NON-SHUNTED TOMBSTONE HARNESSES



- Replacement for shunted sockets when using single ended direct wire tubes.


Vendor Code: **KST**

Catalog Number	Description	Price Each
KTSOCKETT8UT2W*	2-Lamp Wiring Harness for LED Tubes	6.42
KTSOCKETT8UT4W**	4-Lamp Wiring Harness for LED Tubes	8.86

*Includes (2) Pre-Wired Tall, Non-Shunted Sockets with Power Quick Disconnect
 **Includes (4) Pre-Wired Tall, Non-Shunted Sockets with Power Quick Disconnect



SIGN HERO LED SIGN TUBES




A perfect solution for retrofits or new sign installations, as well as single or double sided sign needs. With revolutionary DirectDrive technology there's no need for an external driver or ballast, saving precious labor time and costs.

Vendor Code: **KST**

Catalog Number	Watts	Color	Length	Lumens	Rated Life	Price Each
360° DOUBLE SIDED TUBES						
LED21T848P2S865D	21	6,500K	48"	2,600	50,000	54.25
LED26T860P2S865D	26	6,500K	60"	3,250	50,000	70.67
LED31T872P2S865D	31	6,500K	72"	4,000	50,000	84.41
LED42T896P2S865D	42	6,500K	96"	5,300	50,000	110.00
LED52T8120P2S865	52	6,500K	120"	6,400	50,000	157.25
180° SINGLE SIDED TUBES						
LED11T848P1S865D	11	6,500K	48"	1,340	50,000	41.16
LED13T860P1S865D	13	6,500K	60"	1,625	50,000	54.91
LED16T872P1S865D	16	6,500K	72"	2,000	50,000	64.75
LED21T896P1S865D	21	6,500K	96"	2,650	50,000	84.41
LED26T8120P1S865	26	6,500K	120"	3,200	50,000	125.75

Catalog numbers listed are 6,500K (65). Replace 65 with 40 for 4,000K. Also Available 18", 24", 30", 36", 42", 64", 84", 109", 117".

LED T5 HO TUBES




Vendor Code: **KST**

Catalog Number	Watts	Color	Length	Lumens	Rated Life (h)	Price Each
BALLAST COMPATIBLE						
LED25.5T5HO48GC8	25.5	5,000K	48"	3,200	50,000	15.17
120-277V						
L25T5HO48GC850DX	25	5,000K	48"	3,400	50,000	16.02

ETL Sanitation Listed NSF/ANSI Standard 2 - Food Equipment Available in 3,500K, 4,000K, and 5,000K

LED TUBE STRIP FIXTURES



Vendor Code: **KST**

Catalog Number	Description	Price Each
KTDDSLD842L	4' 2-Lamp Configuration	26.44
KTDDSLD884L	8' 4-Lamp Configuration	45.53


For use with 120-277V LED Tubes (22W Max per Lamp) Lamps not Included

Lighting & Lighting Controls



LED HID Replacement Lamps · LED CFL Plug-In Replacement Lamps

LED HID REPLACEMENT LAMPS
DIRECT WIRE 120-277V



L18HIDE26850D

LED100HIDEX39850

Smart Port LED Sensors

• Smart Port LED sensors conveniently install in seconds via a standard 3.5mm AUX port connection. Simply insert the LED light sensor and adjust the settings quickly by hand. Even if you choose not to plug in a sensor, the light will operate as a regular lamp.


Vendor Code: **KST**

Catalog Number	Watts	Color	Typical Replacement	Lumens	Rated Life (h)	Price Each
BASE TYPE: E26 (MEDIUM)						
L18HIDE26850D	18	5,000K	70W	2,610	50,000	39.01
L27HIDE26850DG2	27	5,000K	100W	3,915	50,000	47.59
L36HIDE26850DG3*	36	5,000K	150W	5,400	50,000	55.08
L45HIDE26850DG3*	45	5,000K	175W	6,750	50,000	65.98
BASE TYPE: EX39 (MOGUL)						
L45HIDEX39850DG3*	45	5,000K	175W	6,750	50,000	65.98
L54HIDEX39850DG3*	54	5,000K	200/250W	8,100	50,000	70.28
L80HIDEX39850DG2*	80	5,000K	320W	12,000	50,000	110.10
L100HIDEX39850D2*	100	5,000K	400W	15,000	50,000	147.31
SMART PORT LED SENSORS						
Catalog Number	Description					Price Each
KTSP1R112VAUX	PIR Motion Sensor					32.00
KTSPS112VAUX	Daylight Sensor					40.00
KTSMW112VAUX	Microwave Motion Sensor					40.00

*Accepts SmartPort Sensors.
Catalog Numbers for LED HID Replacement Lamps Listed are 5,000K (50). Replace 50 with 30 for 3,000K, and 40 for 4,000K.

EXPANDABLE LED HID
REPLACEMENT LAMPS

EX39 ROTATABLE BASE DIRECT WIRE 120-277V




Vendor Code: **KST**

Catalog Number	Watts	Color	Typical Replacement	Lumens	Rated Life (h)	Price Each
L27HIDEX39850D	27	5,000K	100/150W	4,100	50,000	65.07
L45HIDEX39850D	45	5,000K	175W	6,400	50,000	77.00
L63HIDEX39850D	63	5,000K	250W	9,200	50,000	134.07
L80HIDEX39850D	80	5,000K	250/320W	10,000	50,000	148.88
L110HIDEX39850D	110	5,000K	400W	14,000	50,000	179.85

Catalog Numbers Listed are 5,000K (50). Replace 50 with 30 for 3,000K, and 40 for 4,000K.

LED PLL REPLACEMENT
DIRECT WIRE 120-277V




Vendor Code: **KST**

Catalog Number	Watts	Color	Length	Lumens	Base	Price Each
LED17PLL22G835D	17	3,500K	22"	2,200	2G11	14.21

Catalog Number Listed is 3,500K (35). Replace 35 with 40 for 4,000K or 50 for 5,000K.

VERTICAL LED HIGH BAY
REPLACEMENT LAMPS
DIRECT WIRE 120-277V




Vendor Code: **KST**

Catalog Number	Watts	Color	Typical Replacement	Lumens	Rated Life (h)	Price Each
L80HIDVEX39850D	80	5,000K	250W	9,600	50,000	153.70
L115HIDVEX39850D	115	5,000K	400W	15,700	50,000	186.65

Catalog Numbers Listed are 5,000K (50). Replace 50 with 30 for 3,000K and 40 for 4,000K.

LED CFL PLUG-IN REPLACEMENTS



LED94PV840S

LED62PH840D

Vendor Code: **KST**

Catalog Number	Watts	Color	Base	Lumens	Orientation	Price Each
BALLAST COMPATIBLE 4-PIN						
LED94PV840S	9	4,000K	G24q	1,000	Vertical	12.88
LED94PH840S	9	4,000K	G24q	1,000	Horizontal	12.88
DIRECT WIRE 120-277V 2-PIN						
LED62PH840D	6	4,000K	GX23	700	Horizontal	11.92
LED82PV840D	8	4,000K	G24d	1,000	Vertical	10.89
LED82PH840D	8	4,000K	G24d	1,000	Horizontal	10.89
LED82PEV840D	8	4,000K	G24d	1,000	Extended Vertical	10.69

Catalog Numbers Listed are 4,000K (40). Replace 40 with 27 for 2,700K, 30 for 3,000K, 35 for 3,500K and 50 for 5,000K.



Lighting & Lighting Controls



LED Lamps (A-Line · Reflector · PAR · MR16 · Decorative)

LED A-LINE LAMPS




Vendor Code: **KST**

Catalog Number	Watts	Color	Lumens	CRI	Price Each
DIMMABLE					
LED6A190930	6	3,000k	450	90	3.00
LED9A190930	9	3,000k	800	90	4.17
LED11A190830	11	3,000k	1,100	80	3.82
NON-DIMMABLE					
LED6A190830ND	6	3,000k	480	80	1.92
LED9A190830ND	9	3,000k	800	80	1.85
LUMEN ADJUSTABLE					
LED16A2108303W	6/8/16	3,000k	450/800/1,600	80	9.92

Catalog Numbers Listed are 3,000k (30). Replace 30 with 27 for 2,700k or 50 for 5,000k.

LED REFLECTOR LAMPS



Vendor Code: **KST**

Catalog Number	Watts	Color	Lumens	CRI	Price Each
R20					
LED7,5R20830	7	3,000k	525	80	3.30
BR30					
LED8BR30830G2	8	3,000k	650	80	3.00
BR40					
LED15BR40830	15	3,000k	1,300	80	6.75

Catalog Numbers Listed are 3,000k (30). Replace 30 with 27 for 2,700k or 50 for 5,000k.

LED PAR LAMPS




Vendor Code: **KST**

Catalog Number	Watts	Color	Lumens	CRI	Price Each
PAR20					
LED6PAR20F930	6	3,000k	500	90	7.32
PAR30					
LED9,5PAR30F930	9.5	3,000k	800	90	11.00
PAR38					
LED13PAR38F830*	13	3,000k	1,200	80	9.83
LED13PAR38NF830**	13	3,000k	1,250	80	9.83

Catalog Numbers Listed are 3,000k (30). Replace 30 with 27 for 2,700k, 40 for 4,000k or 50 for 5,000k.

*40° Beam Angle
**25° Beam Angle

LED MR16 LAMPS




Vendor Code: **KST**

Catalog Number	Watts	Color	Lumens	Beam Angle	Price Each
LED6MR16S830	6	3,000k	450	35°	4.17
LED7,5MR16NS930	7.5	3,000k	570	25°	8.31
LED7,5MR16S930	7.5	3,000k	570	35°	8.31

Catalog Numbers Listed are 3,000k (30). Replace 30 with 27 for 2,700k, 40 for 4,000k or 50 for 5,000k.

LED DECORATIVE LAMPS



Vendor Code: **KST**

Catalog Number	Watts	Color	Lumens	Base	Price Each
GLOBES					
LED45FG16E12930C	4.5	3,000k	350	Candlabra	3.33
LED55FG25E26930C	5.5	3,000k	500	Medium	4.17
STRAIGHT TIP B11					
LED4FB11E26927C	4	2,700k	350	Medium	3.07
BENT TIP CA11					
LED5,5FCA11E12927C	5.5	2,700k	500	Candlabra	3.44
EDISON					
LED4,5FST19E26822A	4.5	2,200k	350	Medium	4.46


Lighting & Lighting Controls





LED Tape Lights · LED Tape Drivers · Channel Covers · Channel End Caps

BLAZE™ 12V LED TAPE LIGHT




BLAZE Tape Light is a versatile, indirect, linear light that provides high-output, architectural-grade lighting at 80+ CRI. BLAZE is available in a wide range of color temperatures, from warm whites starting at 2,400K, to very cool white 6,300K, as well as red, green, and blue. BLAZE's high lumen output makes it ideal for task and display lighting, as well as an efficient ambient light when paired with an LED dimmer.

Vendor Code: **DIO**

Catalog Number	Watts per foot	Kelvin	Length	Lumens per foot	Price Each
DH12VBL308016	2.88	3,000K	16.4' Spool	286	243.08
DH12VBL278016	2.88	2,700K	16.4' Spool	293	243.08
DH12VBL3080100	2.88	3,000K	100' Spool	286	1159.23
DH12VBL2780100	2.88	2,700K	100' Spool	293	1159.23

Replace the Two Black Numbers with **24** for 2,400K, **27** for 2,700K, **30** for 3,000K, **33** for 3,300K, **35** for 3,500K, **38** for 3,800K, **42** for 4,200K, **44** for 4,400K, **50** for 5,000K, and **63** for 6,300K.

LED TAPE DRIVERS




OMNIDRIVE® Electronic Dimmable Drivers are our best-selling dimmable power supplies. They offer superior dimming performance for the widest range of dimming switches. The built-in electronic filter eliminates flicker and provides the smoothest dimming from 100% down to 10%. They offer superior dimming performance when paired with: TRIAC dimmer controls, magnetic low voltage (MLV), electronic low voltage (ELV) and incandescent/halogen dimmer switches, as well as 3/4/5-way and on/off switching.

Vendor Code: **DIO**

Catalog Number	Watts	Voltage	Dimensions	Price Each
ENVIRONMENT RATING: INDOOR				
DITD12V20W	20	12V DC	5.5 x 1.8 x 1.1 in.	97.65
DITD12V30W	30	12V DC	7 x 2.3 x 1.4 in.	112.95
DITD12V45W	45	12V DC	7 x 2.3 x 1.4 in.	124.20
ENVIRONMENT RATING: OUTDOOR/INDOOR				
DITD12V60W	60	12V DC	7.9 x 2.7 x 1.8 in.	144.90
DITD12V80W	80	12V DC	7.9 x 2.7 x 1.8 in.	163.80
DITD12V120W	120	12V DC	7.9 x 2.7 x 1.8 in.	200.70



CHROMAPATH® BUILDER CHANNELS FOR LED TAPE




Vendor Code: **DIO**

Catalog Number	Form Factor	Length	Finish	Included Accessories	Price Each
DICPCHASL48	Slim	48"	Aluminum	No	18.00
DICPCHASQ48	Square	48"	Aluminum	Yes*	33.30
DICPCHA4548	45°	48"	Aluminum	Yes*	41.85

*Includes Four Mounting Clips with Screws and Two End-to-End Interconnects.


CHANNEL COVERS



Vendor Code: **DIO**

Catalog Number	Form Factor	Length	Price Each
DICPCHCFR48	Frosted Cover	48"	9.00
DICPCHCPD48	Premium Diffusion	48"	14.50

CHANNEL END CAPS




Vendor Code: **DIO**

Catalog Number	Description	Price Each
DICPECSL	Gray Slim End Caps	1.78
DICPECSQ	Gray Square Endcaps	8.88
DICPEC45	Gray 45° End Caps	14.97

A Set of End Caps Includes Closed and Notched Open Cap That Can Accommodate Wire up to 18 AWG. Catalog Numbers Listed Above are Gray. Add **W** to the End of the Part Number for White or **B** to the End of the Part Number for Black.

CLICKTIGHT® PRO TAPE LIGHT CONNECTORS



Vendor Code: **DIO**

Catalog Number	Type	Dimensions	Price Each
DICKTPTTW10*	Tape to Wire Connector	0.51 x 1.1 in.	48.47
DICKTPTTT5**	Tape to Tape Connector	0.51 x 1.1 in.	25.78


*Includes 10 Connectors, 25 Spade Connectors and 10 Wire Fasteners w/ 10 Nails
**Includes 5 Connectors, 10 Tape Light Fasteners and 20 Screws

Lighting & Lighting Controls



Ballasts (Fluorescent • Electronic • Magnetic • Dimming) • Electronic Ballast Kits

FLUORESCENT BALLASTS



ELECTRONIC BALLAST

Vendor Code: **ADV**

Catalog Number	Number of Lamps and Type	Price Each
120-277V		
ICN2P32N35I	1 or 2: F17T8, F25T8, F32T8, F40T8	30.17
ICN3P32N35I	2 or 3: F17T8, F25T8, F32T8, F40T8	33.69
ICN4P32N35I	3 or 4: F17T8, F25T8, F32T8	37.19
ICN2S40N35I	2: F34T12, F34T12U	30.23
ICN2P60N35I	1 or 2: F72T12, F96T12	43.11
ICN2S110SC35I	2: F48T12H0, F60T12H0	63.32

Popular Ballasts Indicated in Bold.

ELECTRONIC HIGH BAY BALLAST RATED AT 90C FOR HIGH TEMP APPLICATIONS

Vendor Code: **ADV**

Catalog Number	Number of Lamps and Type	Price Each
120-277V		
ICN2S5490CT35M	2: F54T5H0	57.82
ICN4S5490C2LSG35	4: F54T5H0	115.14

Blank Start
For Frequent Switching Applications Such as Occupancy Sensors, Programmed Start Ballasts Are Recommended and Require Non-Shorted Lamp Sockets.

ELECTRONIC BALLAST KIT FOR 4-PIN COMPACT FLUORESCENT LAMPS T4, 2D, T5 AND TT5

Vendor Code: **ADV**


Catalog Number	Number of Lamps and Type	Price Each
120-277V		
ICF2S26H1LDK	1 or 2: 26W CFL; 1: 28W CFL, 32W CFL, 42W CFL	51.38
ICF2S42M2LDK	2: 26W CFL, 28W CFL, 40W CFL, 42W CFL	54.68

SIGN 120V / 800MA, HO RAPID START

Vendor Code: **ADV**

Catalog Number	Number of Lamps	Min. - Max. Lamp Length	Price Each
ISB021612EI	1-2	2-16'	82.03
ISB104014EI	1-2	10-40'	187.04
ISB043214EI	1-4	4-32'	155.38
ISB084846EI	4-6	8-48'	197.16

HIGH INTENSITY DISCHARGE REPLACEMENT BALLASTS



HIGH PRESSURE SODIUM BALLAST

Vendor Code: **ADV**

Catalog Number	Lamp Watts	Lamp Type	Price Each
MULTI-TAP: 120/208/240/277V			
71A8172001D	150	S-55	190.16
5-TAP: 120/208/240/277/480V			
71A8453001D	400	S-51	273.75

Includes Core & Coil, Capacitor and Ignitor Where Required.
Popular Ballasts Indicated in Bold.

METAL HALIDE BALLAST

Vendor Code: **ADV**

Catalog Number	Lamp Watts	Lamp Type	Price Each
MULTI-TAP: 120/208/240/277V			
71A5390001D	100	M90 / M140	183.96
71A5570001D	175	M57 / H39	173.72
5-TAP: 120/208/240/277/480V			
71A5750001D	250	M58 / H37	171.70
71A6051001D	400	M59 / H33	204.43
71A6552001	1,000	M47 / H36	306.85
SINGLE TAP: 480V			
71A6742001	1,500	M48	429.31
MULTI-TAP: 120/208/240/277V			
71A6772001	1,500	M48	429.28

Includes Core & Coil and Capacitor.
Popular Ballasts Indicated in Bold.

PULSE START METAL HALIDE BALLAST


Vendor Code: **ADV**

Catalog Number	Lamp Watts	Lamp Type	Price Each
71A5792001D	250	M138 / M153	200.86
71A6092001D	400	M135 / M155	204.41

120/208/240/277V
Must Use Pulse Start Lamps.

ADVANCE
by @ignify

PROGRAMMABLE LED DRIVERS




Vendor Code: **ADV**

Catalog Number	Output Current	Output Voltage	Price Each
LAY-IN/LINEAR DRIVERS			
XI020C056V054BST	100-560	22.5-54	30.57
XI054C150V054BST	100-1,500	22.5-54	46.85
XI075C200V054BST	100-2,000	27-54	36.55
OUTDOOR AND INDUSTRIAL DRIVERS			
XI055C180V054BSJ	100-1,800	18-54	63.61
XI095C275V054BSF	100-2,750	20-54	86.87
XH180C125V200BSF	100-1,250	70-210	85.72
COMMERCIAL DOWNLIGHTING DRIVERS			
XI036C100V054DSM	100-1,000	27-54	36.97

*Bolted Numbers Indicates Maximum Output Wattage

DESKTOP READER FOR PROGRAMMABLE DRIVERS



By using the desktop programming tool, trained associates are capable of quickly programming LED drivers equipped with SimpleSet technology. Ask your local sales representative about in store programming capabilities in your area.

Vendor Code: **ADV**

Catalog Number	Description	Price Each
LCN9620	LED Driver Programming Tool	746.46

Try QuickSelect Now!
Desktop Reader for Programmable Drivers

Lighting & Lighting Controls



LED Lamps (HID Replacements · Filament · Vintage · Miniature)

Lighting & Lighting Controls

LED HID REPLACEMENTS




These LED corn lamps feature five extendable panels, capable of adjusting to three different light distribution options (360° beam angle, 270° beam angle, and a 180° beam angle)! These lamps are UL listed for damp locations and approved for use in totally enclosed fixtures.

Vendor Code: SAT

Catalog Number	Watts	Color	HID Equivalent	Lumens	Life	Price Each
S29751	40	5,000K	175W	5,200	50,000	77.08
S29752	60	5,000K	250W	7,800	50,000	92.67

These Lamps are Not for Use with Dimmers, Surge Protector Sold Separately.

SHOE BOX LAMP SERIES




These LED lamps a convenient and energy-efficient solution for replacing traditional high-pressure sodium and metal halide sources in enclosed shoe box parking lot area lighting fixtures.

Vendor Code: SAT

Catalog Number	Watts	Color	HID Equivalent	Lumens	Life	Price Each
S8932	80	5,000K	250W	10,000	50,000	162.59
S8938	110	5,000K	400W	14,000	50,000	178.78

LED FILAMENT LAMPS




If you are looking for the antique style and traditional incandescent look and feel with all the energy efficient benefits LED technology can provide, this is the bulb for you. The Satco LED Filament Lamps are the perfect vintage light bulb with an historically accurate and beautifully reproduced design.

Vendor Code: SAT

Catalog Number	Watts	Lumens	Color	Bulb	Base	Price Each
S29879	8	800	2,700K	A19	Medium	7.74
S29923	4	350	2,700K	CA11	Candelabra	5.12
S8613	3.5	350	2,700K	C11	Candelabra	5.69
S9569	4.5	450	2,700K	C11	Medium	6.57
S9564	6.5	810	2,700K	G25	Medium	7.33
S9872	2.5	200	2,700K	T6	Candelabra	4.95

LED PAR LAMPS



Vendor Code: SAT

Catalog Number	Lamp Type	Watts	Lumens	Color	Beam Spread	Price Each
S9405	PAR20	7	525	2,700K	40°	4.22
S9436	PAR30	13	1,000	3,000K	60°	7.38
S9454	PAR38	15	1,200	5,000K	60°	10.23

LED REFLECTOR LAMPS



Vendor Code: SAT

Catalog Number	Lamp Type	Watts	Lumens	Color	CRI	Rated Life	Price Each
S9631	BR20	6.5	525	3,000K	80	25,000	7.19
S9621	BR30	9.5	750	3,000K	80	25,000	7.46
S9635	BR40	11.5	940	3,000K	80	25,000	7.95

LED MINIATURE LAMPS



These lamps are silicon LED replacements for Halogen G4, G6.35, G9, GU5.3, MR11 and MR16 lamps. The light of these lamps is thrust upward. They are dimmable and have a 25,000 hour life. There is a silicon based sealant on the outer shell, so these lamps can be used in wet or damp applications like outdoor lighting!


Vendor Code: SAT

Catalog Number	Watts	Lumens	Color	Volts	Base	Price Each
S9542	1.6	200	3,000K	12	G4	9.27
S9544	3	300	3,000K	12	G6.35	9.95





120V DIMMERS




Ariadni Skylark Contour Diva Maestro

- C.L. dimmers are forward phase dimmers specifically designed for controlling dimmable LEDs, incandescent, and halogen bulbs.
- Alleviate dimmer interaction for smooth, flicker-free dimming
- No neutral required.
- All are 600W for incandescent or halogen lamps.

Vendor Code: LUT

Catalog Number	LED/ CFL	Type	Price Each
ARIADNI			
AYCL153PWH	150	Single Pole/3 Way	26.09
AYCL253PWH	250	Single Pole/3 Way	45.63
SKYLARK CONTOUR			
CTCL153PWH	150	Single Pole/3 Way	28.33
CTCL150HWH	150	Single Pole Only	27.48
DIVA			
DVCL153PWH	150	Single Pole/3 Way	31.07
DVCL253PWH	250	Single Pole/3 Way	73.92
MAESTRO			
MACL153MWH	150	Multi-Location	36.67
MARWH		Companion Dimmer for Multi-Location Application.	25.03

REVERSE PHASE DIMMERS




Diva Skylark Contour Nova T

- Reverse phase dimmers control dimmable LEDs and CFLs, as well as incandescent, halogen, and ELV loads.
- All are 500W for incandescent, halogen lamps, or ELV lamps.

Vendor Code: LUT

Catalog Number	LED/ CFL	Type	Price Each
DIVA			
DVRP253PWH	250	Single Pole/3-Way	101.63
SKYLARK CONTOUR			
CTRP253PWH	250	Single Pole/3-Way	65.43
NOVA T			
NTRP250WH	150	Single Pole	109.47

MAESTRO C.L. PRO DIMMER



MAPROWH

- Phase selectable – works in both forward or reverse phase dimming.
- Neutral optional.
- Load ratings: 250W of LED/CFL, 500W of Incandescent/Halogen/ELV, 400VA/300W of MLV

MKDWH


- Color Change Kits allow for changing the color of the actuating switch assembly of an existing MA-PRO dimmer.

Vendor Code: LUT

Catalog Number	Description	Price Each
120V, Phase Selectable Neutral Optional Dimmer		
MAPROWH		64.52
COLOR CHANGE KITS		
MKDWH	1 Piece Color Change Kit	7.47
MKD5WH	5 Piece Color Change Kit	22.39

Catalog Numbers Listed Above are White (WH). Replace WH with LA for Light Almond, or BL for Black.

0-10V DIMMERS



MSZ101WH DVSTVWH NTSTVDVWH


Lutron Maestro 0-10 V Dimmer Sensors are lighting controls with passive infrared sensors that automatically control the lights in an area. These sensors detect heat from occupants moving within an area to determine when the space is occupied. The Maestro 0-10 V Dimmer Sensor combines a Maestro 0-10 V Dimmer with an occupancy or vacancy Sensor.

Vendor Code: LUT

Catalog Number	Type	Price Each
120-277 OPERATING VOLTAGE		
MSZ101WH	Single Pole/Multi-Location	98.15
DVSTVWH	Single Pole/3 Way	83.99
NTSTVDVWH	Single Pole	114.29



FAN CONTROLS




Skylark Ariadni Diva

Vendor Code: LUT

Catalog Number	Amp	Type	Price Each
SKYLARK (SLIDE TO ON/OFF)			
SFSQFHH	1.5	3 Speed	22.98
SFS5EWH	5	Variable	38.45
ARIADNI (TOGGLE SWITCH)*			
AYFSQFHH	1.5	3 Speed	26.35
DIVA (DECORATOR SWITCH)*			
DVFSQFHH	1.5	3 Speed	36.36
SKYLARK CONTOUR FAN CONTROL			
CTFSQFHH	1.5	3 Speed	24.06

*For Single Ceiling Fan.

FAN & LIGHT CONTROLS




Maestro Diva

- UL Listed to control: LED, CFL, Incandescent, Halogen loads.
- No canopy module required
- No neutral wire required

Vendor Code: LUT

Catalog Number	Light Rating	Price Each
MAESTRO		
MACLLFQWH	250W Inc./Halogen or 75W LED/CFL	64.32
DIVA		
DVFSQLFHH	1A LED/CFL (switch only)	35.37

DUAL SLIDE



Skylark Ariadni

- All are 300W for incandescent lamps.

Vendor Code: LUT

Catalog Number	Amp	Type	Price Each
SKYLARK			
S2LFSQWH	1.5	3 Speed	35.06
S2LFWH	2.5	Variable	36.03
ARIADNI			
AY2LFSQWH	1.5	3 Speed	35.05


1.5A for 1 Fan Only
2.5 Amp for Multiple Fans

Lighting & Lighting Controls



Wireless Sensor Products

**SENSORS
OCCUPANCY/VACANCY**




- Programmable Occupancy (Automatic ON/Automatic OFF) or Vacancy (Manual ON/Automatic OFF).
- Tamper-resistant lenses.
- Ambient light detection (set to learnable or fixed).
- Adjustable timeout settings.
- No Dip switches or dials.

Vendor Code: **LUT**

Catalog Number	Description	Type	Price Each
SINGLE CIRCUIT PIR			
MS0PS2WH	120V, 2A	Single Pole	23.03
MS0PS5MWH	120V, 5A Lighting, 3A (120V) Fan	3-Way/Multi-Location	40.27
MS0PS6M2UDVWH	120/277V 6A Lighting, 3A Fan Neutral Required	3-Way/Multi-Location	42.96
MS0PS6M2DVWH	120/277V 6A Lighting, 3A Fan No Neutral	3-Way/Multi-Location	42.07
DUAL CIRCUIT PIR			
MS0PS6DDVWH	120/277V, 6A Lighting, 4.4A (120V) Fan Per Circuit	Single Pole	76.48
C.L. DIMMER SENSOR			
MSCL0P153MWH	120V, 600W Inc, 150W CFL/LED	3-Way/Multi-Location	44.14
0-10V DIMMER SENSOR			
MSZ101WH	120/277V, 8A Lighting, Neutral Optional	3-Way/Multi-Location	98.15
SINGLE CIRCUIT, DUAL TECH			
MSA102WH	120/277V, 6A Lighting, 4.4A (120V) Per Circuit, No Neutral	Single Pole	85.96
MSB102WH	120/277V, 6A Lighting, 4.4A (120V) Per Circuit, Neutral Required	3-Way/Multi-Location	85.96
DUAL CIRCUIT, DUAL TECH			
MSA202WH	120/277V, 6A Lighting, 4.4A (120V) Per Circuit, No Neutral	Single Pole	107.26
MSB202WH	120/277V, 6A Lighting, 4.4A (120V) Per Circuit, Neutral Required	3-Way/Multi-Location	107.26

Replace WH with **IV** for Ivory, **AL** for Almond, **LA** for Light Almond or **BL** for Black.

VIVE HUBS




- Communicates with controls on a floor using Lutron wireless Clear Connect technology (range radius of 71 ft).
- Distributed system architecture.
- Wireless sensors and controls must be located within 60 ft. line of sight, or 30 ft., through walls, of the associated device.
- Supports timeclock events based on both sunrise and sunset or fixed time-of-day.
- Integrated multi-color LED provides feedback on what mode the hub is in.
- Contact Closure Inputs for integration with devices by others including devices for Title 24 Automatic Demand Response.

Vendor Code: **LUT**

Catalog Number	Description	Price Each
HJS0FM	Starter Hub, Flush-Mount Adapter and Power Supply	Contact
HJS1FM	Vive Hub, Flush-Mount Adapter and Power Supply	Elliott
HJS1SM	Vive Hub, Surface-Mount Adapter and Power Supply	Electric
HJS2FM	Premium Vive Hub, Flush-Mount Adapter and Power Supply	Supply
HJS2SM	Premium Vive Hub, Surface-Mount Adapter and Power Supply	Sales Rep

See the Chart for Summary of Code Requirements for Lighting Control on Page L23.


RADIO POWR SAVR™ WIRELESS SENSORS



Vendor Code: **LUT**

Catalog Number	Description	Price Each
OCCUPANCY/VACANCY SENSORS		
LRF20CR2BPWH	Ceiling Mount, 360° Field-of-View	75.01
LRF20WLBPWH	Wall Mount, 180° Field-of-View	87.51
LRF20KLBPWH	Corner Mount, 90° Field-of-View	87.51
LRF20HLBPWH	Halfway	87.51
DAYLIGHT SENSOR		
LRF2DCRBWH	Ceiling Mounted	116.89

RF RECEPTACLES



Vendor Code: **LUT**

Catalog Number	Description	Price Each
WIRELESS		
CAR2S15STRWH	15A SpIt (Half Switching; Single Pole/Downstream), 120V	161.07
CAR2S15DTRWH	15A Duplex (Dual Switching; Single Pole/Downstream), 120V	161.07
CAR2S20STRWH	20A SpIt (Half Switching; Single Pole/Downstream), 120V	180.71
CAR2S20DTRWH	20A SpIt (Half Switching; Single Pole/Downstream), 120V	194.62




Lighting & Lighting Controls



Maestro Wireless Products · Powpak Controls · Vive Wireless

MAESTRO® WIRELESS PRODUCTS



Vendor Code: LUT

Catalog Number	Description	Price Each
WALLBOX DIMMERS, SINGLE POLE/MULTI-LOCATION		
MRF2600MWH	120V, 600W Incandescent/Halogen	74.46
MRF26MLVWH	120V, 600W Incandescent/Halogen, Magnetic Low Voltage	96.43
WALLBOX SWITCHES		
MRF26ANSWH	120V, 6 A Light or 3A Fan, Incandescent, Halogen, MLV, ELV, Non-Dim Fluorescent Ballasts, and General Purpose Fans	88.43
MRF28SDVWH	120V / 8A Light or 3A Fan or 1/10 HP Motor	125.00
PLUG IN LAMP DIMMER		
MRF23LDWH	300 W, Inc./Halogen for Table or Floor Lamps	145.83
PLUG IN DIMMING MODULE		
MRF23PD1WH	120V, 300W Incandescent/Halogen Plug-In Dimming/Switching Module, One Receptacle	96.43

Replace WH with IV for Ivory, AL for Almond, LA for Light Almond or BL for Black.


POWPAK® CONTROLS



Vendor Code: LUT

Catalog Number	Description	Price Each
POWPAK RELAY MODULE		
RMJS5RDVB	5A Relay	123.75
RMJS5RCC01DVB	5A Relay with One Contact Closure Output	126.92
RMJS16RDVB	16A Relay	131.24
RMJS16RCC01DVB	16A Relay with One Contact Closure Output	149.65
UL 924 RATED EMERGENCY WIRELESS CONTROLS		
RMJS16RDVBEM	Emergency Rated 16A Relay	181.92
RMJS8TDVBEM	Emergency Rated 8A, 0-10V Dimmer	219.99
FCJSEC0EM	Emergency Rated Ecosystem Control Module	117.86
FCJS010EM	Emergency Rated 0-10V Control Module	117.86
POWPAK DIMMING MODULE		
RMJS8TDVB	8A 0-10V Controller-Connector	165.02
RMJS8TNDVB	8A 0-10V Controller-Flying Leads	165.02
RMJSEC032SZ	Single Zone Ecosystem/DALI Controller	165.02
POWPAK CONTACT CLOSURE OUTPUT MODULE		
RMJSCC0124B	One Contact Closure Output	106.07

SERENA® REMOTE CONTROLLED SHADES




Serena automated shades are smart shades at an affordable price. Serena automated shades let you schedule your window shades to automatically raise at a set time every morning. You can close as well as open your shades with the press of a button.

- Shades install and operate without wires. You can mount them inside or outside the window frame.
- Shades feature industry-leading battery performance, and you can replace the batteries without taking down the shade.
- The cordless design provides a safer solution for homes with children or pets.
- Available in roller or insulating honeycomb styles, with a variety of headrail options.
- Choose from a wide selection of fabric colors and textures, as well as three opacities.
- Use the Smart Bridge and free Lutron App for convenient control from anywhere. You can also integrate shade control with other smart home solutions, including Amazon Alexa, Apple® HomeKit™, Google® Assistant, and more!

Starting at **\$350.00** for a 3' x 5' window, automated shades are more affordable than ever. Contact your local Elliott Electric Supply for more information

VIVE WIRELESS



Vive wireless is a revolutionary, modular wireless lighting control system for new and existing commercial buildings.




C Lighting & Lighting Controls



RA2 Select Products • Caseta Wireless Products

RA2 SELECT PRODUCTS



C•L Dimmer Pico Switch

When you choose RA2 Select, you're selecting a smart home system comprised of keypads, light controls, fan controls, temperature controls, appliance controls, and shades. RA2 Select was developed so you can choose the specific components you want in order to create the system that will best suit your lifestyle.

Vendor Code: LUT

Catalog Number	Description	Price Each
C•L DIMMER		
MSB102WH	120 V/ 600 W/ 150 W LED	85.96
PICO WIRELESS CONTROL		
PJ23BRLWHL01R	434 MHz, 4-button	22.49
SWITCH WITH NEUTRAL WIRE		
RRD8ANSWH*	120 V/ 8 A	155.69


*Replace WH with BL for Black, IV for Ivory, or LA for Light Almond.

ADDITIONAL SMART HOME TECHNOLOGY

- Apple HomeKit**
The Smart Bridge contains Apple HomeKit technology, so you can use Siri* to control your lights and shades.
- Nest**
Nest Protect smoke + CO alarm
When smoke or CO is detected your lights will turn on and your shades will open automatically to help you find your way.
- IFTTT (If This Then That)**
Create IFTTT recipes, such as lowering your shades if it's sunny, or turning off lights if the Nest thermostat is set to "Away" mode
- Logitech Harmony**
Dim lights, lower shades, and start a movie with one button press on Logitech Harmony Infrared-based remote controls or from the Harmony app.
- XFINITY Home**
Control your lights from anywhere using the XFINITY Home app.
- Amazon Alexa**
Create just the right light using Alexa voice control. Ask Alexa to turn lights on, off, or dim them to your favorite level.
- SONOS**
Control your Sonos Home Sound System from a Pico remote control for audio or from scenes in the Lutron App.
- Google Assistant**
Get the lights with just your voice. Smart Lighting control is now available through any Google Assistant-enabled device.

CASÉTA™ WIRELESS PRODUCTS

Adjusting lights and shades from a smart phone has never been easier, more reliable, or affordable. The Smart Bridge Pro works with Caséta™ Wireless dimmers and is compatible with Serena®, Triathlon®, and select styles of Sivoia® QS Wireless shades. Control lights and shades from anywhere so lights aren't left on or shades aren't left open while you're away. Schedule lights and shades to automatically adjust via the timeclock at set times of day. Integrate light and shade control with select security systems and AV remote controls



Caséta Wireless provides peace of mind, comfort and convenience at the touch of a button. So whether you want your lights on, off, or somewhere in between, you can count on Caséta Wireless to deliver what you need.

- Control your lights from anywhere
- Turn lights on from your car, purse, or pocket
 - Dim lights for a movie
 - Turn off lights from your bedside

- Add comfort and enhance peace of mind
- Adjust lights for any activity
 - Create just the right ambiance
 - Turn lights on before you walk into your house

- Install in minutes
- Ideal for existing or new homes
 - No new wiring required
 - Set up is easy

Vendor Code: LUT

Catalog Number	Description	Price Each
KITS		
PPKG1WWH	1 In-Wall Light Dimmer, 1 Pico Remote, 1 Wallplate	71.84
PJ2WALLWHL01	1 Pico Remote, 1 Wallplate Bracket, 1 Wallplate	34.78
PBDGPKG1W	1 Smart Bridge, 1 In-Wall Light Dimmer, 1 Pico Remote, 1 Wallplate	107.76
SMART BRIDGE AND SMART BRIDGE PRO		
LBDG2WH	Smart Bridge with Homekit Technology	91.69
LBDGPR02WH	Smart BridgePRO with Homekit Technology	150.00
PICO REMOTE AND ACCESSORIES		
PJ23BRLWHL01R	Remote Control	22.49
LPED1WH	LPED1WH Single Tabletop Pedestal	14.01
LPED2WH	Double Tabletop Pedestal	23.29
PIC0CARCLIP	Car Visor Clip	11.06
DIMMERS AND SWITCHES		
PD5NEWH	Dimmer ELV+	120.77
PD6ANSWH	In-Wall Neutral Switch	67.86
PDFSQNWH	120V Fan Speed Control	66.37
PD6WCLWH	120V In-Wall Light Dimmer	60.74

Replace WH with IV for Ivory, LA for Light Almond or BL for Black.


Lighting & Lighting Controls





Photocontrols

PHOTOCONTROLS FIXED POSITION MOUNT



Vendor Code: TOR

Catalog Number	Volts	Watts Tungsten	VA Ballast	VA LED	Price Each
KNOCKOUT MOUNT FIXED POSITION					
2000	120	2,000	1,800	600	24.74
2002	208	2,000	1,800	1,385	27.61

PHOTOCONTROLS PLUG-IN LOCKING MOUNT



- Ideal for roadway, area, parking, flood and security lighting.
- Works with all LED, CFL, induction, HPS and HID lighting fixtures.
- Long life components exceeding the 20 year long-life requirement.
- Life tested up to 10,000 on/off operations with 8 year warranty.
- Instant response, 2-5 second delay off and 510J MOV surge protection.
- Meets ANSI C136.10-2010, UL773, & CSA TIL A15.

Vendor Code: TOR

Catalog Number	Volts	Watts Tungsten	VA Ballast	VA LED	Price Each
5237UL	103-305	1,000	1,800	1,000	22.05


PHOTOCONTROL ACCESSORIES

Vendor Code: TOR

Catalog Number	Description	Price Each
2421	Receptacle, 120-480V, Color Coded #12 Leads, Plastic Housing, Lock Nut with 1/2" NPT, and Mounting Bracket.	35.41
5500	Turn Lock, 480V Max, 1,800W Tungsten, 1,800VA Ballast	11.63

Not UL or CSA Listed.

PHOTOCONTROLS STEM AND SWIVEL MOUNT



- Conformal coated cadmium sulphide photocell resists effects of moisture and airborne contaminants. Photocell responds to the light spectrum near to that of a human eye.
- Delay of up to two minutes to prevent false switching due to light from passing vehicles, lightning, etc.
- All Lexan® enclosures are impact and vandal resistant.
- Translucent Lexan Dome prolongs cell life by further screening out ultraviolet rays. Dome and base are ultrasonically welded for maximum strength.

Vendor Code: TOR

Catalog Number	Volts	Watts Tungsten	VA Ballast	VA LED	Price Each
2001	120	2,000	1,800	600	20.69
2002	208-277	3470-4620	2080-2770	1,385	30.45

PHOTOCONTROLS LED RATED



The ZTL Series Photocontrol is designed with enhanced ZERO-CROSS Switching Technology allowing it to withstand the high inrush currents commonly found in LED Luminaires.


- Ideal for roadway, area, parking, flood and security type lighting fixtures.
- Enhanced 510 Joule MOV surge device providing superior surge protection against unpredictable line voltage spikes.
- Circuit Board protection enhanced with conformal coating to protect against extreme weather elements and moisture.

Vendor Code: TOR

Catalog Number	Description	Price Each
ZTL124	105-305V, 1000W Tungsten, 1800VA Ballast, 8A LED	31.16



PHOTOCONTROLS STEM MOUNT




- Ideal for commercial and municipal lighting applications.
- Works with all 120 through 277VAC LED, CFL, induction, HPS and HID lighting fixtures.
- Extremely corrosion-resistant for coastal, ocean spray applications.
- Mounts in 1/2" conduit hole commonly found in gang and power distribution enclosures.
- Gasketed for weather protection.
- Meets ANSI/UL773A.

Vendor Code: TOR

Catalog Number	Volts	Watts Tungsten	VA Ballast	VA LED	Price Each
DIE CAST ZINC HOUSING AND BASE					
2129A	120/208-277V	2,000	1,800	600	43.19
DIE CAST ALUMINUM HOUSING AND BASE					
2119A	120/208-277V	2,000	1,800	600	28.83

PHOTOCONTROLS FLUSH MOUNT




- Conformal coated cadmium sulphide photocell resists effects of moisture and airborne contaminants. Photocell responds to the light spectrum near to that of a human eye.
- Delay of up to two minutes to prevent false switching due to light from passing vehicles, lightning, etc.
- Meets ANSI/UL773A.
- Control housing is weather-resistant molded Lexan® with ultrasonically welded seams.
- Flush mounting through .6875" hole in post lantern or lighting fixture. 3/8" NPT, stem 3/4" long. Gasket and nut supplied.

Vendor Code: TOR

Catalog Number	Volts	Watts Tungsten	VA Ballast	VA LED	Price Each
3000	120	2,000	1,800	600	17.28
3002	208-277	3470-4620	2080-2770	1,385	26.84

Lighting & Lighting Controls

DIGITAL TIME CLOCKS



- No reset after power failure
- Multipurpose 7 day, available in 1 and 2 channels
- Permanent schedule retention
- Super capacitor backup
- Multi-voltage input 120-277V AC
- Automatic daylight savings and leap year compensation
- Non-metallic, NEMA 3R enclosure
- Standard or Astronomic Programs (7 Day)
- 40 amp contacts

Vendor Code: TOR

Catalog Number	Switch Type	Amps	Channels	Price Each
24 HOUR / NEMA 3R, NON-METALLIC ENCLOSURE				
E101B	SPST	40	1	149.37
E103B	DPST	40	1	198.65
7 DAY / NEMA 3R, NON-METALLIC ENCLOSURE				
EWZ101	SPST	40	1	288.05
EWZ201C*	SPST	30	2	274.03


*Has an Option for 1 Channel DPST Operation

TIMERS

SPRING WOUND



A515MW




C515M

- Twist knob for time ON setting. Time ON lengths from 15 minutes to 12 hour vary by model.
- No adjustments. Just wire and go!
- No neutral required. Great for retrofit!
- 125/250/277 VAC

Vendor Code: TOR

Catalog Number	Switch Type	Length of Time	Price Each
WHITE FACE PLATE INCLUDED			
A515MW	SPDT	15 Minute Max	47.04
A530MW	SPDT	30 Minute Max	48.26
A560MW	SPDT	60 Minute Max	49.97
METAL-BRUSHED ALUMINUM COLOR			
C515M	SPDT	15 Minute Max	56.44
C530M	SPDT	30 Minute Max	57.59
C560M	SPDT	60 Minute Max	58.79

ELECTROMECHANICAL TIME CLOCKS
24 HOUR



1101NC

- NEMA 3R/NEMA 1 housing
- Clear Lexan cover
- Auto on/off same time 7 days a week

Vendor Code: TOR

Catalog Number	Switch Type	Voltage	Price Each
NEMA 3R, NON-METALLIC ENCLOSURE / 40A			
1101BPC	SPST	120	82.90
1103BPC	DPST	120	58.82
1104BPC	DPST	208-277	71.97
SCREW-ON ON/OFF TRIPPERS			
P47	-	-	7.68

DIGITAL TIME SWITCH
ASTRO WALL TIMER



- Scheduling: 10 ON & OFF pairs of set points for individual programs on each day of the week. 11 day groups speed programming.
- Astronomic/Daylight Savings/Leap Year/Random Mode
- Both models can be used as a 3-way switch.
- Supercapacitor provides power outage backup

Vendor Code: TOR

Catalog Number	Input Supply (VAC)	Amps	Action	Price Each
7 DAY ASTRONOMICAL				
SS703Z	120/277	15	SPST	62.12

White Color

ELECTROMECHANICAL TIME CLOCKS
24 HOUR WITH PULLOUT TABS



Vendor Code: TOR

Catalog Number	Switch Type	Voltage	Price Each
NEMA 1, METAL ENCLOSURE / 20A			
8001	SPDT	120V	290.38
8001U	SPDT	480V	235.09

7 DAY WITH SKIP-A-DAY



Vendor Code: TOR

Catalog Number	Switch Type	Voltage	Price Each
NEMA 1 METAL ENCLOSURE / 40A			
W400B	4PST	120	320.99

TORK



PREMIUM FAN UNITS




Vendor Code: **BRO**

Catalog Number	Description	Price Each
QTXE080	80 CFM, 0.3 Sones, Energy Star	149.98
QTXE150	150 CFM, 1.4 Sones, Energy Star	238.02
QTX110HL*	110 CFM, 1.2 Sones w/ Heater, Light, and NightLight	343.44

*Lamps for Light and Night Light Not Included with Fan


INTERMEDIATE FAN UNITS



Vendor Code: **BRO**

Catalog Number	Description	Price Each
AE50	50 CFM, 0.5 Sones, Energy Star	82.62
AE80B	80 CFM, 1.5 Sones, Energy Star	101.72
AE80	80 CFM, 0.8 Sones, Energy Star	142.73
AE80L	80 CFM, 0.8 Sones, Energy Star, LED Light	231.58
AE110	110 CFM, 1.0 Sones, Energy Star	124.65
AE110L	110 CFM, 1.0 Sones, Energy Star, LED Light	150.15

ECONOMY FAN UNITS




Vendor Code: **BRO**

Catalog Number	Description	Price Each
FAN/LIGHT		
678*	50 CFM, 2.5 Sones, 4" Duct, 100w Incan. Max	49.46
A70L*	70 CFM, 2.0 Sones, 4" Duct, 100w Incan. Max	92.76
CEILING MOUNT FAN ONLY		
A110	110CFM, 3.0 Sones, 4" Duct	90.00
CEILING/WALL MOUNT FAN		
688	50 CFM, 4.0 Sones, 3" Duct	27.45
HEATER/FAN		
658	70 CFM, 4.0 Sones, 4" Duct, 1300w Heater	173.87
HEATER/FAN/LIGHT		
655	70 CFM, 4.0 Sones, 4" Duct, 1300w Heater	130.42

*Lamps Not Included

RECESSED FAN/LIGHT WITH HIDDEN VENTILATION




Vendor Code: **BRO**

Catalog Number	Description	Price Each
744*	70 CFM, 1.5 Sones, 75w Max	146.71

Accepts R30, BR30, PAR30, or PAR30LN
*Lamps Not Included

CHIMES AND CHIME KITS



Vendor Code: **NUT**

Catalog Number	Description	Price Each
LA174WH*	Recessed Westminster Electronic Chime	135.95
BK110NBWH	Non-Lighted Button Kit: One 2-Note, White Door Chime Assembly	23.39
BK115LWH	Lighted Button Kit: One 2-Note, White Door Chime	25.69
BK125LWH	Lighted Button Kit: One 2-Note, White Door Chime, 2 Pushbuttons	27.17
C905	16V 10VA Transformer for Door Chime	21.00
C907	16V 13VA Transformer for Multiple Door Chimes	26.57

*Pushbutton Not Included

COMBINATION SWITCHES



Vendor Code: **BRO**

Catalog Number	Description	Price Each
66V	120v, 20 Amp Multi-Function Wall Switch; Ivory	27.70
66W	120v, 20 Amp Multi-Function Wall Switch; White	27.70
82W	120v, Humidity Sensing Wall Control; White	51.54

UPGRADE KITS



Vendor Code: **NUT**

Catalog Number	Description	Price Each
LED GRILLE UPGRADE		
FG500NS	LED Grille Upgrade Kit for Ventillation Fans	40.06
BATHROOM FAN UPGRADE KIT		
690	60 CFM Motor Upgrade w/Grille	49.72

Lighting & Lighting Controls





Smoke/CO Alarms · Heaters · Flexible Vinyl Ducting

C
Lighting & Lighting Controls

SMOKE/CO ALARMS



SC9120B/SC9120LBL
9120B/9120LBL



SC0500B/SA511B



SA350B



FG250B

SC9120B

Hardwired ionization and CO combination alarm meets new construction requirements including an advanced electrochemical CO and ionization smoke sensing technologies and a ten year CO Sensor/End of Life signal.

SC9120LBL

Wire-in, 120V AC 60Hz single and/or multiple station smoke and CO alarm specifically designed for residential and institutional applications. This alarm features a 10 year battery backup. The battery drawer is shipped pre-locked so battery will not be discarded prematurely.

SC0500B

BRK Wireless Interconnect Alarms provide a cost effective solution when it comes to renovation and retrofit projects where interconnectability is a requirement. Easily interconnect between floors and new to existing construction wirelessly.

9120LBL

Features a dual ionization smoke sensing chamber, an 85Db horn and a "silence" feature. This alarm has a 10 year battery backup. The battery drawer is shipped pre-locked so battery will not be discarded prematurely. Under normal conditions you should not have to replace the battery for the life of the alarm.

SA350B

Provides full 10-years of protection. Sealed Tamper proof design eliminates removal of batteries for other uses and ensures operation over the life of the alarm.

FG250B

Basic battery operated smoke alarm perfect for use in existing multi-family applications.

SA511B

BRK Wireless Interconnect Alarms provide a cost effective solution when it comes to renovation and retrofit projects where interconnectability is a requirement. Easily interconnect between floors and new to existing construction wirelessly.

Vendor Code: **BRK**

Catalog Number	Description	Price Each
SC9120B*	120V Combo Smoke and CO w/ Battery Backup	50.61
SC9120LBL*	120V Combo Smoke and CO w/ 10 Year Extended Life	57.08
SC0500B**	Wireless Interconnect Combo Smoke and CO w/Voice	71.67
SMOKE ALARMS		
9120B*	120V AC with Battery Backup	15.58
9120LBL*	120V AC/DC Ionization Smoke Alarm with a 10 Year Lithium Battery Back-up.	27.19
SA350B	10 Year Sealed Tamper Proof Battery Powered	22.26
FG250B	9V Battery Smoke Alarm	10.24
SA511B**	Wireless Interconnect Smoke w/Voice	52.94

*Hardwired

**Requires Two AA Batteries

HEATERS



174




198

Vendor Code: **BRO**

Catalog Number	Description	Price Each
174	1,500W Wall Heater, 8-9/16" x 12-9/16" x 4"	181.19
198	4,000W Wall Heater, 17-3/4" X 21-5/8" X 3-3/4"	382.50


**CEILING HEATER
LOW PROFILE**



Vendor Code: **BRO**

Catalog Number	Volts	Watts	Amps	Price Each
157	120	1,250	10.7	139.00

INFRARED LAMP HEATERS



161



162

Vendor Code: **BRO**

Catalog Number	Description	Price Each
161	250W Bulb Heater without Vent	45.26
162	70 CFM Exhaust Single Bulb Heater Fan	82.18

Does Not Include Lamps

FLEXIBLE VINYL DUCTING



Vendor Code: **DTC**

Catalog Number	Description	Price Each
BH350W	3" x 50' Flex Vinyl Duct Hose	17.59
BH450W	4" x 50' Flex Vinyl Duct Hose	18.79